

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information							

	pased on product specification or test results based obtained from sample testing), that the product its given in this declaration.							
Type of product *	ablet PC							
Commercial name *	IdeaTab A2107A-F							
Model number *	60015, 2298							
Issue date *	2012-9-6							
Intended market *	Global Europe Asia, Pacific & Japan Americas Other							
Additional information								

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	IdeaTab A2107A-F		
Issue date *	2012-9-6	Logo	lenovo

Product	roduct environmental attributes - Legal requirements								
Item		Yes	No	n.a.					
P1	Hazardous substances and preparations								
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)								
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.								
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.								
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).								
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes							
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.								
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)								
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.								
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.								
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment								
P2	Batteries								
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)								
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes							
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)								
P3	Safety, EMC connection to the telephone network and labeling								
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes							
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).								
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).								
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes	\Box						
P4	Consumable materials								
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).								
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		П	\square					
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).								
P5	Product packaging								
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀							
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes							
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	d 🔀							

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	IdeaTab A2107A-F		
Issue date *	2012-9-6	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		$\overline{\sqcap}$	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\overline{\boxtimes}$	Ħ	Ī
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$	Ħ	Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square	$\overline{\Box}$	
P7.8*	Upgrading can be done using commonly available tools	X	Ħ	$\overline{\Box}$
P7.9.				\dashv
P7.10	Spare parts are available after end of production for: 5 years			╫
F7.10	Service is available after end of production for: 5 years			
P7.11*	Material and substance requirements Product cover/housing material type:			
F7.11	Material type: Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free	-#-	\overline{X}	
P7.14	-		<u> </u>	
	All cover/housing plastic parts >25g are free from chlorine and bromine.	<u> </u>		<u> </u>
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes	
P7.16	Note B2) Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:		_	
F1.10	Marking:		Ш	Ш
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive) ☐, TBBPA (reactive) ☒, Other; chemical name: , CAS #:			
	Al- 0			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043-4: Brominated Epoxy Resin See P14	Ш	ш	ш
P7.18	Alt. 1			
-	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			
	concentrations above 0.1%:	_	_	_
	Comment: No legal limits exist, this is a market requirement.			
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain			
	complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier:			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:			
	Alt. 2	\boxtimes		
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	\boxtimes	Ш	Ш
D7.00	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.			
P7.21 P7.22	Of total plastic parts' weight >25g, biobased material content is %. Light sources are free from mercury			
	·			
P8 P8.1*	Batteries Battery chemical composition: <i>Lithium Ion</i>			
P8 2	Batteries meet the requirements of the following voluntary program/s: US RBRC			- - -

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Idea	Tab A2107	4 <i>-F</i>							
Issue date *	2012-9-6	5			Logo	lenovo				
					·					
	mental at	ttributes - Market	requirements (co	ontinued)		Requirement				
P9 Energy	consump	tion				Yes No	n.a.			
	•	e following power lev	als or anaray consu	motions are reporte	d: See P14					
		oped w/ WOL Enable		implions are reporte	u. 0007 14					
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Stand and test method *	dard for energy modes				
Peak (On-max)		N/AW	N/A W	N/A W	N/A		\boxtimes			
Category B										
Idle State - WOL E	nabled	N/AW	N/AW	N/A W	Use for Energy Sta	ar V5 registration(P _{idle})				
Sleep (S3) - WOL E	nabled	N/A W	N/A W	N/AW	Use for Energy Sta	ar V5 registration(P _{sleep})				
Sleep (S3) - WOL L	Disabled	N/A W	N/A W	N/A W	Reference					
Off (S5) - WOL Ena	abled	N/A W	N/A W	N/A W	Use for Energy Sta	ar V5 registration(Poff)				
Off (S5) - WOL Dis	abled	N/AW	N/A W	N/A W	Use for EuP					
EPS No-load		0 W	0 W	0 W						
(External power sup charger plugged in t outlet but disconned the product.)	he wall									
TEC		kWh/week	kWh/week	kWh/week						
Typical Energy Con	sumption									
ETEC * Annual Energy Cons	sumption	N/A kWh/year	N/A kWh/year	N/A kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep}) \times (0.1 + P_{idle} \times 0.3)$					
		P _{off} : Off Mode(S5) - WOL Enabled; P _{sleep} : Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled								
Display resolution	1024*60	Megapixels								
Print Speed	<u> </u>	Images per minu	ite							
·	r energy sa	ave mode: 0.5 minute								
		the energy save fund		the product.			ᆂ			
		s the energy requiren		-	/s·					
ENERG	Y STAR®		duct category:	g rolamaly program	, 0.					
Others s							\square			
P10 Emissio		Dealers deservices	to 100 0000							
		 Declared according Mode description 	10 150 9296	Declared	Declared	A-weighted	T			
I TO. T		viode description		A-weighted		e level L_{pAm} (dB)				
				sound power	_	Bystander positions	-			
				level L_{WAd} (B)	Operator position					
					or Desk side	(only if product is not operator attended)				
Idle	*	k		*						
Operation		*		*						
Other m										
Measure	ed accordir	_	ECMA-74							
D40.0		Other			n L _{pAm} measurement	distance m)				
P10.2 The pro	auct meets	s the acoustic noise	requirements of the t	rollowing voluntary p	orogram/s:		\boxtimes			

		luca	ı av	A210	,,,-	1-1																
Issue dat	e *	2012-9-6	5													Logo)	I	en	OI	VO	
Product	environn	nontal a	tribute	se - Mar	kot	roc	auir.	omo	ntc i	lcon	tinu	04)							20011	iror	noni	t met
Item	CHVIIOIII	ileiilai a	unbute	55 - IVIAI	NEL	160	quii	emei	iitə ((COII	ıtımu	eu)							vequ Y∈		No	n.a.
1.0111	Chemica	al emissi	ons froi	m printin	na pr	rod	ucts												- 10		110	ma.
P10.3*		ormed ac							8360	n) eta	ndar	√ □	other	specif	·.					1		
P10.4		mission r						<u>LU 2</u> (0000	,, 3ta	iiidait	<u>,,</u>	Otrici	эрссп	у.							
		Dust	Ozo		•	_	rene	į.	F	3enz	ene		TV	OC.								
P10.5		l emissio										n/s			et for :					1		\boxtimes
		Oust		Ozone	1			rene [_	, ,	-	Benz	ene			TVOC	: 🗌			_		
	Electron	nagnetic	emissio	ons																		
P10.6	Compute program	er display /s:	meets t	he requir	eme	nt f	or lo	w free	quen	cy el	ectro	magr	netic fi	elds of	the fo	llowing	volun	tary				\boxtimes
P11		able mat																				
P11.1*	A Safety	Data She	et (SDS	S) is avail	lable	for	the	ink/tc	oner	prepa	aratio	n, ev	en if n	ot lega	ally req	uired (s	see P4	.3).				\boxtimes
P11.2*	Paper co EN1228	ontaining I.	post-co	nsumer	recy	cled	d fibe	ers c	an b	e us	ed, p	rovio	ed tha	at it m	eets t	he requ	uireme	ents of				\boxtimes
P11.3*	2-sided (duplex) p	rinting/c	opying is	an i	inte	grate	ed pro	oduct	t fund	ction.											\boxtimes
P12	Ergonor	nics for o	omputi	ing prod	ucts	3																
P12.1*	The disp	lay meets	the erg	onomic r	equi	iren	nents	s of IS	SO 9:	241-	307 f	or vis	ual dis	splay to	echnol	ogies.			\triangleright			
P12.2*	The phys	sical input	device	meets th	e rec	quir	reme	nts o	f ISC	999	95 an	d ISC	9241	-410.					\triangleright	1		
P13	Packagi	ng and d	ocumer	ntation																		
P13.1*		packagin											0.89	2kg								
		packagin				asit): 0. 1	148kg	7										
P13.2*	Product	packagino plastic pa	g materi	al type(s)): :am	D\/		eight ((kg):											7		
P13.3*		nedia for						4: /	/±: -1 - 1	h =\ .									×	<u> </u>		
	Electroni	c 🔀, Pa	per 🔀,	Other _				·	`													
P13.4*		er user an % (Japan			enta	atior	n, ple	ase s	speci	ify co	ontair	ed pe	ercent	age of	post-c	onsum	er recy	cled				
P14	Addition	al inform	ation (See Note																		
	NOTE:	Supplier	makes r	no repres	enta	tior	ns, gi	uaran	itees	, ass	uran	ces o	r warra	anties	whethe	er expre	ess or	implie	d, reg	ardii	ng th	е
		on contai																				
	knowledg	ge availat here is a	le at the	e time of	com	idec	tion,	and s	suppl	lier s	hall r	ave r	no obli	gation	to upo	late sud	ch into	rmatio	n. The	e int	orma	ation
	informati		pproxim	ate and p	JIOVI	uec	101	IIIIOIII	natio	niai p	Juipo	363 0	illy. O	ee a L	enovo	Accoun	птер	CSCIII	alive	01 11	1016	
P7.17		does no	t contai	in free TI	BBP	'A ii	n pri	inted	circ	uit b	oard	s(wit	hout o	ompo	nents)>25g.						
P9	See Ene	rgy Star	Qualifie	ed (inser	t app	pro	pria	te Pro	oduc	et typ	oe; i.e	e. De	sktop,	Note	book,	etc.) fo		atest	inforn	nati	on:	
	http://do																					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19