

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	ing 2 / 5J3 sville, North Carolina 27560	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html	
Additional information			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	ablet PC			
Commercial name *	IdeaTab A3000-F			
Model number *	60029,Z0A2			
Issue date *	2013-5-1			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀			

Model number *	IdeaTab A3000-F
Issue date *	2013-5-1

Logo

lenovo

Product	Product environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\square$			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum				
D4 4*	concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			$\square$	
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			$\boxtimes$	
D1 0*	aromatic amines. (See legal reference and Note B1)				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	$\square$			
1 1.0	microgram/cm <sup>2</sup> /week (see legal reference).				
P1.10*	Comment: Max limit in legal reference when tested according to EN1811:1998. REACH Article 33 information about substances in articles is available at (add URL or mail contact):				
P1.10	http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment	$\boxtimes$	Ш		
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\square$			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\square$			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	S 🔀			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).				
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\mathbf{X}$	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀			
	Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	IdeaTab A3000-F				
ssue date * 2013-5-1 Logo						
Product	t environ	mental attributes - Market requirements - Environmental con	scious design	Require	ment	met
ltem		tory to fill in. Additional information regarding each item may be found ur		Yes	No	n.a.
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
P7	Design Disasse	mbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*	Plastic n	naterials in covers/housing have no surface coating.			Π	
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.				
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 104	3.			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with co	ommonly available tool		Π	Ē
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory	/ labels).		Π	Π
	Product	lifetime				
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives		$\boxtimes$		
P7.8*	Upgradir	g can be done using commonly available tools				
P7.9.	Spare pa	rts are available after end of production for: <b>5</b> years				
P7.10		s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type:				
D7 40		type: PC Material type: PC+ABS	Material type: PC+C	SF		
P7.12		I cable insulation materials of power cables are PVC free.		<u> </u>		<u> </u>
P7.13		I cable insulation materials of signal cables are PVC free				
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	Note B2					
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISC	1043-4:			
P7.17	TBBPA ( Alt. 2	I specifications of flame retardants in printed circuit boards >25g (without additive) , TBBPA (reactive) , Other; chemical name: , CAS	#:			
P7.18		3-4: Brominated Epoxy Resin See P14	Jonenis) >259 accordi	ig		
F7.10	Flame r concentr	etarded plastic parts >25g contain the following flame retardant s ations above 0.1%:	ubstances/preparation	s in 🗌		
	Provide complete 1. Chem	<ul> <li>it: No legal limits exist, this is a market requirement.</li> <li>a list of all used flame retardants including MSDS for each flame retard chemical name, CAS number and supplier.</li> <li>ical name: , CAS #: , Supplier:</li> <li>ical name: , CAS #: , Supplier:</li> </ul>	lant. The list must cor	ıtain		
	Alt. 2	ical name: , CAS #: , Supplier: I specifications of flame retardants in plastic parts >25g according ISO 1	043-4:			
P7.19		arts >25g are free from flame retardant substances/ preparations above 6 5, R48, R50, R51, R53, R60, R61 and any combination of these (See No		, 🛛		
P7.20		lastic parts' weight >25g, recycled material content is 0%.				
P7.21		plastic parts' weight >25g, biobased material content is 0%.				
P7.22	0	irces are free from mercury				
P8	Batterie					
P8.1*		hemical composition: Lithium Ion				<u> </u>
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC				

Annex B of ECMA-370 4<sup>th</sup> edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model num	<sup>mber*</sup> IdeaTab A3000-F									
Issue date *	*	2013-5-1								
Product environmental attributes Market requirements (continued)								.4		
Item	Product environmental attributes - Market requirements (continued) Requirement met tem Yes No n.a									
								<u>д.</u>		
9.1					1					
Energy mode *		Power level at <b>100</b> V AC	Power level at <b>115</b> V AC	Power level at 230 V AC	Reference / and test method		for energy m		<u> </u>	
Peak (On-m	nax)		N/AW	N/A W	N/A W	N/A				3
Category	B					I.				
Idle State -	WOL En	abled	N/AW	N/AW	N/A W	Use for Energ	gy Star V	5 registration(	(P <sub>idle</sub> )	3
Sleep (S3) -	- WOL EI	nabled	N/A W	<b>N/A</b> W	N/AW	Use for Energ	gy Star V	5 registration(	(P <sub>sleep</sub> )	3
Sleep (S3) -	- WOL Di	isabled	N/A W	<b>N/A</b> W	N/A W	Reference				3
Off (S5) - W	/OL Enal	bled	N/A W	<b>N/A</b> W	N/A W	Use for Energ	gy Star V	5 registration(	(P <sub>off</sub> )	3
Off (S5) - W	/OL Disa	bled	N/AW	<b>N/A</b> W	<b>N/A</b> W	Use for EuP				3
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)		ne wall	<b>N/A</b> W	<i>0.069</i> W	0.09 W					]
TEC Typical Ener	rgy Cons	umption	kWh/week	kWh/week	kWh/week				]	
ETEC * Annual Ener	rgy Cons	umption	N/A kWh/year	N/A kWh/year	N/A kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{slee})$ 0.1 + $P_{idle} \times 0.3$		sleep X	3	
			Poff: Off Mode(S5) - W	VOL Enabled; P <sub>sleep</sub> : S	Sleep Mode(S3) - WOL	Enabled; P <sub>idle</sub> : I	dle State -	WOL Enabled	I	
Display reso	olution :	1024*600	<b>)</b> Megapixels							]
Print Speed	:		Images per minu	te						1
Default time	to enter	energy sa	ave mode: 0.5 minutes							1
P9.2*	Informati	on about t	he energy save fund	tion is provided with	the product.					1
	ENERGY Others sp	Y STAR® pecify:	the energy requiren version: Proc	nents of the following duct category:	g voluntary program,	/s:				
	Emissio		Declared according	to ISO 0206						
P10.1 Mode Mode descriptio		Declared according	10 100 3230			on 🗌 op 🗌 👔	reighted el $L_{p Am}$ (dB) Bystander pos only if product operator atter	is not nded)		
I –	Idle	*			*					1
	Operation				<sup>-</sup>				🗵	1
	Other mo	I								
	Measure	d accordir	ng to: ISO7779 C	ECMA-74	ed by ECMA-74 with		ment dist	ance m	0	
P10.2	The prod	luct meets	the acoustic noise r							1

Model nu	umber *	IdeaTab A3000-F			
Issue dat	te *	2013-5-1 Logo	lend	vo	
Product	environr	nental attributes - Market requirements (continued)	Requir		met
Item			Yes	s No	n.a.
	Chemic	al emissions from printing products			
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard , other specify:			$\square$
P10.4		emission rate (print phase) is (mg/h): Dust Ozone Styrene Benzene TVOC			$\square$
P10.5		al emission requirements of the following voluntary program/s are met for : Dust Ozone Styrene Benzene TVOC			$\boxtimes$
	Electron	nagnetic emissions			
P10.6	Compute program	er display meets the requirement for low frequency electromagnetic fields of the following voluntary /s:			$\boxtimes$
P11		hable materials for printing products			
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\square$
P11.2*	EN1228		of 🗌		$\square$
P11.3*	2-sided	duplex) printing/copying is an integrated product function.			$\boxtimes$
P12		nics for computing products			
P12.1*	•	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\boxtimes$		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.	$\boxtimes$		
P13		ng and documentation			
P13.1*	Product	packaging material type(s): <i>paper</i> weight (kg): <i>0.618kg</i> packaging material type(s): <i>plastic</i> weight (kg): <i>0.006kg</i> packaging material type(s): weight (kg):			
P13.2*	Product	plastic packaging is free from PVC.	$\boxtimes$		
P13.3*		nedia for user and product documentation (tick box): ic 🔀, Paper 🔀, Other 📃			
P13.4*		er user and product documentation, please specify contained percentage of post-consumer recycle % (Japan only 70%)	d		
P14		nal information (See Note B4)			
	informat knowled provided informat		ased on su ation. The	upplier's informa	5
P7.17		t does not contain free TBBPA in printed circuit boards(without components)>25g.		_	
P9		ergy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for the late ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url)	st inform	ation:	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19