

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC				
Commercial name *	Lenovo Ideapad 100S-11IBY				
Model number *	80R2				
Issue date *	2015-11-04				
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	80R2		
Issue date *	2015-11-04	Logo	lenovo.

Product	duct environmental attributes - Legal requirements			met
Item	-	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes	\Box	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	_		
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),		\Box	\square
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			\boxtimes
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).	\boxtimes		
P1.10*	Comment: Max limit in legal reference when tested according to EN1811:1998. REACH Article 33 information about substances in articles is available at (add URL or mail contact):	<u> </u>	$\overline{}$	
P1.10"	http://www.lenovo.com/social_responsibility/us/en/materials.html		Ш	Ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*				
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes	\Box	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes	П	
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	80R2		
Issue date *	2015-11-04	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Re	equire	ment	met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes			
P7	Design				
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable				
			X		
P7.2*	Plastic materials in covers/housing have no surface coating.			<u> </u>	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		 	Щ.	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		뿌	Щ.	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u></u>		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		<u>Ш</u>		
D7 7*	Product lifetime		_		
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		뿌		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes			
P7.9.	Spare parts are available after end of production for: 5 years			_Ц	
P7.10	Service is available after end of production for: 5 years			Ш	
D7.44*	Material and substance requirements				
P7.11*	Product cover/housing material type: Material type: Material type: Material type:				
P7.12	Material type: PC+ABS-FR(40) Material type: Material type: Electrical cable insulation materials of power cables are PVC free.	$\overline{}$	\square		
P7.13	Electrical cable insulation materials of signal cables are PVC free	╫	\overline{X}	\dashv	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		$\frac{\square}{\square}$	-	
	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		$\frac{\square}{\square}$	-	
P7.15	Note B2)	<u> </u>		<u> </u>	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)				
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>				
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:				
	Comment: No legal limits exist, this is a market requirement.				
	1. Chemical name: , CAS #:				
	2. Chemical name: , CAS #: 3. Chemical name: , CAS #:				
	Alt. 2				
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)	\boxtimes			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.				
P7.22	Light sources are free from mercury	\boxtimes			
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg				
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide				
P8 2	Batteries meet the requirements of the following voluntary program/s: US RBRC			$\overline{}$	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	80R2		
Issue date *	2015-11-04	Logo	lenovo.

Product environmental attributes - Market requirements (continued) Requirement met						
						n.a.
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14						
Energy mode *	Power level at	Power level at	Power level at	Ref	ference / Standard for energy modes and test	
	100 V AC	115 V AC	230 V AC		thod *	
Peak (On-max)	20 W	20 W	20 W	Fu	ull load	
Category I1	T	1				
Short Idle State - WOL Enabled	1.606 W	1.608 W	1.752 W		e for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Enabled	0.612 W	0.612 W	0.780 W		e for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3) - WOL Enabled	0.216 W	0.216 W	0.264 W	Use	e for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3) - WOL Disabled	0.216 W	0.216 W	0.264 W	Ref	ference	\boxtimes
Off (S5) - WOL Enabled	0.120 W	0.120 W	0.168 W	Use	e for ENERGY STAR V6 registration(P _{off})	
Off (S5) - WOL Disabled	0.120 W	0.120 W	0.168 W	Use	e for EuP	
Category D 1/2						
Short Idle State - WOL Enabled	W	W	W	Use	e for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Enabled	W	W	W	Use	e for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3) - WOL Enabled	W	W	W	Use	e for ENERGY STAR V6 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Ref	ference	
Off (S5) - WOL Enabled	W	W	W	Use	e for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use	e for EuP	
EPS No-load	0.024 W	0.024 W	0.060 W			
(External power supply / charger						
plugged in the wall outlet but disconnected from the product.)						
PTEC *	W	W	W			
Typical Energy Consumption						
TEC * kWh/week						
Typical Energy Consumption		kWh/week	kWh/week			
ETEC *	5.680 kWh/year	5.690	6.460	Err	$r_{C} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35)$	
Annual Energy Consumption	oroso kwii your	kWh/year	kWh/year		Short idle X 0.3+ Plong idle X 0.1)	
				<u> </u>		
Display resolution*: 1366*768 M		WOL Enabled; P _{slee}	_p : Sleep Mode(S3)) - WC	OL Enabled; P _{idle} : Idle State - WOL Enabled	
	es per minute					
Default time to enter energy save P9.2* Information about the		a provided with the	n meduat			<u> </u>
		•	•	./		
P9.3* The product meets the ENERGY STAR® ver			oluntary program. : category: <mark>A</mark>	ı/S.	\bowtie \sqcap	
Others specify:			3			
P10 Emissions Noise emission – Declared according to ISO 9296						
	e description	0 3230	Declared	T	Declared A-weighted	
			A-weighted		sound pressure level $L_{p{\sf Am}}$ (dB)	
			sound power level $L_{W\!Ad}$		Operator position Bystander positions	1
			LWAd	(2)	Desktop X	
					or Desk side (only if product is not operator attended)	
Idle * F	DD:Idle		* NA		NA	
	DD: Operating		* NA		NA] 🗖
Other mode						
Measured according t	_	CMA-74	N/ FOMA 74	. 1	magaurament diatanas	
P10.2 The product meets the					m measurement distance m) am/s:	
The product meets the acoustic noise requirements of the following voluntary program/s:						

Model nur	nber "	80R2				
Issue date	ssue date * 2015-11-04 Logo			leno	/O .	
Product	environn	nental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
		al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\boxtimes
P10.4	Typical e	emission rate (print phase) is (mg/h):				
		Dust Ozone Styrene Benzene TVOC				
P10.5			TVOC			
		nagnetic emissions				
P10.6	program.	er display meets the requirement for low frequency electromagnetic fields of the follows: MPR-II	owing voluntary			
P11		able materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ			Щ	
P11.2*	EN1228		e requirements	of		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	gies.			
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13		ng and documentation				
P13.1*	Product	packaging material type(s): Corrugated Carton weight (kg): 0.220 packaging material type(s): Polyethylene Cushions weight (kg): 0.040 packaging material type(s): Others weight (kg): 0.123				
P13.2*	Product	plastic packaging is free from PVC.		X		
P13.3*		nedia for user and product documentation (tick box): c ☑, Paper ☑, Other ☑				
P13.4*		er user and product documentation, please specify contained percentage of post-co	nsumer recycled	t		
P14		nal information (See Note B4)				
	informati knowled	supplier makes no representations, guarantees, assurances or warranties whether on contained in this document. All information provided by supplier in this documenge available at the time of completion, and supplier shall have no obligation to updathere is approximate and provided for informational purposes only. See a Lenovo Aon.	t is provided ba te such informa	sed on supp tion. The inf	lier's ormat	ion
P9	See Ene	rgy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	%pgw_code=C	0		
						_

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Ideapad 100S-11IBY	Logo
Model Number	80R2	_
Issue Date	2015-11-04	lenovo.
Additional information		

(d)	year of manufacture:	2014			
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:				
	Category (according to ErP Lot 3): A Etec: 3.16				
f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:				
	Category (according to ErP Lot 3): NA Etec:				
g)	idle state power demand (Watts);	0.78			
(h)	sleep mode power demand (Watts);	0.26			
i)	sleep mode with WOL enabled power demand (Watts) (where enabled);				
j)	off mode power demand (Watts);	0.17			
(k)	off mode with WOL enabled power demand (Watts) (where enabled);				
(1)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):				
	10% 20% 50% 100% Average				
(m)	external power supply efficiency (if applicable):				
	Average 20W:83.29%;				
	*internal note: show values for all available external power supplies				
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300 cycles			
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:				
	NA .				
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:				
	Energy-star requirement				
(p-3)	the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:				
	IEC 61960 measurement methodology				

(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
				Energy-star requirement				
(q) sequence of steps for achieving a stable condition with respect to power demand::								
				Based on user manual				
(r) description of how sleep and/or off mode was selected or programmed:								
				Based on user manual				
(s)	sequence of ev off mode:	ents required to re	ach the	mode where the equipment automatically changes to sleep and/or				
				Based on user manual				
(t)	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):							
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):							
(v)	that has a lower power demand requirement than sleep mode (in minutes). the length of time before the display sleep mode is set to activate after user inactivity (in minutes):							
(w)								
				Based on user manual				
(x)	(x) user information on how to enable the power management functionality:							
				Based on user manual				
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:							
		2.	30V/50H	tz, Total Harmonic Distortion <2 %				
Addition No	tebook Battery	Information:						
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot replaced by a non-professional user.	be accessed and			
(Battery replaceable)	not user	(Battery user replaceable)		The battery[ies] in this product cannot be easily replaced by				
				users themselves				
Additional	nformation							
L								