

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	Lenovo ideapad 310S-14AST				
Model number *	80UL				
Issue date *	2016/4/12				
Intended market *	☑ Global ☑ Europe ☑ Asia, Pacific & Japan ☑ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	80UL		
Issue date *	2016/4/12	Logo	Lenovo

Product	roduct environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium,	\boxtimes		
	0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal			
	reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
D4 4*	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\boxtimes		
D4 5*	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\boxtimes		
P1.6*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),		_	
F 1.0				\boxtimes
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\square
1 1.7	aromatic amines. (See legal reference and Note B1)	Ш	Ш	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as	$\neg \neg$		\square
1 1.0	pentachlorophenol and derivatives (see legal reference).		Ш	
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	X		
	microgram/cm²/week (see legal reference).		ш	ш
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	http://www.lenovo.com/social_responsibility/us/en/materials.html		ш	
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains		П	$\overline{}$
1 2.1	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be		Ш	ш
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	\boxtimes		
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		ш	ш
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	\boxtimes		
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	\square	∺	-#-
F3.3	with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
	, , , , , , , , , , , , , , , , , , , ,	_#	 	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the			\boxtimes
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these			
D5	requirements is available (see legal reference). Product packaging			
P5.1*				
F0.1	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\boxtimes	Ш	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
			-	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
1	Commont. Logar reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	80UL		
Issue date *	2016/4/12	Logo	Lenovo.

Product	luct environmental attributes - Market requirements - Environmental conscious design			Requirement met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.	.a.	
P6	Treatment information				_	
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes				
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes				
P7.2*	Plastic materials in covers/housing have no surface coating.			T		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	$\overline{\boxtimes}$		Ŧ	Ŧ	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Ħ	T	Ŧ	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		H	-	╡	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		+	-	┿	
17.0	Product lifetime		<u> </u>			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives				┯	
P7.8*	Upgrading can be done using commonly available tools		井	-	╬	
				- -	╬	
P7.9.	Spare parts are available after end of production for: 5 years			<u> </u>	4	
P7.10	Service is available after end of production for: 5 years					
D7 44*	Material and substance requirements					
P7.11*	Product cover/housing material type: Meterial type: FR 2021 Meterial type: SARIC R	MESSEV				
P7.12	Material type: AL-5052 Material type: FR 3021 Material type: SABIC B Electrical cable insulation materials of power cables are PVC free.	INI 32 Z 3 Y			\neg	
P7.13	Electrical cable insulation materials of power cables are PVC free	<u> </u>			┽	
	<u>-</u>			- -	4	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		<u> </u>		_	
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)		Ш	L		
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:	\boxtimes				
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: <i>Phosphoric flame retardants</i> , CAS #: 35948-25-5	:				
D7.40	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations ir concentrations above 0.1%:	ı 🗌				
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #:					
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)]	
P7.20	Of total plastic parts' weight >25g, recycled material content is 0.51% .					
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.				_	
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	\boxtimes		L	┙	
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg					
P8.1*	Battery chemical composition: Li-ion Polymer			7	┯	
P8 2	Patterior most the requirements of the following valuatory program/s: US PRPC			ᅷ	┿	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	80UL		
Issue date *	2016/4/12	Logo	Lenovo.

Product environmental attributes - Market requirements (continued) Requirement met						
Item Yes No n.a. P9 Energy consumption						
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14						
Energy mode *	Power level at			Reference / Standard for energy modes and tes	+	
•	100 V AC	115 V AC	230 V AC	method *	'	
Peak (On-max)	eak (On-max) 65 W 65 W Full load					
Category I1					•	
Short Idle State - WOL Enable	ed 6.030 W	5.720 W	5.869 W	Use for ENERGY STAR V6 registration (P _{idle})		
Long Idle State - WOL Enable	d 3.623 W	3.592 W	3.909 W	Use for ENERGY STAR V6 registration (P _{idle})		
Sleep (S3) - WOL Enabled	0.304 W	0.309 W	0.410 W	Use for ENERGY STAR V6 registration(P _{sleep})		
Sleep (S3) - WOL Disabled	0.296 W	0.302 W	0.401 W	Reference		
Off (S5) - WOL Enabled	0.204 W	0.210 W	0.304 W	Use for ENERGY STAR V6 registration(Poff)		
Off (S5) - WOL Disabled	0.206 W	0.212 W	0.300 W	Use for EuP		
Category I2	1	1			l	
Short Idle State - WOL Enable	ed 7.319 W	7.346 W	7.329 W	Use for ENERGY STAR V6 registration(P _{idle})		
Long Idle State - WOL Enable	d 4.820 W	4.778 W	4.840 W	Use for ENERGY STAR V6 registration(P _{idle})		
Sleep (S3) - WOL Enabled	0.310 W	0.315 W	0.379 W	Use for ENERGY STAR V6 registration (Psleep)		
Sleep (S3) - WOL Disabled	0.282 W	0.284 W	0.350 W	Reference		
Off (S5) - WOL Enabled	0.209 W	0.210 W	0.270 W	Use for ENERGY STAR V6 registration(Poff)		
Off (S5) - WOL Disabled	0.208 W	0.209 W	0.265 W	Use for EuP		
EPS No-load	0.046 W	0.051 W	0.112 W			
(External power supply / charge	er					
plugged in the wall outlet but disconnected from the product.	,					
,						
PTEC * Typical Energy Consumption	W	W	W			
Typical Energy Consumption						
TEC *						
Typical Energy Consumption	kWh/week	kWh/week	kWh/week			
ETEC *	24.86	24.91	25.24	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35)$	+	
Annual Energy Consumption	kWh/year	kWh/year	kWh/year	+ P _{long_ldle} x 0.10+ P _{short_ldle} x 0.30)		
	P .: Off Mode(S)	5) - WOL Enabled: I	2 Sleen Mode	S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled		
Display resolution* : 1366*768		y - WOL Lindbied, 1	sleep. Greep mode	55) - WSE Enabled, Tidle Tale State - WSE Enabled		
Print Speed * : Ima	ages per minute					
Default time to enter energy say	<u> </u>					
	ne energy save funct		h the product		 	
	the energy requirem	·-	·			
	ersion: Version 6.0		, , ,			
Others specify:						
P10 Emissions Noise emission –	Declared according t	n ISO 9296				
	lode description		Declared	Declared A-weighted		
			A-weighted sound power			
			level L_{WAd}	Donata and a specific and	5	
			-WAG	Desktop		
				or Desk side (only if product is no operator attended		
Idle *	HDD:Idle		2.7	18.5		
Operation *	HDD: Operating		4.3	38.0	\Box	
Other mode	- 4 1007770	7 FOMA 74			_	
ivieasured according	g to: X ISO7779 Dother		red by FCMA-74	with L _{pAm} measurement distance m)		
P10.2 The product meets	the acoustic noise re					

Model nui	mber *	80UL				
Issue date	e *	2016/4/12	Logo	Leno	VO.	
	environn	nental attributes - Market requirements (continued)		Require Yes		
Item	01			Yes	No	n.a.
D40.0*		al emissions from printing products				<u> </u>
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				
P10.4	• •	emission rate (print phase) is (mg/h):				\boxtimes
		Dust Ozone Styrene Benzene TVOC				
P10.5			TVOC			
		nagnetic emissions				
P10.6	program.		owing voluntary			
P11		able materials for printing products				
P11.1*	•	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	,			\boxtimes
P11.2*	EN1228		e requirements	s of		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	gies.	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes	
P13		ng and documentation				
P13.1*	Product	packaging material type(s): paper weight (kg): 0.369 packaging material type(s): EPE weight (kg): 0.070 packaging material type(s): LDPE weight (kg): 0.018				
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes		
P13.3*	Specify r Electroni	media for user and product documentation (tick box): ic ☐, Paper ☒, Other ☐				
P13.4*	For pape	er user and product documentation, please specify contained percentage of post-co	nsumer recycle	d		
P14	Addition	nal information (See Note B4)				
	NOTE: S informati knowled	Supplier makes no representations, guarantees, assurances or warranties whether on contained in this document. All information provided by supplier in this document ge available at the time of completion, and supplier shall have no obligation to updathere is approximate and provided for informational purposes only. See a Lenovo A	it is provided ba	ised on supp ation. The inf	olier's format	tion
P9	See Ene	rgy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	o&pgw_code=(00		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad 310S-14AST	Logo
Model Number	80UL	
Issue Date	2016/4/12	Lenovo ®
Additional information		

(d)	year of manufacture:	2016
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cadisabled and if the system is tested with switchable graphics mode with UMA driving the display:	erds (dGfx) are
	Category (according to ErP Lot 3): A Etec: 16.06	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics calenabled:	rds (dGfx) are
	Category (according to ErP Lot 3): B Etec: 14.44	
(g)	idle state power demand (Watts);	A: 5.44 B: 4.84
(h)	sleep mode power demand (Watts);	A: 0.37 B: 0.38
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	NA
(j)	off mode power demand (Watts);	A: 0.27 B: 0.27
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	NA
(1)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	Average*: 45W:87.58%,87.60%,88.32%; 65W:89.18%,89.04%,89.92% *internal note: show values for all available external power supplies	
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300 cycles
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:	
	NA NA	
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:	
	Energy-star requirement by EPA 2.0 the measurement methodology used to determine information mentioned in points (o) – loadingcycles	

	batteries:						
				ergy-star requirement by EPA 2.0			
(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
		IEC 62	623 / IE	C EN50564:2011 measurement methodology			
(q)	sequence	of steps for achievin	g a stabl	le condition with respect to power demand::			
		IEC 62	623 / IE	C EN50564:2011 measurement methodology			
(r)	description of how sleep and/or off mode was selected or programmed:						
				Based on user manual			
(s)	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:						
				Based on user manual			
(t)				efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	30min		
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): NA						
(v)	the length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10min						
(w)	information	n on the energy-savi	ng poten	ntial of power management functionality:			
				refer to user manual			
(x)	user inforn	nation on how to ena	ble the i	power management functionality:			
,				·			
(-)	44	-t f		refer to user manual			
(z)		supply system, — inf		test voltage in V and frequency in Hz, — total harmonic distortion of the n and documentation on the instrumentation, set-up and circuits used			
			230V/5	50Hz, Total Harmonic Distortion <2 %			
Addition	Notebook B	attery Information:					
Yes	HOLOSOOK B	No	n/a	This notebook computer is operated by battery/ies that cannot be acces	sed and replaced		
(Battery	not user	(Battery user		by a non-professional user.			
replaceab		replaceable)		The battery[ies] in this product cannot be easily repla	ced by users		
				themselves			
		\boxtimes					
Addition	al informatio	n					