



## Product environmental attributes – THE ECO DECLARATION

Brand *	Lenovo 3000 G430	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	ased on product specification or test results based obtained from sample testing), that the product ts given in this declaration.
Type of product *	Portable PC
Commercial name *	Lenovo 3000 G430
Model number *	M/T: 20008/4152
Issue date *	2008, May 16
Intended market *	🔀 Global 📃 Europe 📃 Japan 📃 U.S. 📃 Other
Additional information	ENERGY STAR® 4.0 Qualified

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\square$	

Model number *	Lenovo 3000 G430 M/T: 20008/4152		
Issue date *	2008, May 16	Logo	lenovo

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU</i> 2002/95/EC and its amendments	$\boxtimes$		
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide ( <i>EU</i> : <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i> )			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\square$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) ( <i>EU 76/769/EEC</i> )			$\square$
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			$\square$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			$\square$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC	$\square$		
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			$\square$
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC	$\square$		
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			$\square$
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	$\square$		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 <sup>th</sup> 2007	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	$\boxtimes$		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			$\square$
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			$\square$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			$\boxtimes$
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	$\boxtimes$		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	$\bowtie$		
P5.3*	The product packaging material is free from CFC/HCFC.	$\square$		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	$\boxtimes$		

Model number *	Lenovo 3000 G430 M/T: 20008/4152		
Issue date *	2008, May 16	Logo	lenovo

Product	t environmental a	attributes - Market red Requiren	quirements - Environmental conscious design				
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, re	ecvcling					
P7.1*		o be treated separately	/ are easily separable	$\square$			
P7.2*	Plastic materials	in covers/housing hav	e no surface coating.				
P7.3*	Plastic parts >10	Og consist of one mate	erial or of easily separable materials.			Ē	
P7.4*	Plastic parts >25	ig have material codes	according to ISO 11469 referring ISO 1043.		Ħ	Ē	
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.		Ħ		
P7.6*		,	irement does not apply to safety/regulatory labels).		H	⊢⊢	
-	Product lifetime						
P7.7*			ssor, memory, cards or drives				
P7.8*	Upgrading can b	e done using common	ly available tools		Ħ	Ē	
P7.9.	Spare parts are	available after end of p	roduction for: 5 years			Ħ	
P7.10		ble after end of produc	•			⊢⊢	
-		bstance requirement					
P7.11*		ousing material type:	-				
	Material type: PC						
P7.12*			ower cables are halogen free (including PVC)		$\square$		
P7.13*			gnal cables are halogen free (including PVC)		$\boxtimes$		
P7.14		g plastic parts >25g are		$\boxtimes$			
P7.15	All printed circuit	boards (without comp	onents) >25g are halogen free		$\boxtimes$		
P7.16			ants in cover / housing plastic parts >25g according ISO 1043-4: psphorus compounds				
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14						
P7.18		ed material in plastic pa					
P7.19	R50/51/53 and F	R60/61 (67/548/EEC)	retardant substances/preparations above 0.1% classified as R45/46,				
P7.20	If mercury is use	e free from mercury d specify: Number of la	amps: <b>1</b> and max. mercury content per lamp: <b>3</b> mg				
P8	Batteries	t secto in horizon de C					
P8.1*			ned as hazardous according to 91/157/EEC	$\boxtimes$		_닏	
P8.2*			Ion/Lithium Manganese Dioxide				
P8.3			following voluntary program/s:			$\square$	
P9	Energy consum		a la construcción de la construc				
9.1 Mode	Power level at	Time (s) to <mode></mode>	els or energy consumptions have been measured: Mode description	Referen	<u></u>	n.a.	
Mode	* 230 Volts			Standar		n.a.	
On-max	<b>65</b> W		* Full load	*See P1	4		
On- normal	* W	to	*	*		$\square$	
On-idle	<b>13.9</b> W	to	* Idle state(categoryB)for ES V4	*			
Save 1	* <b>1.6</b> W	to	* sleep mode(S3)w/WOL Enable for ES V4	*See P1	4		
Save 2	1.1 W	to	* sleep mode(S3)w/WOL Disable for ES V4	*			
Off 1	* <b>0.6</b> W	to	* standby(off mode)(S5)w/WOL Enable for ES V4	*See P1	4	Π	
Off 2	W	to	*	*			
No load	* 0.36 W		External power supplies/charger plugged in but disconnected from the product	*See P1	4		
TEC	* kWh/y	Typical Energy Consur		*		$\square$	
P9.2*	Information abou	it the energy save fund	tion is provided with the product.			Ē	
P9.3	ENERGY STAR	® MOU V4	nents of the following voluntary program/s: of External Power Supplies, max 0.5W at no load				

Model number *	Lenovo 3000 G430 M/T: 20008/4152		
Issue date *	2008, May 16	Logo	lenovo

Product	Product environmental attributes - Market requirements (continued) Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No r						n.a.	
P10	Emissions							
	Noise emission	<ul> <li>Declared according to ISO 9296</li> </ul>						
<b>D</b> 40.4							1	
P10.1	Mode	Mode description	Declared A-weighted	Declared A-we				
			sound power	sound pressure level Operator position By	/stander posit	ione	-	
			level L <sub>WAd</sub> (B)		stander posit			
			····		ly if product is			
					perator attend			
						,	_	
	Idle	* Idle	* 2.8	28				
	Operation	* Operation	* 4.3	43				
	Other mode							
	Measured accore	ding to: 🔀 ISO 7779 🗌 ECMA-74						
		Other (only if not covered	d by ECMA-74 wit	h L <sub>pAm</sub> measurement distan	ce m)			
P10.2		ets the acoustic noise requirements of the fo	llowing voluntary	program/s:			$\boxtimes$	
		sions from printing products						
P10.3*	Test performed a	according to ECMA-328 standard, other	<u> </u>				$\bowtie$	
	The test covers:							
P10.4	The product mee	ets the chemical emission requirements of the	he following volunt	tary program/s:			$\square$	
	Electromagneti							
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary [] [] program/s: <i>MPR-II</i>							
P11	Consumable materials for printing products							
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).						$\square$	
P11.2*	Paper containing	recycled fibres that meets the requirement	s of EN12281 can	be used.			$\boxtimes$	
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.				$\boxtimes$	
P12	Ergonomics for computing products							
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays. See P14							
P12.2*	The product key	board meets the requirements of ISO 9995	and EN 29241-4.					
P12.3*	The computer in	put device meets the requirements of ISO 9	241-9.				$\overline{\Box}$	
P13	Packaging and	documentation					_	
P13.1*		ng material type(s): Corrugated cardboard ng material type(s): Polystylene	weight (kg): weight (kg):					
P13.2*	Product plastic p	ackaging is halogen free (including PVC)			$\square$			
P13.3*	User and produc	t documentation do not contain chlorine ble	ached paper					
P13.4*	User and produc	t documentation contain recycled paper						
P14	Additional infor							
07.47	<b>NOTE:</b> Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding th information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.						s ation	
P7.17	Product does n Lenovo Interna	ot contain free TBBPA in printed circuit	poards(without c	omponents)>25g.				
P9.1 P12.1			3406-2 but is no	t confirmed through form	al test metho	ds		
1 14.1	2.1 Product is designed to meet the subject ISO Standard 13406-2, but is not confirmed through formal test methods.							

NOTE Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.