



Product environmental attributes - THE ECO DECLARATION

Brand *	Lenovo 3000	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter	
	1009 Think Place	lenovo
	Building 2 / 5J3	
	Morrisville, North Carolina 27560	
	alcarter@lenovo.com	
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Portable PC		
Commercial name *	Lenovo 3000 V200		
Model number *	M/T: 0764		
Issue date *	2007, May 20		
Intended market *	☑ Global Europe Japan U.S. Other		
Additional information	ENERGY STAR® 4.0 Qualified		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes	

Model number *	Lenovo 3000 V200 M/T: 0764		
Issue date *	2007, May 20	Logo	lenovo

Product environmental attributes - Legal requirements Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>						
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU : Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>)						
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes					
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002						
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)						
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			\boxtimes			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)						
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC						
P2	Batteries						
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)						
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC						
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)						
P3	Electrical safety, EMC and connection to the telephone network						
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes					
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007						
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)						
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes					
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)						
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)						
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.						
P5	Product packaging						
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).						
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes					
P5.3*	The product packaging material is free from CFC/HCFC.	\boxtimes					
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes					

Model number *	Lenovo 3000 V200 M/T: 0764		
Issue date *	2007, May 20	Logo	lenovo

Product environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, re	ecycling				
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials in covers/housing have no surface coating.					
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.				\Box	
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.	$\overline{\boxtimes}$	\Box	
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.	\boxtimes	T	\Box
P7.6*	Labels are easily	separable. (This requi	rement does not apply to safety/regulatory labels).	$\overline{\mathbb{X}}$	Ħ	\Box
	Product lifetime)				
P7.7*	Upgrading can be	e done e.g. with proces	ssor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be	e done using commonl	y available tools	\boxtimes		
P7.9.	Spare parts are a	available after end of pr	roduction for: 5 years			
P7.10	Service is availab	ole after end of product	tion for: 5 years			
		bstance requirements	3			
P7.11*		ousing material type:				
P7.12*	Material type: PC		Material type: Insert material name Material type: Insert mover cables are halogen free (including PVC)	aterial na	<u>ime</u>	
P7.12		<u> </u>				<u> </u>
P7.13			gnal cables are halogen free (including PVC)			<u> </u>
		plastic parts >25g are				
P7.15			onents) >25g are halogen free		\boxtimes	<u> </u>
P7.16	ISO FR(40):Halo	gen-free organic pho	ants in cover / housing plastic parts >25g according ISO 1043-4: osphorus compounds			
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14					
P7.18		ed material in plastic pa				
P7.19	R50/51/53 and R	60/61 (67/548/EEC)	etardant substances/preparations above 0.1% classified as R45/46,		<u> </u>	
P7.20	If mercury is use	e free from mercury d specify: Number of la	amps: 1 and max. mercury content per lamp: <3 mg			Ш
P8	Batteries	t a autoin la attania a defin	and an homewhave according to 04/457/550			_
P8.1*	Product does not	contain batteries defir	ned as hazardous according to 91/157/EEC	\boxtimes		
P8.2*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide					
P8.3	Batteries meet the requirements of the following voluntary program/s:					
P9	Energy consum		de an accominant de la cominant de l			
9.1 Mode	Power level at	Time (s) to <mode></mode>	els or energy consumptions have been measured: Mode description	Reference	~a/	n.a.
WOOC	* 230 Volts	Time (3) to smode	iwode description	Standard		m.a.
On-max	65 W		* Full load	*See P1	4	
On- normal	* 13.66 W	to	* Desktop Screen	*See P1	4	
On-idle	W	to	*	*		
Save 1	* 1.56 W	to	* standby	*See P1	4	
Save 2	W	to	*	*		
Off 1	* 0.78 W	to	* Mech off	*See P1	4	
Off 2	W	to	*	*		
No load	* 0.4 W		External power supplies/charger plugged in but disconnected from the product	*See P1	4	
TEC	* kWh/v	l Typical Energy Consun	L l	*		
P9.2*			tion is provided with the product.		\neg	
P9.3	The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® MOU V3 Others specify: EU Energy Efficiency of External Power Supplies, max 0.5W at no load					

Model number *	Lenovo 3000 V200 M/T: 0764		
Issue date *	2007, May 20	Logo	lenovo

Product 6	Product environmental attributes - Market requirements (continued) Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.						
P10	Emissions						
	Noise emission	 Declared according to ISO 9296 					
D40.4	NA - d -	Made describes	Dealered	Destarted Association			
P10.1	Mode	Mode description	Declared A-weighted	Declared A-weighted sound pressure level L _{pAm} (dB)			
			sound power	Operator position Bystander positions			
			level L _{WAd} (B)				
				Desktop (only if product is not			
				or Deskside operator attended)			
	Idle	* HDD:Idle,Fan:optimized speed	* 3.96	34.7]		
	Operation	* HDD:Operating ,Fan:Optimized	* 4.34	38.1]		
	Other mode	Speed					
					\dashv		
	Measured accord	ding to: SO 7779 ECMA-74					
P10.2	The product mas	Other (only if not covered ets the acoustic noise requirements of the fo		h L _{pAm} measurement distance m)	_		
P10.2		· · · · · · · · · · · · · · · · · · ·	llowing voluntary p	program/s.			
P10.3*		sions from printing products	:6				
1 10.5	•	according to ECMA-328 standard, other	<u> </u>		ı		
P10.4	The test covers:	Dust Ozone Styrene	Benzene		_		
P10.4	The product meets the chemical emission requirements of the following voluntary program/s:						
P10.5	Electromagnetic emissions Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary						
1 10.0	program/s: MPR		neotromagnetto ne	and of the following voluntary	ı		
P11		aterials for printing products					
P11.1*	(see P4.3).	/ Data Sheet (MSDS) is available for the ink					
P11.2*	Paper containing	recycled fibres that meets the requirements	s of EN12281 can	be used.			
P11.3*	(, ,	printing/copying is an integrated product fur	nction.				
P12		computing products					
P12.1*	and EN-ISO1340	stem meets the ergonomic requirements of 06-2 for flat panel displays. See P14		8 for CRT displays			
P12.2*	The product keyboard meets the requirements of ISO 9995 and EN 29241-4.						
P12.3*	The computer input device meets the requirements of ISO 9241-9.						
P13	Packaging and documentation						
P13.1*	Product packaging material type(s): Corrugated cardboard Product packaging material type(s): Polystylene weight (kg): 0.84 weight (kg): 0.12						
P13.2*		ng material type(s): Polyethylene ackaging is halogen free (including PVC)	weight (kg):		Н		
P13.3*	<u> </u>	t documentation do not contain chlorine blea	ached naner				
P13.4*		t documentation contain recycled paper	doned paper				
P14	Additional information						
17			ssurances or warra	anties whether express or implied, regarding the			
	information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more						
	information.						
P7.17	Product does not contain free TBBPA in printed circuit boards (without components) >25g.						
P9.1 P12.1	Lenovo Internal		3406-2 but is no	t confirmed through formal test methods.	_		