



Product environmental attributes - THE ECO DECLARATION

Brand *	Lenovo	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@us.lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environmen	t
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	Lenovo D156 Wide			
Model number *	4415-AB1			
Issue date *	2008-08-31			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information	ENERGY STAR® 4.1 Qualified; EPEAT Gold Rating, TCO'03, GREENGUARD Certified			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	ontrol Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Lenovo D156 Wide	Models: 4415-AB1		
Issue date *	2008-08-31		Logo	lenovo

Product e	nvironmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (<i>EU</i> : Regulation (<i>EC</i>) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			\boxtimes
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			\boxtimes
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			\boxtimes
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.	\boxtimes		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	Lenovo D156 Wide	Models: 4415-AB1		
Issue date *	2008-08-31		Logo	lenovo

Product	environmental a	attributes - Market req Requirem	uirements - Environmental conscious design ent met			
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, re	eveling				_
P7.1*		o be treated separately	are easily separable			
P7.2*		in covers/housing have		X	Ħ	
P7.3*			rial or of easily separable materials.	X	Ħ	
P7.4*			according to ISO 11469 referring ISO 1043.	X	Ħ	∺
P7.5		-	or have inlays that can be removed with commonly available tools.	X	Ħ	
P7.6*		-	rement does not apply to safety/regulatory labels).		Ħ	
	Product lifetime					
P7.7*	Upgrading can be	e done e.g. with proces	ssor, memory, cards or drives			
P7.8*	Upgrading can be	e done using commonl	y available tools			
P7.9.	Spare parts are a	available after end of pr	roduction for: 5 years			
P7.10	Service is availab	ole after end of product	ion for: 5 years			
	Material and sul	bstance requirements	3			
P7.11*		ousing material type:				
P7.12*	Material type: AE		Material type: Material type: wer cables are halogen free (including PVC)			$\overline{}$
P7.12						
P7.13		plastic parts >25g are	gnal cables are halogen free (including PVC)			<u> </u>
P7.14 P7.15						+
			onents) >25g are halogen free		$\underline{\boxtimes}$	
P7.16	•		ants in cover / housing plastic parts >25g according ISO 1043-4:		Ш	
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14					
P7.18	Weight of recycled material in plastic parts is 582 grams					
P7.19	R50/51/53 and R	60/61 (67/548/EEC)	etardant substances/preparations above 0.1% classified as R45/46,			<u> </u>
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 2 and max. mercury content per lamp: 2.5 mg					Ш
P8	Batteries Product does not contain batteries defined as hazardous according to 91/157/EEC					
P8.1* P8.2*	Product does not	contain batteries deiir			Ш	
	Battery chemical composition: Batteries meet the requirements of the following voluntary program/s:					
P8.3			following voluntary program/s:			
P9 9.1	Energy consum		els or energy consumptions have been measured:			
Mode	Power level at	Time (s) to <mode></mode>	Mode description	Reference		n.a.
On-max	* 115 Volts 28 W		* On-Max	*See P1		
On-	* 13 W	to	* On Mode/Active Power	*See P1	_	
normal On-idle	W	to	*	*		
Save 1	* 0.37 W	to	* Sleep Mode/Low Power	*See P1	4	
Save 2	W	to	*	*		
Off 1	* 0.29 W	to	* Off Mode/Standby Power	*See P14	4	
Off 2	W	to	*	*		X
No load	* W		External power supplies/charger plugged in but disconnected from the product	*		
TEC	* kWh/y	Typical Energy Consun		*	\dashv	
P9.2*			tion is provided with the product.		\sqcap	
P9.3			nents of the following voluntary program/s:			
	ENERGY STAR® Program Requirements for Computer Monitors: Eligibility Criteria (Version 4.1) Others specify:					

Model number *	Lenovo D156 Wide	Models: 4415-AB1		
Issue date *	2008-08-31		Logo	lenovo

Product 6	oduct environmental attributes - Market requirements (continued) Requirement met						
Item	*=mandatory to f	ill in. Additional information regarding each it	tem may be found	d under P14.	Yes	No	n.a.
P10	Emissions						
	Noise emission	- Declared according to ISO 9296					
		ŭ					
P10.1	Mode	Mode description	Declared	Declared A-weig	hted		
		·	A-weighted	sound pressure level	L _{pAm} (dB)		
			sound power	Operator position Byst	tander pos	itions	
			level L _{WAd} (B)				
					if product		
				or Deskside O	erator atter	nded)	
	Idle	*	*				
	Operation	*	*				
	Other mode						
	Other mode						
	Measured accord	ding to: ISO 7779 ECMA-74					
		· = -	by FCMA-74 with	h L _{pAm} measurement distance	e m)	1	
P10.2	The product mee	ets the acoustic noise requirements of the fol					\Box
1 10.2		sions from printing products	noving voluntary p	Drogram, o.			
P10.3*			specify:				
1 10.0				TVOC	ш	ш	
P10.4	The test covers:	ets the chemical emission requirements of the	Benzene				\square
1 10.4	Electromagnetic	`	le following volunt	ary program/s.		<u> Ш</u>	
P10.5		y meets the requirement for low frequency e	lectromagnetic fie	alds of the following voluntary			
1 10.5	program/s:	y meets the requirement for low frequency e	neeromagnere ne	or the following voluntary		Ш_	
P11		aterials for printing products					
P11.1*	(see P4.3).						
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.						\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					\boxtimes	
P12	Ergonomics for computing products						
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays.						
P12.2*	The product keyboard meets the requirements of ISO 9995 and EN 29241-4.						\boxtimes
P12.3*	The computer input device meets the requirements of ISO 9241-9.						\boxtimes
P13	Packaging and documentation						
P13.1*		ng material type(s): Corrugated cardboard			\square		
	Product packagir	ng material type(s): Polyethylene	weight (kg):		_	_	
D40.0*		ng material type(s): EPS	weight (kg):	0.4		_	
P13.2*		packaging is halogen free (including PVC)				<u> </u>	<u>Ц</u>
P13.3*		t documentation do not contain chlorine blea	ached paper			<u>Ц</u>	Щ
P13.4*	User and produc	et documentation contain recycled paper					
P14	Additional infor						
		makes no representations, guarantees, ass					
		ained in this document. All information provice able at the time of completion, and supplier s					
		approximate and provided for informational					
	information.	approximate and provided for informational	pa.posso sy. os	20 a 2011010 / 1000 a.m. 1 top 1000			
P7.11	Product contain	ns postconsumer recycled content plastic	c.				
P7.17	Product does n	ot contain free TBBPA in printed circuit b	ooards.				
P9.1		Program Requirements for Computer Mo	onitors (Version	4.1)			
	* Lenovo Intern	nal Standard					
	Power level at 23	30 Volte					
	28W On-Max						
		e/Active Power					
	0.37W Sleep I	Mode/Low Power					
		de/Standby Power					
	ENERGY STAR	® 4.1 Qualified; EPEAT Gold Rating, TCO	0'03, GREENGUA	RD Certified	·		