

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter @lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html		
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC				
Commercial name *	Lenovo E49				
Model number *	M/T: 20164/3464/20161/20162/20178				
Issue date *	2012, September18				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	Lenovo E49	M/T: 20164/3464/20161/20162/20178		
Issue date *	2012, September 18	Logo	go	lenovo

Product	uct environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	\boxtimes		
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See	_	_	
	legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.	_	_	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		_	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\boxtimes		
	terphenyl (PCT) in preparations (see legal reference).		_	
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in	\boxtimes		
	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		_	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\boxtimes
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\boxtimes
	aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
_	pentachlorophenol and derivatives (see legal reference).		ш	
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\square		
	microgram/cm ² /week (see legal reference).		ш	ш
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square		
	http://www.lenovo.com/social_responsibility/us/en/environment.html		ш	
P2	Batteries			
P2.1*				
P2.1	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be	\boxtimes	ш	Ш
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			
FZ.Z	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes	Ш	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			
FZ.3	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			
	or data integrity reasons do not have to be "easily removable". (See legal reference)	1		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
			<u> </u>	Щ.
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal	\boxtimes	Ш	
	reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	\boxtimes		
	with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see			\boxtimes
	legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the		Ħ	
1 4.5	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these	Ш	ш	
	requirements is available (see legal reference).			
P5	Product packaging			
		1	$\overline{}$	
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀	Ш	
DE 0*				
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).		<u>Ш</u>	_ <u></u> _
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	I 🖂		
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo E49	M/T: 20164/3464/20161/20162/20178		
Issue date *	2012, September 18		Logo	lenovo

Product	environmental attributes - Market requirements - Environmental conscious design	equire	men	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
D7 1*	Disassembly, recycling Parts that have to be treated congretally are easily congretal.		_	
P7.1*	Parts that have to be treated separately are easily separable			<u> </u>
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		_Ц	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC+ABS Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes	
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:		Ш	
	Comment: No legal limits exist, this is a market requirement.			
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier.			
	1. Chemical name: <i>Triphenyl Phosphate</i> , CAS #: <i>115-86-6</i> , Supplier: <i>The M. F. Cachat Co.</i>			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:			
	Alt. 2	\boxtimes	Ш	
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	FR(40) Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,		$\overline{}$	
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		Ш	
P7.20	Of total plastic parts' weight >25g, recycled material content is 10%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is %.			
P7.22	Light sources are free from mercury		\sqcup	
P8	Batteries Batteries District Communication Lithium Land lithium Management Districts			
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			_ <u></u> _
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			1 1

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo E49	M/T: 20164/3464/20161/20162/20178		
Issue date *	2012, September 18		Logo	lenovo

Product environmental a	oduct environmental attributes - Market requirements (continued) Requirement met				
Item	Yes No n.				
P9 Energy consum					
	ne following power lev ipped w/ WOL Enable		mptions are reporte	ed: See P14	
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)	65 W	65 W	65 W	Full load	
Category B					
Idle State - WOL Enabled	9.86 W	9.97 W	10.76 W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) - WOL Enabled	0.86 W	0.86 W	0.94 W	Use for Energy Star V5 registration(P _{sleep})	$\overline{\Box}$
Sleep (S3) - WOL Disabled	0.69 W	<i>0.78</i> W	<i>0.89</i> W	Reference	
Off (S5) - WOL Enabled	0.61 W	0.61 W	0.67 W	Use for Energy Star V5 registration(Poff)	
Off (S5) - WOL Disabled	0.59 W	0.65 W	0.81 W	Use for EuP	
EPS No-load	W	W	W		
(External power supply / charger plugged in the wall outlet but disconnected from the product.)					
TEC Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption	29.87 kWh/year	30.16 kWh/year	32.62 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
Poff: Off Mode(S5) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL Enabled; Pidle: Idle State - WOL Enabled					
Display resolution : 1366x7	68 Megapixels				
Print Speed :	Images per minu	te			
Default time to enter energy s	save mode:	minutes			
P9.2* Information about	the energy save fund	ction is provided with	the product.		一
P9.3* The product mee	ts the energy requirer	nents of the following	g voluntary program	n/s:	
	version: Version 5.2 nergy Star for Exter				\Box
P10 Emissions					
Noise emission	 Declared according 	to ISO 9296			
P10.1 Mode	Mode description		Declared	Declared A-weighted	
			A-weighted sound power	sound pressure level $L_{p{\sf Am}}$ (dB)	
			level L_{WAd} (B)	Operator position Bystander positions	
				Desktop (only if product is not	
				or Desk side operator attended)	
Idle	* HDD: Idle		* 3.0	21	
Operation	* HDD: Operating		* 3.3	24	
Other mode					
Measured according to: SISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)					
P10.2 The product mee	ts the acoustic noise	requirements of the	following voluntary i	program/s:	\Box

Model number *	Lenovo E49	M/T: 20164/3464/20161/20162/20178		
Issue date *	2012, September 18		Logo	lenovo

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			$\overline{\boxtimes}$
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	of		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. See P14	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410. See P14		$\overline{\Box}$	$\overline{\sqcap}$
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Cardboard weight (kg): 0.580			
	Product packaging material type(s): Polyethylene (RLDPE) weight (kg): 0.184			
540.00	Product packaging material type(s): Others (Plastic bags) weight (kg): 0.021			
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		<u>Ц</u>
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic 🔲, Paper 🔲, Other 🗌			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			
	fiber: 0% (Japan only 70%)			
P14	Additional information (See Note B4)		d	
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or impli- information contained in this document. All information provided by supplier in this document is provided bas			
	knowledge available at the time of completion, and supplier shall have no obligation to update such information			
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Represer			
	information.			
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.			
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			
	http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls			
P12.1	Product is designed to meet the subject ISO Standard 9241-307, but is not confirmed through formal			
P12.2	Product is designed to meet the subject ISO Standard 9995 and 9241-410, but is not confirmed throughout	gh formal	test	
	methods.			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19