

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC					
Commercial name *	Lenovo G400					
Model number *	20235;80A5					
Issue date *	2013-4-27					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control R		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	bl 🔀	

Model n	umber *	Lenovo G400				_
Issue da	ite *	2013-4-27	Logo	leno)VO	
Produc	t enviror	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazard	ous substances and preparations				
P1.1*	chromiu	s do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1 im, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ference and Note B1)				
P1.2*		s do not contain Asbestos (see legal reference). Int: Legal reference has no maximum concentration value.				
P1.3*	Product hydrobr trichlorc	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbor ethane, methyl bromide (see legal reference). Comment: Legal reference h tration values.				
P1.4*	Product	s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% yl (PCT) in preparations (see legal reference).	b polychlorinated	\boxtimes		
P1.5*	Product	s do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10 in containing at least 48% per mass of chlorine in the SCCP (see legal refer		\boxtimes		
P1.6*	Textile a Tris-(az	and leather parts with direct skin contact do not contain Tri-(2,3,-dibromoprop iridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal r int: Legal reference has no maximum concentration values.	pyl)-phosphate (TRI	S),		
P1.7*	Textile a	and leather parts with direct skin contact do not contain more than 0.003% A c amines. (See legal reference and Note B1)	zo colorants that sp	it 🗌		\boxtimes
P1.8*	Wooder pentach	n parts do not contain arsenic and chromium as a wood preservation treatment lorophenol and derivatives (see legal reference). Int: Legal reference has no maximum concentration values.	ent as well as			
P1.9*	Parts wi microgr	ith direct and prolonged skin contact do not release nickel in concentrations am/cm ² /week (see legal reference).	above 0.5			
P1.10*	REACH	nt: Max limit in legal reference when tested according to EN1811:1998. Article 33 information about substances in articles is available at (add URL ww.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#enviro				
P2	Batterie					
P2.1*	more th marked provide	oduct contains a battery or an accumulator, it is labeled with the disposal syl an 0.0005% of mercury (for button cells only) by weight, or more than 0.004 with the chemical symbol for the metal concerned, Hg or Pb. Information on d in user manual. (See legal reference)	% of lead, it shall be proper disposal is	is 🔀		
P2.2*	accumu	cells used in the product do not contain more than 2% by weight of mercury. Iators do not contain more than 0.0005% of mercury or 0.002% of cadmium	. (See legal referenc			
P2.3*	design o	s and accumulators are easily removable by either users or service provider of the product). Exception: Batteries that are permanently installed for safety integrity reasons do not have to be "easily removable". (See legal reference)	, performance, med			
P3	Safety,	EMC connection to the telephone network and labeling				
P3.1*	The pro	duct complies with legally required safety standards as specified (see legal r	reference).	\square		
P3.2*	The pro reference	duct complies with legally required standards for electromagnetic compatibil ce).	ity (see legal	\square		
P3.3*		ct is intended for connection to a public telecom network or contains a radio ally required standards for radio and telecommunication devices (see legal n		ies 🔀		
P3.4*	The pro	duct is labeled to show conformance with applicable legal requirements (see	e legal reference).	\boxtimes		
P4		nable materials				
P4.1*	legal ret	to conductor (drum, belt etc.) is used in the product, it does not contain cadn ference and Note B1).	,			\square
P4.2*	If ink/to	ner is used in the product, it does not contain cadmium max 0.1% by weight	(see legal reference).		\square
P4.3*	product	k/toner formulation/preparation is classified as hazardous according to applic /packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance nents is available (see legal reference).		e 🗌		
P5		t packaging				
P5.1*	hexaval	ing and packaging components do not contain more than 0.01% lead, in ent chromium by weight of these together.		and 🔀		
P5.2*	Plastic	backaging material is marked according to ISO 11469 referring ISO 1043 (se	ee legal reference).	\square		
P5.3*	Protoco	oduct packaging material is free from ozone depleting substances as sp I (see legal reference). .nt: Legal reference has no maximum concentration values.	pecified in the Mont	real 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	Lenovo G400			
Issue da	ate *	2013-4-27 Logo	lend	ovo	
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6		nt information		-	
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disasse	mbly, recycling		•	
P7.1*		t have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.		Ē	Ħ
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		Ē	Ħ
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		⊢⊢	H
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.			╞
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		╞	╞
17.0					
P7.7*	Product	ig can be done e.g. with processor, memory, cards or drives			
P7.8*		ig can be done using commonly available tools		<u> </u>	<u> </u>
					<u> </u>
P7.9.		arts are available after end of production for: 5 years			<u> </u>
P7.10		s available after end of production for: 5 years			
D7 44*		and substance requirements			
P7.11*		cover/housing material type:			
P7.12		type: PC+ABS-FR(40) Material type: Material type: I cable insulation materials of power cables are PVC free. Material type: Material type:			
P7.12		I cable insulation materials of signal cables are PVC free	<u> </u>		⊢⊢
-		C C C C C C C C C C C C C C C C C C C			<u> </u>
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			<u> </u>
P7.15	Note B2		ee		
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)			
P7.17	TBBPA	I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
		l specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%:	in 🗌		
	Provide complete 1. Chem 2. Chem	nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must conta e chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:	ain		
	Alt. 2	ical name: , CAS #: , Supplier: I specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total	plastic parts' weight >25g, recycled material content is 3.0%.			
P7.21		lastic parts' weight >25g, biobased material content is 0%.		_	
P7.22	Light sou	irces are free from mercury	\square		
P8	Batterie				
P8.1*		hemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Issue date	* 2013-4	07					
Product e		-27			Logo	lenovo	
	environmental a	attributes - Market	requirements (c	ontinued)		Requirement	me
Item			•			Yes No	n.a
P9	Energy consum	ption					
		he following power lev hipped w/ WOL Enable		mptions are reporte	ed: <i>See P14</i>		
Energy mod	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard and test method *	d for energy modes	
Peak (On-n	nax)	<i>90</i> W	90 W	<i>90</i> W	Full load		
Category	/ B						
	WOL Enabled	5.928W	5.929W	6.217 W	Use for Energy Star	/5 registration(P _{idle})	
Sleep (S3)	- WOL Enabled	0.890 W	0.892 W	0.991W	Use for Energy Star	/5 registration(P _{sleep})	F
Sleep (S3)	- WOL Disabled	0.843 W	0.844 W	0.920 W	Reference		
	VOL Enabled	0.477 W	0.478 W	0.527 W	Use for Energy Star	V5 registration(P _{off})	F
Off (S5) - V	VOL Disabled	0.366W	0.367 W	0.459 W	Use for EuP		F
EPS No-loa		0.085 W	0.086 W	0.194 W			一
charger plug	ower supply / gged in the wall isconnected from .)						
TEC	ergy Consumption	kWh/week	kWh/week	kWh/week			
Етес * Annual Ene	ergy Consumption	17.968 kWh/year	17.979 kWh/year	19.473 kWh/year	$E_{TEC} = (8760/1000) x$ 0.1 + P _{idle} x 0.3)	$(P_{off} \times 0.6 + P_{sleep} \times 0.6)$	
		Poff: Off Mode(S5) -	WOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WO	L Enabled; P _{idle} : Idle State	- WOL Enabled	
Display res	olution : 1280*8	00 Megapixels					
Print Speed		Images per minu	ite				
		save mode: 25 minute					
		t the energy save fund		the product			누
		ts the energy requirer	·	•			
	ENERGY STAR	version: Version 5.0 Energy Star for Extern	0 dated July 1, 200	9 Product category:	: B		
	Emissions			J , , , , , , , , , ,			
	Noise emission	- Declared according	to ISO 9296				
P10.1	Mode	Mode description		Declared A-weighted sound power	Declared A- sound pressure le	•	
				level L_{WAd} (B)	Operator position Desktop or Desk side	Bystander positions (only if product is not operator attended)	
	Idle	* HDD: Idle		* 2.7	21.	, ,	
	Operation	* HDD: Operating		* 2.6	21.	6	
	Other mode						
	Measured accord	ling to: 🔀 ISO7779 [Other	ECMA-74	red by FCMA-74 wit	h L _{pAm} measurement dis	stance m)	
P10.2	The product mee	ts the acoustic noise					$\mathbf{ imes}$

Model nu	imber *	Lenovo G400			
Issue dat	e *	2013-4-27 Logo	leno	VO.	
Product	environ	mental attributes - Market requirements (continued)	Require	ement	met
ltem			Yes	No	n.a.
	Chemic	al emissions from printing products			
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes
P10.4		emission rate (print phase) is (mg/h):			
	• •	Dust Ozone Styrene Benzene TVOC			
P10.5		al emission requirements of the following voluntary program/s are met for :			\square
		Dust Ozone Styrene Benzene TVOC			
	Electro	magnetic emissions			
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following volu	intary 🔀		
		n/s: MPR-II			
P11		nable materials for printing products			
P11.1*	A Safety	y Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see	P4.3).		\boxtimes
P11.2*	Paper c EN1228	containing post-consumer recycled fibers can be used, provided that it meets the requirer	nents of		\square
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.			\square
P12	Ergono	mics for computing products			
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\square		
P12.2*	The phy	rsical input device meets the requirements of ISO 9995 and ISO 9241-410.		Ē	Ħ
P13	Packag	ing and documentation			
P13.1*	Product	packaging material type(s): <i>Corrugated Carton</i> weight (kg): 0.378 packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): 0.081			
		packaging material type(s): <i>Others</i> weight (kg): <i>0.230</i>			
P13.2*	Product	plastic packaging is free from PVC.	\square		
P13.3*		media for user and product documentation (tick box):			H
		nic , Paper , Other			
P13.4*	For pape	er user and product documentation, please specify contained percentage of post-consumer re (Japan only 70%)	ecycled		
P14		nal information (See Note B4)			
	NOTE:	: Supplier makes no representations, guarantees, assurances or warranties whether express of			
		tion contained in this document. All information provided by supplier in this document is provid			
		lge available at the time of completion, and supplier shall have no obligation to update such in			tion
	provideo informat	d here is approximate and provided for informational purposes only. See a Lenovo Account Re	epresentative for	more	
P7.17		t does not contain free TBBPA in printed circuit boards(without components)>25g.			
P7.17 P9		ergy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for th	e latest informa	tion	
		ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url)			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo G400	Logo
Model Number	20235, 80A5	
Issue Date	2013/4/30	lenovo
Additional information		

P7.1.1	Product environmental attributes	
(d)	year of manufacture:	2013
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:	19.84
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics enabled:	cards (dGfx) are
	Category B Etec 19.98	
(g)	idle state power demand (Watts);	6.23
(h)	sleep mode power demand (Watts);	0.99
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.99
(j)	off mode power demand (Watts);	0.53
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.47
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	10% 20% 50% 100% Average ;	
(0)	or level V the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers)	: 500
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:	
	230V/50Hz	
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PS efficiency:	U
	Energy-star requirement	
(p-2)	the measurement methodology used to determine information mentioned in points (m) - external PS efficiency:	U
	NA	

Additio	nal infor	mation		
			The battery[ies] in this product cannot be easily replaced by users them	selves
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a user.	non-protessional
	1		ry Information:	
			230V/50Hz	
(z)	the e	lectricity s	's for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of supply system, — information and documentation on the instrumentation, set-up and circuits ical testing:	
(-)		· · · · ·	Based on user manual	
(x)	user	informatic	on on how to enable the power management functionality:	
			Based on user manual	
(w)	inforr	mation on	the energy-saving potential of power management functionality:	
(v)	the le	ength of t	time before the display sleep mode is set to activate after user inactivity (in minutes):	10
(u)	powe	er mode t	time after a period of user inactivity in which the computer automatically reaches a that has a lower power demand requirement than sleep mode (in minutes):	N/A
.,	cond	ition which	h does not exceed the applicable power demand requirements for sleep mode (in minutes):	25
(t)	the d		of idle state condition before the computer automatically reaches sleep mode, or another	
	off m	ude:	Based on user manual	
(s)			vents required to reach the mode where the equipment automatically changes to sleep and/or	
			Based on user manual	
(r)	desc	ription of h	how sleep and/or off mode was selected or programmed:	
			Based on user manual	
(q)	sequ	ence of st	teps for achieving a stable condition with respect to power demand ::	
			Energy-star requirement	
(p-4)			ent methodology used to determine information mentioned in maximum, idle, sleep, off mode red in Point P9.1 in the Product IT Eco Declaration:	
	Dalle	1105.	Energy-star requirement	
(p-3)	the in the batte		nent methodology used to determine information mentioned in points (o) - loadingcycles	