



## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Notebook PC			
Commercial name *	Lenovo G465/G565			
Model number *	M/T:20070,4382,20071,5385			
Issue date *	2010-5-18			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information	ENERGY STAR® Qualified; EPEAT GOLD Rating; GREENGUARD Certified			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Lenovo G465/G565 M/T:20070,4382,20071,5385		
Issue date *	2010-5-18	Logo	lenovo

<b>Product</b>	environmental attributes - Legal requirements	Require	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and Note 1).			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$	$\Box$	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1).			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$	П	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).			
P5	Product packaging		_	
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.		<u> </u>	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).		Щ.	Щ.
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo G465/G565 M/T:20070,4382,20071,5	385	
Issue date *	2010-5-18	Logo	lenovo

Produ	oduct environmental attributes - Market requirements - Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		Ш			
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ	Ħ		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Ħ	$\overline{\Box}$		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		П	$\overline{\Box}$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	Ħ		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	Ħ		
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgrading can be done using commonly available tools		Ħ	Ħ		
P7.9.	Spare parts are available after end of production for: 5 years			$\overline{\Box}$		
P7.10	Service is available after end of production for: 5 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: PC+ABS Material type: Material type:					
P7.12	Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1)		$\boxtimes$			
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)		$\boxtimes$			
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)					
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)		$\boxtimes$			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: ISO FR(40): Halogen-free organic phosphorus compounds					
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:					
<b>DT</b> 10	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #:					
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	Of total plastic parts' weight >25g, recycled material content is 0%.					
P7.20	Of total plastic parts' weight >25g, biobased material content is <b>0%</b> .					
P7.21	Light sources are free from mercury If mercury is used specify: Number of lamps: 0 and max. mercury content per lamp: 0 mg		Ш			
P8	Batteries					
P8.1*	Battery chemical composition: Lithium-ion, Manganese Dioxide Lithium			П		
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			一一		

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	Lenovo G465/G565 M/T:20070,4382,20071,5	385	
Issue date *	2010-5-18	Logo	lenovo

	uct environmental attributes - Market requirements (continued) Requirement met						
Item						n.a.	
	Energy consumption						
9.1 <u>For the product the</u>							
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Stand and test method *	lard for energy modes		
Peak (On-max)	<b>90</b> W	90 W	<b>90</b> W	Full load			
On Idle	9.2 W	9.3 W	<b>9.6</b> W	Idle State (Categ	ory A) for ES		
Power save Mode1	0.9 W	0.9 W	0.93 W	Sleep w/ WOL Er	nable for ES		
Power save Mode2	1.04 W	1.04 W	1.07 W	Sleep w/ WOL Di	sable for ES		
Off	0.49 W	0.49 W	0.53 W	Standby w/ WOL	Disable for ES		
	W	W	W				
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	0.23 W	0.22 W	0.27 W				
PTEC * Typical Energy Consumption	<b>28.1</b> W	27.4 W	28.9 W				
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/we	ek			
Default time to enter energy s	ave mode: min	utes	•				
P9.2* Information about the	ne energy save function	on is provided with th	e product.		МП	Ħ	
ENERGY STAR® v	the energy requirement version <i>Version 5.0 da</i> ergy Star for External	ated July 1,2009 Tie	er:				
P10 Emissions							
Noise emission –	Declared according to	ISO 9296					
P10.1 Mode M	lode description		Declared		\-weighted		
			A-weighted sound power	sound pressure I	evel $L_{p{\sf Am}}$ (dB)		
			level $L_{WAd}$ (B)	Operator position Desktop Or Desk side	Bystander positions (only if product is not operator attended)		
Idle *	Idle		* 2.94	2	5.4		
Operation *	Operation		* 2.97	2	6.3	1	
Other mode						-	
Other mode							
Measured according	g to: ISO7779 Other	ECMA-74 (only if not covered	by ECMA-74 wit	h L <sub>pAm</sub> measurement dist	ance m)		
P10.2 The product meets							
Chemical emissions from printing products							
	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:					$\boxtimes$	
	te (print phase) is (mg	/h):					
	Dust Ozone Styrene Benzene TVOC  5 Chemical emission requirements of the following voluntary program/s are met for :						
P10.5 Chemical emission	•		· ·	are met for :	, Ш	$\boxtimes$	
	Dust Ozone Styrene Styrene						
		Benzene 🗌	TV/OC				
Electromagnetic e		Benzene	TVOC				

Model number *	Lenovo G465/G565 M/T:20070,4382,20071,5385		
Issue date *	2010-5-18	Logo	lenovo

Produc	Product environmental attributes - Market requirements (continued)  Requirement me					
Item		Yes	No	n.a.		
P11	Consumable materials for printing products					
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\boxtimes$		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.					
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			$\boxtimes$		
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\boxtimes$				
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	$\boxtimes$				
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): Corrugated Carton Product packaging material type(s): Polyethylene Cushions Product packaging material type(s): Others  weight (kg): 0.378 weight (kg): 0.058 weight (kg): 0.230					
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)					
P13.3*	Specify media for user and product documentation (tick box):  Electronic					
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 70-80%					
P14	Additional information					
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or the information contained in this document. All information provided by supplier in this document is p supplier's knowledge available at the time of completion, and supplier shall have no obligation to update information provided here is approximate and provided for informational purposes only. See a Lei Representative for more information.	rovided ba ate such ir	ased of	n		
P9	See ENERGY STAR Qualified Notebooks & Tablet Computers for the latest information: http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls					
P12.1	Product is designed to meet the subject ISO Standard 9241-307, but is not confirmed through formal to					
P12.2	Product is designed to meet the subject ISO Standard 9995 and 9241-410, but is not confirmed through methods.	h formal te	st			

## NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1