

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html	
Additional information The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC				
Commercial name *	Lenovo G710				
Model number *	20252;80AH				
Issue date *	2013-08-07				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control F	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Lenovo G710		
Issue date *	2013-08-07	Logo	lenovo.

Product	Require	men	t met	
Item	<u> </u>	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo G710		
Issue date *	2013-08-07	Logo	lenovo.

Product	t environmental attributes - Market requirements - Environmental conscious design	quire	men	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	X	Ħ	Ħ
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	X	Ħ	Ħ
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Ħ	Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	X	H	∺
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square		\Box
P7.8*	Upgrading can be done using commonly available tools		Ħ	Ħ
P7.9.	Spare parts are available after end of production for: 5 years			Ħ
P7.10	Service is available after end of production for: 5 years			Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: <i>PC+ABS-FR(40)</i> Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		X	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			一百
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	\boxtimes		
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	\boxtimes		
P7.20	Of total plastic parts' weight >25g, recycled material content is 5.3%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury	\boxtimes		
P8	Batteries			
P8.1*	Battery chemical composition: Lithium lon/Lithium Manganese Dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenc	vo G710						
Issue date *	2013-08-				L	Logo	lenovo).
Duradicat audica		utuita a Bilantaa		ti			D	
	mentai ai	tributes - Market	requirements (co	ontinuea)			Requiremer Yes No	
Item							Yes No	n.a.
•	consump							
		e following power lev oped w/ WOL Enable		mptions are reporte	ed: See P14			
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / and test met		rd for energy mode	S
Peak (On-max)		<i>65</i> W	<i>65</i> W	<i>65</i> W	Full load			
Category A		1	1	•	JI.			
Idle State - WOL El	nabled	4.7472W	4.7280W	4.7796 W	Use for Ene	rgy Star	V5 registration(P _{idle})	
Sleep (S3) - WOL E	nabled	<i>0.6576</i> W	0.6612 W	0.7344 W	Use for Ene	rgy Star	V5 registration(P _{sleep}) 🔲
Sleep (S3) - WOL I	Disabled	<i>0.6588</i> W	0.6612 W	0.7356 W	Reference			
Off (S5) - WOL Ena	bled	0.2064 W	0.2124 W	0.2856 W	Use for Ene	rgy Star	V5 registration(P _{off})	
Off (S5) - WOL Disc	abled	0.2064 W	0.2124 W	0.2856 W	Use for EuP)		
EPS No-load		<i>0.065</i> W	0.070 W	0.097 W				
(External power sup	ply /							
charger plugged in t								
outlet but disconned	ted from							
the product.)								
TEC		kWh/week	kWh/week	kWh/week				
Typical Energy Con	sumption							
								4_
ETEC *		14.14 kWh/year	14.12 kWh/year	14.71 kWh/year			$x (P_{off} x 0.6 + P_{sleep})$	x 🖂
Annual Energy Cons	sumption				0.1 + P _{idle} X			
		P _{off} : Off Mode(S5) - 1	WOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WOL	Enabled; P _{idle} :	Idle State	e - WOL Enabled	
Display resolution	: 2048*15 :	36 Megapixels						
Print Speed	:	Images per minu	te					
		ave mode: 25 minute						
P9.2* Informat	tion about	the energy save fund	ction is provided with	the product.				
P9.3* The pro	duct meets	the energy requirer	nents of the followin	g voluntary program	/s:			
		version: Version 5.0						
	<u> </u>	ergy Star for Exter	nal Power Supplies	s Eligibility Criteria	Version 2			
P10 Emission								
		Declared according	to ISO 9296					
P10.1 Mode		Mode description		Declared			A-weighted	
				A-weighted sound power	sound p	ressure le	evel $L_{p{\sf Am}}$ (dB)	
				· · ·	Operator posit	tion 🔀	Bystander position:	3
				level L_{WAd} (B)		top 🛚	, i	1
					or Desk s		(only if product is no	t
					OI DESK S		operator attended)
Idle	*	' HDD: Idle		* 3.0		23	3.7	

3.0

Other (only if not covered by ECMA-74 with L_{pAm} measurement distance
The product meets the acoustic noise requirements of the following voluntary program/s:

* HDD: Operating

Measured according to: ☐ ISO7779 ☐ ECMA-74

P10.2

Operation

Other mode

26.1

Model number *	Lenovo G710		
Issue date *	2013-08-07	Logo	lenovo.

Product	environmental at	tributes - Market	requirements (co	ontinued)		Require	ement	met
Item				•		Yes	No	n.a.
P9	Energy consump							
9.1		e following power lev oped w/ WOL Enable		mptions are reporte	ed: See P14			
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standa and test method *	rd for energy r	nodes	
Peak (On-	-max)	<i>90</i> W	<i>90</i> W	<i>90</i> W	Full load			
Categor	<u>γ Β</u>			l	1			
Idle State	- WOL Enabled	4.7712W	4.3836W	4.4664 W	Use for Energy Star	V5 registration	(P _{idle})	
Sleep (S3)) - WOL Enabled	0.7272 W	0.7284 W	0.7692 W	Use for Energy Star	V5 registration	(P _{sleep})	
Sleep (S3)) - WOL Disabled	<i>0.7356</i> W	0.7392 W	0.8016 W	Reference			
Off (S5) -	WOL Enabled	<i>0.2916</i> W	0.2964 W	0.3600 W	Use for Energy Star	V5 registration	(P _{off})	
Off (S5) -	WOL Disabled	<i>0.2916</i> W	0.2964 W	0.3600 W	Use for EuP			
charger pl	power supply / ugged in the wall disconnected from	0.134 W	0.139 W	0.177 W				
TEC Typical En	nergy Consumption	kWh/week	kWh/week	kWh/week				
ETEC * Annual En	ergy Consumption	14.72 kWh/year	13.73 kWh/year	14.33 kWh/year	$E_{TEC} = (8760/1000) \times 0.1 + P_{idle} \times 0.3)$	$x (P_{off} \times 0.6 + P)$	sleep X	
		Poff: Off Mode(S5) - 1	WOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WOI	L Enabled; Pidle: Idle Stat	e - WOL Enabled		
Display res	solution : 2048*15	36 Megapixels						
Print Spee	ed :	Images per minu	te					
Default tim	ne to enter energy sa	ave mode: 25 minute	es					
P9.2*	Information about	the energy save fund	ction is provided with	the product.	1	\boxtimes		
P9.3*	ENERGY STAR® Others specify: Er	s the energy requirer version: <i>Version 5.</i> nergy Star for Exter	0 dated July 1, 2009	Product category:	: B	\boxtimes		
P10	Emissions Noise emission	- Declared according	to ISO 0206					
P10.1		Mode description	10 130 9290	Declared A-weighted sound power	Declared A sound pressure I	-		
				level $L_{W extsf{Ad}}$ (B)	Operator position Desktop Or Desk side	Bystander positions (only if product operator atte	is not	
	Idle '	' HDD: Idle		* 3.0	23	3.7		
	Operation '	HDD: Operating		* 3.0	26	5.1		
	Other mode		_					4
	Measured according	ng to: X ISO7779 C		red by FCMA-74 wit	h L _{pAm} measurement d	istance n	n)	
P10.2	The product meets	the acoustic noise				.5.3.100	·· /	

Model number *	Lenovo G710		
Issue date *	2013-08-07	Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: <i>MPR-II</i>			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	of		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes		
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Carton weight (kg): 0.420			
	Product packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): <i>0.125</i>			
P13.2*	Product packaging material type(s): <i>Others</i> weight (kg): <i>0.123</i> Product plastic packaging is free from PVC.			$\overline{}$
P13.3*	Specify media for user and product documentation (tick box):			井
P13.3	Electronic , Paper , Other			Ш
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			$\overline{}$
F 13.4	fiber: 0% (Japan only 70%)			Ш
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or impli-			
	information contained in this document. All information provided by supplier in this document is provided bas			
	knowledge available at the time of completion, and supplier shall have no obligation to update such informati provided here is approximate and provided for informational purposes only. See a Lenovo Account Represer			lion
	information.	itative for i	11010	
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.			
P9	See Energy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for the latest	informat	ion:	
	http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url)			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo G710	Logo
Model Number	20252, 80AH	_
Issue Date	2014-06-19	lenovo.
Additional information		

(d)	year of manufacture:	2014
e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:	14.71
·)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics caenabled:	rds (dGfx) are
	Category N/A EtecN/A	
g)	idle state power demand (Watts);	4.7796
า)	sleep mode power demand (Watts);	0.7356
)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.7356
j)	off mode power demand (Watts);	0.2856
k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.2856
l)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
m)	external power supply efficiency (if applicable):	
	10% 20% 50% 100% Average ;	
	or level: V	
0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	500
f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:	
	230V/50Hz	
(p-1)	the measurement methodology used to determine information mentioned in points (I) - internal PSU	
	efficiency: N/A	
(p-2)	the measurement methodology used to determine information mentioned in points (m) - external PSU	
	efficiency: EN 50563:2011 External a.c.—d.c. and a.c.—a.c. power supplies — Determination of no-load power and average efficiency of active modes.	
(p-3)	the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:	
	EN 61960:2011 Secondary cells and batteries containing alkaline or other non-acid electrolytes — Secondary lithium cells and batteries for portable applications: 7.6.1 General; 7.6.3 Endurance in cycles (accelerated test procedure).	
p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	EN 62623:2013 — Desktop and notebook computers — Measurement of energy consumption: 5.2.;	

(q)	sequence of steps for achieving a stable condition with respect to power demand::				
			2013 — Desktop and notebook computers — Measurement of energy consumption: 5.2. o; 5.3.2. Measuring off mode; 5.3.3. Measuring sleep mode; 5.3.4. Measuring long idle mode.		
(r)	desc	cription of	how sleep and/or off mode was selected or programmed:		
			Yes		
(s)	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:				
			Yes		
(t)			of idle state condition before the computer automatically reaches sleep mode, or another the does not exceed the applicable power demand requirements for sleep mode (in minutes):	25 min	
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): N/A				
(v)	the I	ength of	time before the display sleep mode is set to activate after user inactivity (in minutes):	10 min	
(w)	infor	mation on	the energy-saving potential of power management functionality:		
			Yes		
(x)	user information on how to enable the power management functionality:				
			Yes		
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:				
			230V/50Hz		
Additio	n Noteb	ook Batte	ery Information:		
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a ruser.	on-professional	
			The battery[ies] in this product cannot be easily replaced by users themse	elves	
Additio	nal info	rmation			
Additio	mai 111101	mation			

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo G710	Logo
Model Number	20252, 80AH	_
Issue Date	2014-06-19	lenovo.

P7.1.1 F	Product environmental attributes				
(d)	year of manufacture:	2014			
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:	N/A			
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics caenabled:				
	Category B Etec14.33				
(g)	idle state power demand (Watts);	4.4664			
(h)	sleep mode power demand (Watts);	0.8016			
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.8016			
(j)	off mode power demand (Watts);	0.3600			
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.3600			
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):				
	10% 20% 50% 100% Average				
(m)	external power supply efficiency (if applicable):				
	10% 20% 50% 100% Average ;				
	or level: V				
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	500			
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:				
	230V/50Hz				
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:				
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EN 50563:2011 External a.c.—d.c. and a.c.—a.c. power supplies — Determination of no-load power and average efficiency of active modes.				
(p-3)	the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries: EN 61960:2011 Secondary cells and batteries containing alkaline or other non-acid electrolytes — Secondary lithium cells and batteries for portable applications: 7.6.1 General; 7.6.3 Endurance in cycles (accelerated test procedure).				
(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:				
	EN 62623:2013 — Desktop and notebook computers — Measurement of energy consumption: 5.2.; 5.3.; 5.7.; 5.8.; Annex E.2 (informative) ENERGY STAR® V5 compliant testing methodology.				
(q)	sequence of steps for achieving a stable condition with respect to power demand::				
	EN 62623:2013 — Desktop and notebook computers — Measurement of energy consumption: 5.2. Test setup; 5.3.2. Measuring off mode; 5.3.3. Measuring sleep mode; 5.3.4. Measuring long idle mode.				
(r)	description of how sleep and/or off mode was selected or programmed:				

(s)	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:				
			Yes		
(t)			of idle state condition before the computer automatically reaches sleep mode, or another h does not exceed the applicable power demand requirements for sleep mode (in minutes):	25 min	
(u)			time after a period of user inactivity in which the computer automatically reaches a that has a lower power demand requirement than sleep mode (in minutes):	N/A	
(v)	the le	ength of t	time before the display sleep mode is set to activate after user inactivity (in minutes):	10 min	
(w)	inforr	nation on	the energy-saving potential of power management functionality:		
			Yes		
(x)	user	informatio	on on how to enable the power management functionality:		
			Yes		
(z)	 test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 				
			230V/50Hz		
Additio	n Notebo	ok Batte	ry Information:		
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a nuser.	on-professional	
			The battery[ies] in this product cannot be easily replaced by users themse	elves	
Additio	nal infor	mation			