

#### Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo			
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_desktops.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Traditional Desktop			
Commercial name *	Lenovo H515s			
Model number *	10126; 90A5			
Issue date *	2014-06-03			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information	Energy Star Qualified (Model 10126; 90A5)			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	Lenovo H515s	MT: 10126; 90A5		
Issue date *	2014-06-03		Logo	lenovo

Product	environmental attributes - Legal requirements	Require	men	t met
Item	<b>V</b> 1	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	X		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo H515s	MT: 10126; 90A5		
Issue date *	2014-06-03		Logo	lenovo

Product	t environmental attributes - Market requirements - Environmental conscious design	equire	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\square$	П	$\overline{}$
P7.2*	Plastic materials in covers/housing have no surface coating.			一一
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			一一
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		H	$\overline{}$
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	X	$\dashv$	H
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		$\vdash$	Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		$\overline{}$	$\overline{}$
P7.8*	Upgrading can be done using commonly available tools	X	$\dashv$	$\dashv$
P7.9.				∺
P7.10	Spare parts are available after end of production for: 5 years  Service is available after end of production for: 5 years	$\overline{\mathbb{X}}$		╫
7.10	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: >PC+ABS-FR(40)< Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		$\boxtimes$	
P7.13	Electrical cable insulation materials of signal cables are PVC free	Ī		币
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		$\overline{\Box}$	一百
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)		$\boxtimes$	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			$\overline{}$
	Marking: > <i>PC+ABS-FR(40)</i> <	ш	ш	ш
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):  TBBPA (additive) , TBBPA (reactive) , Other; chemical name:, CAS #: 26265-08-7			
	TEEL TY (Code at C) [2], TEEL TY (Code at C) [2], Other, Chemical Hallion, Other in 20200 CC 7			
	Alt. 2		_	_
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16)		Ш	Ш
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:		$\boxtimes$	Ш
	Comment: No legal limits exist, this is a market requirement.			
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain			
	complete chemical name, CAS number and supplier.  1. Chemical name: , CAS #: , Supplier:			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:	_		_
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 5%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury	$\boxtimes$		
P8	Batteries			
P8.1*	Battery chemical composition: Lithium manganese dioxide coin battery			
P8.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo H515s	MT: 10126; 90A5		
Issue date *	2014-06-03		Logo	lenovo.

Product environmental attri	butes - Market r	equirements	(continued)	Requirement	
Item P9 Energy consumption	n			Yes No	n.a.
9.1 For the product the fo		ls or energy con	sumptions are rep	ported: See P14	
The product is shippe	d w/ WOL Enabled	l.			
Energy mode * P	ower level at			0,	
l v	100 V AC /(50Hz/60Hz)	115 V AC W	230 V AC	and test method *	
Category 0					
Short Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P <sub>idle</sub> )	
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P <sub>idle</sub> )	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P <sub>sleep</sub> )	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Category I1	<b>'</b>	1	•		
Short Idle State - WOL Enabled	15.80 W	15.57 W	16.97 W	Use for Energy Star V6.0 registration(P <sub>ShortIdle</sub> )	
Long Idle State - WOL Enabled	15.48 W	15.12 W	16.34 W	Use for Energy Star V6.0 registration	
Sleep (S3) - WOL Enabled	2.11 W	2.10 W	2.20 W	Use for Energy Star V6.0 registration (Psleep)	
Sleep (S3) - WOL Disabled	2.11 W	2.10 W	2.20 W	Reference	
Off (S5) - WOL Enabled	1.32 W	1.32 W	1.39 W	Use for Energy Star V6.0 registration (Poff)	$\overline{\Box}$
Off (S5) - WOL Disabled	0.33 W	0.33 W	0.33 W	Use for EuP	Ē
Category I2		1	1		
Short Idle State - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration(P <sub>ShortIdle</sub> )	П
Long Idle State - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration	
Sleep (S3) - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration (P <sub>sleep</sub> )	
Sleep (S3) - WOL Disabled	W	W	W	Reference	H
Off (S5) - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration (P <sub>off</sub> )	H
Off (S5) - WOL Disabled	W	W	W	Use for EuP	H
				OSC 101 Eur	Ш
<u>Category I3</u> Short Idle State - WOL Enabled	15.88 W	15.83 W	16.97 W	Use for Energy Star V6.0 registration(P <sub>ShortIdle</sub> )	$\vdash$
Long Idle State - WOL Enabled	15.43 W	15.28 W	16.34 W	Use for Energy Star V6.0 registration	Ш
				(D)	<b>—</b>
Sleep (S3) - WOL Enabled	1.93 W	1.93 W	1.98 W	Use for Energy Star V6.0 registration (P <sub>sleep</sub> )	닏
Sleep (S3) - WOL Disabled	1.93 W	1.93 W	1.98 W	Reference	牌
Off (S5) - WOL Enabled	0.97 W	0.97 W	1.05 W	Use for Energy Star V6.0 registration (Poff)	Щ
Off (S5) - WOL Disabled	0.33 W	<b>0.33</b> W	0.33 W	Use for EuP	Ш
Category D1					
Short Idle State - WOL Enabled		22.89 W	<i>23.56</i> W	Use for Energy Star V6.0 registration(P <sub>ShortIdle</sub> )	
Long Idle State - WOL Enabled	22.98 W	22.78 W	23.31 W	Use for Energy Star V6.0 registration	
Sleep (S3) - WOL Enabled	1.58 W	1.59 W	1.67 W	Use for Energy Star V6.0 registration (P <sub>sleep</sub> )	
Sleep (S3) - WOL Disabled	1.58 W	1.59 W	1.67 W	Reference	
Off (S5) - WOL Enabled	1.28 W	1.28 W	1.54 W	Use for Energy Star V6.0 registration (Poff)	
Off (S5) - WOL Disabled	0.33 W	0.33 W	<i>0.33</i> W	Use for EuP	
Category D2		•			
Short Idle State - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration(P <sub>ShortIdle</sub> )	
Long Idle State - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration	
Sleep (S3) - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration (P <sub>sleep</sub> )	
Sleep (S3) - WOL Disabled	W	W	W	Reference	Ħ
Off (S5) - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration (P <sub>off</sub> )	H
Off (S5) - WOL Disabled	W	W	W	Use for EuP	H
C. (SO) TO E DISUDICA	**	**	,,,		╵╙

plugged i	oad power supply / charger n the wall outlet but cted from the product.)	W	W	W	
TEC Typical E	nergy Consumption	kWh/week	kWh/week	kWh/week	
ETEC * Annual E	nergy Consumption	Cat I1: 74.91; Cat I3: 73.63; CatD1:107.22; kWh/year	Cat I1: 73.73; Cat I3: 73.28; CatD1:105.86; kWh/year	Cat I1:79.94; Cat I3:78.51; CatD1:109.67; kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.45 + P <sub>sleep</sub> x 0.05 + P <sub>ShortIdle</sub> x 0.35 + P <sub>LongIdle</sub> x 0.15)
<u> </u>		P <sub>off</sub> : Off Mode(S5)	) - WOL Enabled;	P <sub>sleep</sub> : Sleep Mode(S	S3) - WOL Enabled; P <sub>idle</sub> : Idle State - WOL Enabled
Display re	esolution : Megapixels				
Print Spe	ed :	Images per minute	Э		
Default ti	me to enter energy save	mode: minutes			
P9.2*	Information about the	energy save funct	ion is provided w	vith the product.	
P9.3*	The product meets th ENERGY STAR® ve Others specify: <i>Energy</i>	rsion: 6.0 Product	category: 11,13,E	01	
P10	Emissions				
	Noise emission – De		o ISO 9296		
P10.1	Mode N	dode description		Declared A-weighted sound power level $L_{WAd}$ (B)	
	Idle *	System: Idle		* 3. 5	
	CPU Loading *	Intel PTU tool		* 3. 6	
	Operating(HDD)				10126   CPU: AMD A6-5200   HDD:2TB   90.A5   DT   PSU: 120W adapter   S.5   3.6   23   24   21   23   VGG (7520   100
	CD accessing				Legend:
	Measured according	to: ISO7779 Other	ECMA-74 (only if not cov	vered by ECMA-74	4 with L <sub>pAm</sub> measurement distance m)
	•	e acquistic noise re			

Model nu	mber *	Lenovo H515s MT: 10126; 90A5				
Issue dat	e *	2014-06-03	Logo	leno	VO	).
Product	environr	nental attributes - Market requirements (continued)		Require	ment	met
Item		• • • • • • • • • • • • • • • • • • • •		Yes	No	n.a.
	Chemic	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard X, other specify:		$\boxtimes$		
P10.4		emission rate (print phase) is (mg/h):				$\Box$
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica	Il emission requirements of the following voluntary program/s are met for :				
	[	Oust Ozone Styrene Benzene	TVOC 🗌	_	_	_
		nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the follow	owing voluntary			$\boxtimes$
<b>5</b>	program					
P11		pable materials for printing products	ired (see D4.0)			<u> </u>
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	, ,		<u></u>	<u> </u>
P11.2*	EN1228		requirements	of	Ш	
P11.3*	2-sided	duplex) printing/copying is an integrated product function.				$\boxtimes$
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	jies.			$\boxtimes$
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\boxtimes$	
P13	Packagi	ng and documentation				
P13.1*	Product	packaging material type(s): EPE weight (kg): 0. 215				
	Product	packaging material type(s): Carton weight (kg):1.3				
	Product	packaging material type(s): BOX weight (kg): 0. 09				
	Product	packaging material type(s): Laminatio Bag weight (kg): 0. 042				
	Product	packaging material type(s): PE film weight (kg): 0. 025				
	Product	packaging material type(s): PAD-Tray cover weight (kg): 0. 842				
P13.2*	Product	plastic packaging is free from PVC.		$\boxtimes$		
P13.3*		media for user and product documentation (tick box):				
	Electron	c $\boxtimes$ , Paper $\boxtimes$ , Other $\square$				
P13.4*		er user and product documentation, please specify contained percentage of post-co	nsumer recycled	b		
D44		(Japan only 70%)				
P14		al information (See Note B4)	overess or imp	liad ragard	ing the	
	informat knowled	Supplier makes no representations, guarantees, assurances or warranties whether on contained in this document. All information provided by supplier in this documer ge available at the time of completion, and supplier shall have no obligation to upda here is approximate and provided for informational purposes only. See a Lenovo A	it is provided ba te such informa	sed on sup tion. The in	plier's Iforma	

information.

Model number \*

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## **Lenovo ErP Lot3 Information Sheet**

### - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo H515s	Logo
Model Number	10126 ; 90A5	_
Issue Date	2014-06-03	lenovo.
Additional information		

(d)	Year of manufacture:						Availible on product labe	
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:							N/A
(f)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are enabled: Cat. B 71.54 Cat. C 74.48 Cat. D 74.69							
(g)	idle state power demand (Watts);							19.70
(h)	sleep mode power demand (Watts);						1.60	
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);						1.60	
(j)	off mode power demand (Watts);						1.03	
(k)	off mode with WOL enabled power demand (Watts) (where enabled);							
(I)	Internal po	ower supply effi 20%	ciency at 10 50%	%, 20 %, 50 % 100%	and 100 %	of rated out	tput power (if applicable	r): N/A
(m)	External p							
	10%	20%	50%	100%	Average	;		
(o)	or Level: V  The minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):  N/A						N/A	
(f)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:  Test voltage in V and frequency in Hz 230V/50Hz  Total harmonic distortion of the electricity supply system ≤ 2%  Information and documentation on the instrumentation, set-up and circuits used for electrical testing  Instrument  Range Used						circuits	
		Туре		Or ***		Ma	ake and Model **	
	AC	Power Source	1~28	30VAC;1~550H A.	Z;1000V	NF;EC	1000S; SN:9152124	
		Digital Watch		Full range		CASIO	HS-70W; SN:208Q08R	

		Power	Meter	0~600V;0~20A	YOKOGAWA;WT210;SN:91M94456 0			
		Hygrothe	rmograph	15~35℃/15~90%	testo; 608-H1,SN:1034895602			
	1		nemometer	0~20m/s,-20~70°C	Testo;425;SN:02591883			
		Light Me		1°;1-300cd/m²	Konica Minolta;LS-110;	. =		
(p-1)	The efficie		nent methodolo	gy used to determine informa	ation mentioned in points (I) - interna	I PSU		
	Cilicie	noy.		N/A				
(p-2)		The measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:						
(p-3)	The measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:  N/A							
(p-4)	The measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
	IEC 62301							
(q)	Sequence of steps for achieving a stable condition with respect to power demand::							
Power on -> Wait 5 minutes -> Stable condition								
(r)	r) Description of how sleep and/or off mode was selected or programmed:							
	Begin menu -> Power -> Select sleep or off mode							
(s)	(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:							
Control Panel->Power Options-> Change Settings-> Restore default settings for this plan								
(t)	The duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  30 minutes							
(u) The length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  45 minutes								
(v)	The length of time before the display sleep mode is set to activate after user inactivity (in minutes):  15 minutes							
(w)	Inforn	nation on	the energy-savi	ng potential of power managem	ent functionality:			
N/A								
(x) User information on how to enable the power management functionality:								
Refer to User Guide								
Addition Notebook Battery Information:								
Yes	No	n/a	This notebook user.	computer is operated by batter	y/ies that cannot be accessed and repla	ced by a non-professional		
			The battery	[ies] in this product can	not be easily replaced by users	s themselves		
Additional information								