

#### Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo			
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_i	notebooks.html		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	AIO-PC				
Commercial name *	Lenovo C340				
Model number *	4773/10102				
Issue date *	14/05/2014				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	Lenovo C340	MT:4773; 10102		
Issue date *	14/05/2014		Logo	lenovo

Product	ct environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo C340	MT:4773; 10102		
Issue date *	14/05/2014		Logo	lenovo.

Product environmental attributes - Market requirements - Environmental conscious design	Require	ement	met
Item *=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6 Treatment information			
P6.1* Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		
P7 Design Disassembly, recycling			
P7.1* Parts that have to be treated separately are easily separable		П	П
P7.2* Plastic materials in covers/housing have no surface coating.		X	
P7.3* Plastic parts >100g consist of one material or of easily separable materials.			Ħ
P7.4* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			$\overline{\Box}$
P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		一一	Ħ
P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X		
Product lifetime			
P7.7* Upgrading can be done e.g. with processor, memory, cards or drives			П
P7.8* Upgrading can be done using commonly available tools	X	$\overline{H}$	Ħ
P7.9. Spare parts are available after end of production for: 5 years			H
P7.10 Service is available after end of production for: 5 years			∺
Material and substance requirements			
P7.11* Product cover/housing material type:			
Material type: ABS Material type: Material type:			
P7.12 Electrical cable insulation materials of power cables are PVC free.		X	
P7.13 Electrical cable insulation materials of signal cables are PVC free		$\overline{\boxtimes}$	
P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine.		$\overline{\Box}$	$\overline{\Box}$
P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			
Note B2)			
P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
TBBPA (additive) ☐, TBBPA (reactive) ☒, Other; chemical name: , CAS #:			
Alt. 2			
Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <b>Brominated Epoxy Resin See P14</b>		Ш	Ш
P7.18 Alt. 1			
Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	, $\square$	Ш	Ш
Comment: No legal limits exist, this is a market requirement.			
1. Chemical name: , CAS #:			
2. Chemical name: , CAS #:			
3. Chemical name: , CAS #:			
Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
Orientical specifications of fiame retainants in plastic parts >259 according 150-1045-4.	$\boxtimes$		
P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	Ħ	П	Ħ
R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20 Of total plastic parts' weight >25g, recycled material content is <b>75%</b> .			
P7.21 Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22 Light sources are free from mercury  If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	$\boxtimes$		
If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg  P8 Batteries mg			
P8.1* Battery chemical composition:			
P8.2 Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo C340	MT:4773; 10102	4773/10102	
Issue date *	14/05/2014		Logo	lenovo.

Product environmental att	ributes - Market	requirements (	continued)	Requirement		
Item				Yes No	n.a.	
P9 Energy consumpti						
9.1 For the product the following power levels or energy consumptions are reported: See P14						
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *		
Peak (On-max)	68.114 W	<i>68.654</i> W	<i>68.523</i> W	Full load		
Category I1						
Short Idle State - WOL Enable	ed 38.461 W	38.549 W	<i>38.788</i> W	Use for ENERGY STAR V6 registration (Pidle)		
Long Idle State - WOL Enable	d 24.123 W	24.337 W	24.427 W	Use for ENERGY STAR V6 registration (P <sub>idle</sub> )		
Sleep (S3) - WOL Enabled	1.4121 W	1.4137 W	1.4398 W	Use for ENERGY STAR V6 registration(P <sub>sleep</sub> )		
Sleep (S3) - WOL Disabled	1.3928 W	1.3998 W	1.3602 W	Reference		
Off (S5) - WOL Enabled	<i>0.8542</i> W	0.8564 W	<b>0.8705</b> W	Use for ENERGY STAR V6 registration(Poff)		
Off (S5) - WOL Disabled	0.8406 W	0.8488 W	<i>0.8659</i> W	Use for EuP		
Category I2						
Short Idle State - WOL Enable	ed W	W	W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )		
Long Idle State - WOL Enable	<b>d</b> W	W	W	Use for ENERGY STAR V6 registration(Pidle)		
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P <sub>sleep</sub> )		
Sleep (S3) - WOL Disabled	W	W	W	Reference		
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)		
Category I3						
Short Idle State - WOL Enable	ed 38.746 W	<i>38.769</i> W	<i>38.319</i> W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )		
Long Idle State - WOL Enable		<i>23.745</i> W	<b>23.616</b> W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )		
Sleep (S3) - WOL Enabled	1.4236 W	1.4266 W	1.4662 W	Use for ENERGY STAR V6 registration (P <sub>sleep</sub> )		
Sleep (S3) - WOL Disabled	1.4103 W	1.4136 W	1.3989 W	Reference		
Off (S5) - WOL Enabled	<i>0.8577</i> W	<i>0.8583</i> W	<i>0.8725</i> W	Use for ENERGY STAR V6 registration(P <sub>off</sub> )		
Off (S5) - WOL Disabled	<b>0.8421</b> W	<i>0.8453</i> W	<b>0.8649</b> W	Use for EuP		
EPS No-load PTEC *	0.1998 W N/A W	0.2031 W N/A W	0.2617 W N/A W			
Typical Energy Consumption	·					
TEC * Typical Energy Consumption	Catl1:89.26 Catl3:87.44	Catl1:90.02 Catl3:87.96	Catl1:90.42 Catl3:87.60			
ETEC *	kWh/week Catl1:89.26	kWh/ week Catl1:90.02	kWh/ week Catl1:90.42	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45 + P_{sleep} \times 0.05)$	П	
Annual Energy Consumption	Catl3:87.44	Catl3:87.96	Catl3:87.60	+ P <sub>ShortIdle</sub> x 0.35 +P <sub>LongIdle</sub> x 0.15)		
	kWh/year P <sub>off</sub> : Off Mode(S	kWh/year 5) - WOL Enabled;	kWh/year P <sub>sleep</sub> : Sleep Mode	(S3) - WOL Enabled; P <sub>idle</sub> : Idle State - WOL Enabled		
Display resolution* : 1600*9		,				
Print Speed * : N/A	Images per minute					
Default time to enter energy sav				<u> </u>	Щ	
P9.2* Information about the	<u> </u>	· ·	•			
P9.3* The product meets ENERGY STAR® v			ng voluntary prododuct category:	gram/s:		
Others specify: P10 Emissions						
Noise emission –	Declared according	to ISO 9296				
	ode description		Declared	Declared A-weighted		
			A-weighted sound power			
			level $L_{WAd}$	D		
				Desktop (only if product is not		
			1.0	operator attended)		
	Idle	000/	* 3.7 Bel(A)	32 dB(A)	4 📙	
<u>'</u>	CPU stress loading	80%	* 4.4 Bel(A)	39 dB(A)	$\perp \sqcup$	
Other mode  Measured according	g to: ISO7779	ECMA-74			-	
ivieasureu accordini	Other		red by ECMA-74	with L <sub>pAm</sub> measurement distance m)		
P10.2 The product meets						

Model number *	Lenovo C340	MT:4773; 10102	4773/10102	
Issue date *	14/05/2014		Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	Requirer	ment	met
Item	•	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:			$\boxtimes$
P10.4	Typical emission rate (print phase) is (mg/h):			$\boxtimes$
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			$\boxtimes$
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:	Ш	Ш	
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\boxtimes$
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements o EN12281.	f		$\boxtimes$
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			$\boxtimes$
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\boxtimes$		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	$\boxtimes$		
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): paper weight (kg): 0.96			
	Product packaging material type(s): PE weight (kg): 0.21			
Dia at	Product packaging material type(s): HDPE weight (kg): 0.007			_
P13.2*	Product plastic packaging is free from PVC.		$\boxtimes$	Ш
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic , Paper , Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied			
	information contained in this document. All information provided by supplier in this document is provided base knowledge available at the time of completion, and supplier shall have no obligation to update such informatio			ion
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent			1011
	information.	avo 101 11		
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

### **Lenovo ErP Lot3 Information Sheet**

## - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	C340	Logo
Model Number	4773/10102	_
Issue Date	14/05/2014	lenovo.
Additional information	N/A	

(d)	please	of manufacturing- see product name plate
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:  Cat. D 157	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics caenabled:  Cat. D 203	ards (dGfx) are
(g)	idle state power demand (Watts);	23.61
(h)	sleep mode power demand (Watts);	1.36
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	1.47
(j)	off mode power demand (Watts);	0.87
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.87
(l)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 88% 20% 91.1% 50% 91.76% 100% 90.19% Average 90.26%	
(m)	external power supply efficiency (if applicable):  10% N/A 20% N/A 50% N/A 100% N/A Average N/A ;  or Level: N/A	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	N/A
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:  Test Voltage: 230V-50HZ  Test Equipment:  Digital Power Meter: Chroma 66202  Measurement Test fixture: Chroma A662003  AC Source: Gwinstek ASP-9102	)
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:  Test Equipment:  AC Source CHROMA: 6430/643000000908  Electronic Load CHROMA: 63030/6300006368	J

	Pow	er Meter (	CHROMA: 66202/662022003033	
		Setup:	77770 MA. 00202/0020200000	
	□ Co	onnect th	e EUT to suitably calibrated AC source, power meter and electronic load.	
	□W	arm up at	least 30 minutes at 100% of nameplate current output.	
		ne EUT sh lition.	all be tested at 100%, 75%, 50%, 25% of nameplate output current and no load	
	□ M	easure th	e relative parameters required from test record.	
	□ TI	ne input to	est voltage shall be used 230V/50HZ.	
	□ Ai	nbient te	mperature: 23 +/-5℃.	
	· No	o-Load m	ode: Not connection to a product or any other load.	
	• Те	est proced	dure following Test Method for Calculating the Energy Efficiency of single-voltage External AC-DC and AC-AC Power Supplies and "IEC 62301"	
(p-2)	the r efficie		ent methodology used to determine information mentioned in points (m) – external PSU  N/A	
(p-3)	the r	neasurem	ent methodology used to determine information mentioned in points (o) – loadingcycles	
u ,	batte		N/A	
(p-4)	powe <b>Test</b>	r as define Condition	ent methodology used to determine information mentioned in maximum, idle, sleep, off mode ed in Point P9.1 in the Product IT Eco Declaration:	
	shor	t idle Mod	le: Turn off the display: after 10minutes	
	Slee	o(S3): P0	urn In Mode( Driver: Burn In Pro 7.1 Build 1017) C Setting go to Sleep Setting to Shut down	
(q)	sequ	ence of st	eps for achieving a stable condition with respect to power demand::  N/A	
(r)	desci	ription of h	ow sleep and/or off mode was selected or programmed:	
	Step Step Off N Step	2. Select   lode 1. Select	Shut down or sign out Sleep Shut down or sign out Shut down	
(s)	seque		rents required to reach the mode where the equipment automatically changes to sleep and/or	
	Step		control panel Power Options	
	Step Step	3. Select 4. Setting	Choose when to turn off the display Turn off the display	
		1. Select	Shut down or sign out	
(t)			Shut down  I idle state condition before the computer automatically reaches sleep mode, or another	
( )			does not exceed the applicable power demand requirements for sleep mode (in minutes):	25 minutes
(u)			me after a period of user inactivity in which the computer automatically reaches a hat has a lower power demand requirement than sleep mode (in minutes):	25 minutes
(v)	the le	ength of t	me before the display sleep mode is set to activate after user inactivity (in minutes):	10 minutes
(w)	Pres	s F1 Butt	the energy-saving potential of power management functionality: on to BIOS Setting:	
(x)	user	informatio	Enhanced Power Saving Mode(ErP) n on how to enable the power management functionality:	
	Step	1. Select	on to BIOS Setting: Automatic Power on Works on LAN	
(z)	test p electr for el <b>Test</b>	arameters ricity supp ectrical te Voltage:	230V-50HZ	
	Digit		Meter: Chroma 66202	
			Test fixture : Chroma A662003 winstek ASP-9102	
	n Notebo		y Information:	
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a	non-professional

				The battery[ies] in this product cannot be easily replaced by users themselves	
Additional information					
I	N/A				
I					
I					