

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

| Brand * | Lenovo | Logo |
|------------------------|---|--------|
| Company name * | Lenovo | |
| Contact information * | on * Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter @lenovo.com | |
| Internet site * | http://www.lenovo.com/social_responsibility/us/en/environment | t.html |
| Additional information | | |

| | based on product specification or test results based obtained from sample testing), that the product ts given in this declaration. | | | |
|------------------------|--|--|--|--|
| Type of product * | ^{f product *} Notebook PC | | | |
| Commercial name * | Lenovo IdeaPad Flex 15 | | | |
| Model number * | 20309;80C5 | | | |
| Issue date * | 13-8-6 | | | |
| Intended market * | 🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other | | | |
| Additional information | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality | Quality Control | | | |
|---------|--|-------------|----|--|
| Item | | Yes | No | |
| QC1 * | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration | \boxtimes | | |
| QC2 * | The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org). | ol 🔀 | | |

| Model number * | Lenovo IdeaPad Flex 15 | |
|----------------|------------------------|------|
| Issue date * | 2013-8-6 | Logo |

lenovo

| Item Yes No n.a. PH Hazardous substances and preparations Yes No n.a. P1.1 Products do not contain more tham: 0.1% lead, 0.01% cadmium, 0.1% phenyl ethers (PBDE). (See legal reference and Note B1) No Image: Control of Contrel Control of Contrel Control of Contrel Control of | Product | Require | ment | met | |
|--|---------|--|-------------|-----|-----------|
| P1.1* Products do not contain more than: 0.1% lead. 001% cadmium; 0.1% herecury, 0.1% hexavalent Image: Contain Contain Asbets to See legal reference). P1.2* Products do not contain Asbets to See legal reference). Image: Contain Cont | | | Yes | No | n.a. |
| chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal referance and Note B1) P1.2* Products do not contain Asbestos (see legal reference). Image: Comment. Legal reference has no maximum concentration value. P1.3* Products do not contain more than 0.00% polycholrinated biphenyl (PCB). 0.005% polycholrinated Image: Comment. Legal reference). Image: Comment. Legal reference). P1.4* Products do not contain more than 0.00% polycholrinated biphenyl (PCB). 0.005% polycholrinated Image: Comment. Legal reference). Image: Comment. Legal reference). P1.4* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 cathon atoms in Image: Comment. Legal reference). Image: Comment. Legal reference). P1.6* Textile and least 49% per mass of chlorines in the SCCP (Sce legal reference). Image: Comment. Legal reference has no maximum concentration values. P1.7* Textile and least 40% per dominum concentration values. Image: Comment. Legal reference has no maximum concentration values. P1.7* Textile and least 40% per dominum concentration values. Image: Comment. Legal reference). P1.7* Textile and least 40% per dominum concentration values. Image: Comment. Legal reference). P1.7* Textile and least 40% per dominum concentration values. Image: Comment. Legal reference). P1.7* Textile and least 40% per dominum concent | | | | | |
| Comment: Legal reference has no maximum concentration value. Image: Concentration Corone Depideing Substances: Chlorofluorocarbons (CFC), hydrochorofluorocarbons (HBFC), hydrochorofluorocarbons (HCFC), Halons, carboniterizability, Coronent: Legal reference). P142 Products do not contain more than; 0.005% polychiorinated biphenyl (PCB), 0.005% polychiorinated iterphenyl (PCT) in preparations (see legal reference). Image: Contain more than 0.005% polychiorinated biphenyl (PCB), 0.005% polychiorinated iterphenyl (PCT) in preparations (see legal reference). Image: Contain more than 0.005% polychiorinated biphenyl (PCB) (see legal reference). Image: Contain C | P1.1* | chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See | | | |
| P1.3 Products do not contain Czone Depleting Substances: Chlorofluorocarbons (CFC), Nalons, cathontetrachloride, 1, 1, 1 Image: Control CFC, Nalons, Cathontetrachloride, 1, 1, 1 P1.4 Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated iterphenyl (PCT) in preparations (see legal reference). Nalons, 200, 200, 200, 200, 200, 200, 200, 20 | P1.2* | | \square | | |
| P1.4* Products do not contain more than: 0.005% polychlorinated biphenyl (PCD) in preparations (see legal reference). Image: contain more than 0.1% short chain chioroparaffins (SCCP) with 10.13 cathoon atoms in the chain containing at least 45% per mass of chiorine in the SCCP) (see legal reference). Image: contain more than 0.1% short chain chioroparaffins (SCCP) with 10.13 cathoon atoms in the chain containing at least 45% per mass of chiorine in the SCCP (see legal reference). Image: contain more than 0.1% short chain chioroparaffins (SCCP) with 10.13 cathoon atoms in the chain containing at least 45% per mass of chiorine in the SCCP (see legal reference). Image: contain more than 0.1% short chain more than 0.003% Azo colorants that split aromatic amines. (See legal reference) and those B1) P1.7* Textile and leather parts with direct skin contact do not notain more than 0.003% Azo colorants that split arematic sequered skin contact on contain more than 0.003% Azo colorants that split arematic contain terment as well as pertachlorophenol and dirivatives (see legal reference). P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 Image: contact and prolonged skin contact on contrains and contact): http://www.lenvo.com/scclar.hepstabilityUsePart ThinKGreen_parducts.humthenvironment P2 Batteries Image: contact and prolonged skin contact on content and sequere sequer | P1.3* | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum | | | |
| P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 4% per mass of chlorine in the SCCP (see legal reference). P1.6* Textile and leather parts with direct skin contact do not contain Tri-(23, dibromoproph)-phosphate (TRIS), Tits-(cardidny)-phosphate date (TEPA), polytominated bipheny(PBB) (see legal reference). Image: Comment: Legal reference as no maximum concentration values. P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split Image: Comment: Carbins (See legal reference). Comment: Legal reference has no maximum concentration values. Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct legal reference). Image: Comment: Max limit in legal reference). Image: Comment: Max limit in legal reference). Comment: Max limit in legal reference). Image: Comment: Max limit in legal reference). Image: Comment: Max limit in legal reference). P1.0* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenov.com/social_responsibility/us/on/ThinkGreen_products.htmRetervionment: Image: Comment: Comment: Max limit in legal reference). P2 Batteries Image: Comment: Comment: Comment: Comment: Comment: Comment: Comment: Comment: Composibility/us/on/ThinkGreen_products.htmRetervionment: Image: Comment: Comment: Comment: Comment: Comment: Composibility/us/on/ThinkGreen_products.htmRetervione. | P1.4* | Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated | \boxtimes | | |
| P1.6* Testile and leather parts with direct skin contact do not contain Thr-(2.3,-dibromporpopt)-phosphate(TRIS), Tris-(scaridinty)-phosphateoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.7* Testile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference) and vote B1) Image: Comment: Legal reference has no maximum concentration values. P1.8* Wooden and prolonged skin contact do not release nickel in concentrations above 0.5 Image: Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 Image: Comment: Max limit in legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): Ithe product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is product is used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators on oct contain more than 0.002% of acdmum. (See legal reference). P2.2* Button cells used in the product do not contain more than 0.002% of acdmum. (See legal reference). P | P1.5* | Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in | \boxtimes | | |
| P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split Image: See legal reference and Note B1) P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pertachlorophenol and derivatives (see legal reference). Comment: Legal reference). Comment: Legal reference has no maximum concentration values. Image: Second Sec | P1.6* | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). | | | |
| P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as periachlorophenol and derivatives (see legal reference). Comment: Legal reference). Comment: Legal reference has no maximum concentration values. Image: Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.0* REACH Antice 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment P2 Batteries P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.0004% of lead, it shall be marked with the chemical symbol for the metal concerned. Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators are easily removable, by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable", (See legal reference). P3.3* If product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.4* The product | P1.7* | Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split | | | \square |
| P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 Image: Comment: Max limit in legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.0* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.htmiffenvironment P2 Batteries P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.006% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.3* Butteries and accumulators are easily removable by either users or service providers (a dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference). P3.3* Batteries and accumulators are easily required safety standards as specified (see legal reference). P3.4* The product complies with legally required safety standards as specified (see legal reference). P3.4* The product is intended for connection to a public telecom network or contains aratio transmitter, it complies with legally required safety standards for electromagnetic compatibility (see legal reference). P3.4* The product is labe | P1.8* | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). | | | |
| P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment P2 P2 Batteries P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Buttor cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators are easily removable by either users or service providers (as dependent on the design of the product. Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference). P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies P3.4* The product dorule bad bad begal reference). P4.2* The induct of multi begal required as and standards are specified (see legal reference). P3.4* The product complies with legally required safety | P1.9* | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). | | | |
| P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.3* Batteries and accumulators are easily removable. (See legal reference). P3.1* The product complies with legally required stafty standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for allocammunication devices (see legal reference). P3.4* The product of (drum, belt etc.) is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). | P1.10* | REACH Article 33 information about substances in articles is available at (add URL or mail contact): | | | |
| more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.3* Safety, EMC connection to the telephone network and labeling P3.4* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.4* | P2 | | | | |
| P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3 Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic (see legal reference). P3.4* The product orductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according | P2.1* | more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is | | | |
| P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3 Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.4* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.3* If the ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmiu and hexavalent chronium by weight of | P2.2* | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or | \boxtimes | | |
| P3.1* The product complies with legally required safety standards as specified (see legal reference). Image: Complex Standards for electromagnetic compatibility (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). Image: Complex Standards for radio and telecommunication devices (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). Image: Complex Standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). Image: Complex Standards for radio and telecommunication devices (see legal reference). P4.4* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). Image: Complex Standards for remulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Image: Complex Standards for these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). Image: Complex Standards for formulation is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Image: Complex Standards for formulation formulation formulatio | P2.3* | Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical service products and the service products are permanently installed for safety performance. | | | |
| P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). | | Safety, EMC connection to the telephone network and labeling | | | |
| P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). Image: Consumable materials P4.1* The product is labeled to show conformance with applicable legal requirements (see legal reference). Image: Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). Image: Consumable materials P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). Image: Consumable materials P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Image: Consumable material is marked according to 1SO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Image: Consumable material is free from ozone depleting substances as specified in the Montreal | P3.1* | The product complies with legally required safety standards as specified (see legal reference). | \boxtimes | | |
| with legally required standards for radio and telecommunication devices (see legal reference). Image: Construct of the product is labeled to show conformance with applicable legal requirements (see legal reference). P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). | P3.2* | | \square | | |
| P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). | | with legally required standards for radio and telecommunication devices (see legal reference). | | | |
| P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). Image: Content is content in the product packaging is content is content in the content i | P3.4* | The product is labeled to show conformance with applicable legal requirements (see legal reference). | \boxtimes | | |
| legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). | | | | | |
| P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). | | legal reference and Note B1). | | | |
| product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). | | | | | |
| P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. Image: Component | P4.3* | product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these | | | |
| hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). | | | | | |
| P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal X I Protocol (see legal reference). | | hexavalent chromium by weight of these together. | d 🔀 | | _ |
| Protocol (see legal reference). | | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). | \boxtimes | | |
| | P5.3* | | al 🔀 | | |

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

| Model n | umber * | Lenovo IdeaPad Flex 15 | | | | |
|----------|---|--|---------------|-------------|-----------|------|
| Issue da | ite * | lenovo | | | | |
| Produc | t environ | mental attributes - Market requirements - Environmental conscious des | sian R | equire | ment | met |
| Item | | atory to fill in. Additional information regarding each item may be found under P14. | Ngn N | Yes | No | n.a. |
| P6 | | nt information | | | | |
| P6.1* | Informati | on for recyclers/treatment facilities is available (see legal reference). | | \boxtimes | | |
| P7 | Design Disasse | mbly, recycling | | | | |
| P7.1* | Parts that | t have to be treated separately are easily separable | | \boxtimes | | |
| P7.2* | Plastic m | naterials in covers/housing have no surface coating. | | \boxtimes | | |
| P7.3* | Plastic p | arts >100g consist of one material or of easily separable materials. | | \boxtimes | | |
| P7.4* | Plastic p | arts >25g have material codes according to ISO 11469 referring ISO 1043. | | \bowtie | | |
| P7.5 | Plastic p | arts are free from metal inlays or have inlays that can be removed with commonly ava | ilable tools. | \boxtimes | | |
| P7.6* | Labels a | re easily separable. (This requirement does not apply to safety/regulatory labels). | | | | |
| | Product | lifetime | | | | |
| P7.7* | Upgradir | g can be done e.g. with processor, memory, cards or drives | | \boxtimes | | |
| P7.8* | Upgradir | g can be done using commonly available tools | | \bowtie | | |
| P7.9. | Spare pa | rts are available after end of production for: 5 years | | | | |
| P7.10 | | s available after end of production for: 5 years | | | | Π |
| | Material | and substance requirements | | | | |
| P7.11* | Product | cover/housing material type: | | | | |
| | | type: PC+ABS-FR(40) Material type: Material ty | /pe: | | | |
| P7.12 | | I cable insulation materials of power cables are PVC free. | | | | |
| P7.13 | | I cable insulation materials of signal cables are PVC free | | | \square | |
| P7.14 | All cover | /housing plastic parts >25g are free from chlorine and bromine. | | \boxtimes | | |
| P7.15 | All printe Note B2) | d circuit boards (without components) >25g are halogen free. as defined in IEC612 | 49-2-21. (See | | \square | |
| P7.16 | Flame re Marking: | tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40) | | \square | | |
| P7.17 | TBBPA (Alt. 2 Chemica | I specifications of flame retardants in printed circuit boards >25g (without components additive) , TBBPA (reactive) , Other; chemical name: , CAS #: | | | | |
| P7.18 | Alt. 1 | 3-4: Brominated Epoxy Resin See P14 etarded plastic parts >25g contain the following flame retardant substances/pr | eparations in | | | |
| | concentr Commer Provide a complete 1. Chem 2. Chem | ations above 0.1%: At: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier: | | | | |
| | Alt. 2 | ical name: , CAS #: , Supplier: I specifications of flame retardants in plastic parts >25g according ISO 1043-4: | | | | |
| P7.19 | | arts >25g are free from flame retardant substances/ preparations above 0.1% classifie 5, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) | ed as R45, | | | |
| P7.20 | | lastic parts' weight >25g, recycled material content is 0.8%. | | | | |
| P7.21 | | lastic parts' weight >25g, biobased material content is 0%. | | | | |
| P7.22 | | Irces are free from mercury | | \square | | |
| P8 | Batterie | | | | | |
| P8.1* | | hemical composition: Lithium Ion/Lithium Manganese Dioxide | | | | |
| P8.2 | Batteries | meet the requirements of the following voluntary program/s: US RBRC | | | | |

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

| Model nu | mber * | .eno | vo IdeaPad | d Flex 15 | | | | | | |
|---------------------|--|---------------------------------------|--|---|---|--|------------|--|----------------------|-------------|
| Issue dat | e* 20 | 01 <mark>3-8-6</mark> | | | | l | ogo | leno | 10 | |
| Product | environme | ntal att | tributes - Market | requirements (co | ontinued) | | | Require | nent | met |
| ltem | | | | | | | | Yes | No | n.a. |
| P9 | Energy cor | nsumpt | ion | | | | | | | |
| 9.1 | | | following power lev ped w/ WOL Enable | els or energy consu ed. | mptions are reporte | ed: See P14 | | \boxtimes | | |
| Energy mo | ode * | | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference / and test met | | rd for energy m | odes | |
| Peak (On | -max) | | 65W | 65 W | 65 W | Full load | | | | |
| Catego | ry B | | | | | • | | | | |
| Idle State | - WOL Enab | oled | 4.8W | 4.7 W | 5.0 W | Use for Ene | rgy Star | V5 registration(I | P _{idle}) | |
| Sleep (S3 | 3) - WOL Enal | bled | NA W | NA W | NAW | Use for Ene | rgy Star | V5 registration(F | P _{sleep}) | |
| Sleep (S3 | 3) - WOL Disa | abled | 0.37 W | 0.37 W | 0.4 W | Reference | | | | |
| Off (S5) - | WOL Enable | d | NA W | NA W | NA W | Use for Ene | rgy Star | V5 registration(I | P _{off}) | |
| Off (S5) - | WOL Disable | ed | 0.21W | 0.20 W | 0.24 W | Use for EuP | 1 | | | |
| charger pl | power supply ugged in the v disconnected | wall | 0.071 W | 0.084 W | 0.125 W | | | | | |
| TEC Typical Er | nergy Consum | nption | kWh/week | kWh/week | kWh/week | | | | | |
| Etec * Annual Er | nergy Consum | nption | 14.042 kWh/year | 13.727 kWh/year | 14.752 kWh/year | ear $E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$ | | | | |
| | | | Poff: Off Mode(S5) - V | WOL Enabled; P _{sleep} : S | Sleep Mode(S3) - WO | L Enabled; P _{idle} : | Idle State | e - WOL Enabled | | |
| Display re | solution : 12 | 280*800 | Megapixels | | | | | | | |
| Print Spee | ed : | | Images per minu | te | | | | | | |
| - | | erav sa | ve mode: 25 minute | | | | | | | |
| P9.2* | | | | tion is provided with | the product. | | | | | 片 |
| P9.3* | The product ENERGY S | t meets STAR® v cify: En | the energy requirenversion: Version 5.0 | nents of the followin) dated July 1, 2009 nal Power Supplies | g voluntary program Product category | : B | | | | |
| | | | Declared according | to ISO 9296 | | | | | | |
| P10.1 | | | | | Declared A-weighted sound power | sound p | ressure le | A-weighted evel L_{pAm} (dB) | tions | |
| | | | | | level L_{WAd} (B) | Operator posit Desk or Desk s | top 🔀 | Bystander posi (only if product i operator atter | s not | |
| | Idle | | HDD: Idle | | * 2.87 | | | 23.5 | | |
| | Operation | | HDD: Operating | | * 3.14 | | 26 | 6.6 | | |
| | Other mode | | | _ | | | | | | |
| | Measured a | accordin | g to: 🔀 ISO7779 L | _ ECMA-74 (only if not cover | ed by ECMA-74 wit | th L _{pAm} measur | ement di | stance m | | |
| P10.2 | The product | t meets | | requirements of the | | | | | | \boxtimes |

| Model nu | umber * | Lenovo IdeaPad Flex 15 | | | |
|----------|---|--|------------------------|---------------------|-------------|
| Issue da | te * | 2013-8-6 Logo | lend | NO. | |
| Product | t environr | nental attributes - Market requirements (continued) | Requir | | met |
| Item | | | Yes | No | n.a. |
| | Chemic | al emissions from printing products | | | |
| P10.3* | | formed according to ECMA-328 (ISO/IEC 28360) standard 🗌, other specify: | | | \square |
| P10.4 | • • | emission rate (print phase) is (mg/h): Dust Ozone Styrene Benzene TVOC | | | \square |
| P10.5 | | al emission requirements of the following voluntary program/s are met for : Dust Ozone Styrene Benzene TVOC | | | \square |
| | Electron | nagnetic emissions | | | |
| P10.6 | | er display meets the requirement for low frequency electromagnetic fields of the following voluntary /s: MPR-II | \boxtimes | | |
| P11 | | nable materials for printing products | | | |
| P11.1* | A Safety | Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). | | | \boxtimes |
| P11.2* | EN1228 | | of 🗌 | | \square |
| P11.3* | 2-sided | duplex) printing/copying is an integrated product function. | | | \boxtimes |
| P12 | | nics for computing products | | | |
| P12.1* | | lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies. | \boxtimes | | |
| P12.2* | The phy | sical input device meets the requirements of ISO 9995 and ISO 9241-410. | \boxtimes | | |
| P13 | | ng and documentation | | | |
| P13.1* | Product Product | packaging material type(s): <i>Corrugated Carton</i> weight (kg): <i>0.41</i> packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): <i>0.12</i> packaging material type(s): <i>Others</i> weight (kg): <i>0.29</i> | | | |
| P13.2* | | plastic packaging is free from PVC. | \boxtimes | | |
| P13.3* | | media for user and product documentation (tick box): ic $$, Paper $$, Other $$ | | | |
| P13.4* | | er user and product documentation, please specify contained percentage of post-consumer recycle % (Japan only 70%) | d | | |
| P14 | | nal information (See Note B4) | | | |
| | informat knowled provided informat | | sed on su tion. The | pplier's informa | |
| P7.17 | | does not contain free TBBPA in printed circuit boards(without components)>25g. | | | |
| P9 | | ergy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for the late ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url) | st inform | ation: | |

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

| Reference | Declaration item |
|--|------------------------------|
| 2002/95/EC (ROHS Directive) | P1.1, P4.1 |
| REACH, Annex XVII | P1.6, P1.8, P4.2 |
| REACH, Annex XVII | P1.4 |
| REACH, Annex XVII | P1.2 |
| REACH, Annex XVII | P1.7 |
| REACH, Annex XVII | P1.9 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000 | P1.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| 2006/66/EC (Battery and accumulators Directive) | P2.1, P2.2, P2,3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive) | P3.1, 3.4 |
| 2004/108/EEC (New EMC Directive) | P3.2, 3.4 |
| 1999/5/EC (R&TTE Directive) | P3.3, 3.4 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P4.3 |
| REACH article 31, annex II | P4.3 |
| 2004/12/EC (Directive on packaging and packaging waste) | P5.1 |
| (97/129/EC) (Commission Decision on Identification System for Packaging Materials | P5.2 |
| 2037/2000/EC Regulation on Substances that Deplete the Ozone Layer | P5.3 |
| 2002/96/EC (WEEE directive) | P3.4, P6.1 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P7.19 |