



## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	enovo.com/social_responsibility/us/en/environment.html		
Additional information				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	lotebook PC				
Commercial name *	Lenovo Ideapad V460/B460				
Model number *	M/T:20047,20048,0875,0886				
Issue date *	11-03-05				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Lenovo Ideapad V460/B460		
Issue date *	2011-03-05	Logo	lenovo

Product	environmental attributes - Legal requirements	Require	men	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and Note 1).			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$	П	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	_		
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference).			
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1).			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo Ideapad V460/B460		
Issue date *	2011-03-05	Logo	lenovo

Produ	duct environmental attributes - Market requirements - Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		Ш			
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ	П		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Ħ	Ħ		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$				
P7.8*	Upgrading can be done using commonly available tools					
P7.9.	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 3 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
D7.40	Material type: PC+ABS Material type: Material type:					
P7.12	Electrical cable insulation material of power cables are halogen free (including PVC). (See Note 1)	<u></u> _		_ <u>_</u>		
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1)		$\boxtimes$			
P7.14	All cover/housing plastic parts >25g are halogen free. (See Note 1)					
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)		$\boxtimes$			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: ISO FR(40): Halogen-free organic phoshorus compounds					
P7.17						
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement.					
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #:					
Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
P7.19	Of total plastic parts' weight >25g, recycled material content is 0%.					
P7.20	Of total plastic parts' weight >25g, biobased material content is 0%.					
P7.21	Light sources are free from mercury If mercury is used specify: Number of lamps: 0 and max. mercury content per lamp: 0 mg		Ш			
P8	Batteries					
P8.1*	Battery chemical composition: Lithium-ion, Manganese Dioxide Lithium					
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC					

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	Lenovo Ideapad V460/B460		
Issue date *	2011-03-05	Logo	lenovo

Produc	duct environmental attributes - Market requirements (continued) Requirement met								
Item							n.a.		
P9	Energy consumption  For the product the following power levels or energy consumptions have been measured:								
9.1	For the product the	tollowing power levels	or energy consump	otions nave been	meas	<u>surea:</u>			
Energy m	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		Reference / Standard test method	dard for energy mo	odes	
Peak (Or	n-max)	<b>65</b> W	65 W	<b>65</b> W		Full load			
On Idle		13.25 W	13.44 W	13.86 W		Idle State (Categ	• •		
Power sa	ave Mode1	0.70 W	0.71 W	0.79 W		Sleep w/ WOL E	nable for ES		
Power so	eve Mode2	0.64 W	<b>0.65</b> W	0.73 W		Sleep w/ WOL D	isable for ES		
Off		0.37 W	0.38 W	<b>0.45</b> W		Standby w/ WOI	Disable for ES		
		W	W	W					
charger p	power supply / olugged in the wall t disconnected from	0.23 W	0.22 W	0.27 W					
PTEC * Typical E	Energy Consumption	<b>37.14</b> W	<b>37.88</b> W	<b>39.42</b> W					
TEC * Typical E	Energy Consumption	kWh/week	kWh/week	kWh/we	eek				
Default ti	me to enter energy s	ave mode: min	utes	I					
P9.2*	Information about th	ne energy save functio	n is provided with th	ne product.					
P9.3*	ENERGY STAR® v	the energy requirement version <i>Version 5.0 da</i> ergy Star for External	ated July 1,2009 Tie	er:		sion 2			
P10	Emissions								
	Noise emission –	Declared according to	ISO 9296						
P10.1	Mode M	lode description		Declared			A-weighted		
				A-weighted sound power		sound pressure	level $L_{p  m Am}$ (dB)		
				$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		is not			
	Idle *	<i>ldl</i> e		* 3.2			27		
	Operation *	Operation		* 4.2			37		
	Other mode								1
Measured according to: ☐ ISO7779 ☐ ECMA-74 ☐ Other (only if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance m)									
P10.2	The product meets	the acoustic noise req							
	Chemical emission	ns from printing proc	ducts						
P10.3*	D.3* Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:					$\boxtimes$			
P10.4	Typical emission ra	te (print phase) is (mg	/h):						
	Dust Ozone Styrene Benzene TVOC								
P10.5	Cnemical emission	requirements of the fo	ollowing voluntary pro Dust	•	are me	et for : Styrene	¬ Ш		$\bowtie$
			Benzene	Ozone TVO(	_	Styrene	_		
Electromagnetic emissions									
P10.6		neets the requirement	for low frequency el	ectromagnetic fie	elds of	the following volu	ntary		

Model n	del number * Lenovo Ideapad V460/B460							
Issue da	ite *	2011-03-05	Logo	le	nol	10		
	t enviro	nmental attributes - Market requirements (continued)		Re	quirer			
Item					Yes	No	n.a.	
P11	Consumable materials for printing products							
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi	ired (see F	<sup>2</sup> 4.3).			$\boxtimes$	
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requal.	uirements	of			$\boxtimes$	
P11.3*	2-sided (	(duplex) printing/copying is an integrated product function.					$\boxtimes$	
P12	Ergonoi	mics for computing products						
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	gies.		$\boxtimes$			
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.						
P13	Packagi	ng and documentation						
P13.1*								
P13.2*	* Product plastic packaging is halogen free (including PVC). (See Note 1)							
P13.3*								
P13.4*	4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. 70-80%							
P14								
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.						n	
P12.1		t is designed to meet the subject ISO Standard 9241-307, but is not confirmed						
P12.2	Product method	tis designed to meet the subject ISO Standard 9995 and 9241-410, but is not c s.	onfirmed	through for	rmal te	st		

## NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1