

### Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name * Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_	notebooks.html

	pased on product specification or test results based obtained from sample testing), that the product ts given in this declaration.
Type of product *	All-in-One Desktop PC
Commercial name *	IdeaCentre B550
Model number *	10135, F0A6
Issue date *	2014/05/13
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ı 🖂	

Model number *	IdeaCentre B550	MT: 10135, F0A6		
Issue date *	2014/05/13		Logo	lenovo

Product	environmental attributes - Legal requirements	Require	men	t met
Item	<b>y</b> 1	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	IdeaCentre B550	MT: 10135, F0A6		
Issue date *	2014/05/13		Logo	lenovo

Product	t environmental attributes - Market requirements - Environmental conscious design Re	quire	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	X	П	$\Box$
P7.2*	Plastic materials in covers/housing have no surface coating.	Ħ	$\overline{\boxtimes}$	Ħ
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Ħ	Ħ
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: <i>ABS</i> Material type: <i>PC+ABS</i> Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		$\boxtimes$	
P7.13	Electrical cable insulation materials of signal cables are PVC free		$\boxtimes$	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\boxtimes$		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:  Marking: FR(40)			
P7.17	Alt. 1  Chemical specifications of flame retardants in printed circuit boards >25g (without components):  TBBPA (additive) , TBBPA (reactive) , Other; chemical name: Epoxy Resin, CAS #: 26265-08-7			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.  1. Chemical name: <i>Phosphate Flame Retardant</i> 2. Chemical name: 3. Chemical name: 4. CAS #: confidential CAS #: , Supplier: CAS #: , Supplier: CAS #: , Supplier:			
	Chemical specifications of flame retardants in plastic part			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 12 %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	$\boxtimes$		
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg  Batteries mg		_	
P8.1*	Battery chemical composition: Lithium Ion /Lithium Manganese Dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	IdeaCentre B550	MT: 10135, F0A6		
Issue date *	2014/05/13		Logo	lenovo.

Product environmental attri	ibutes - Market	requirements (	continued)	Requirement Yes No	
P9 Energy consumptio	n			Yes No	n.:
9.1 For the product the fo		els or energy cons	umptions are re	ported: See P14	
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)	W	W	W	Full load	
Category D2		1	1		
Short Idle State - WOL Enabled	<b>y</b> W	W	W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	$\triangleright$
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	$\triangleright$
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P <sub>sleep</sub> )	D
Sleep (S3) - WOL Disabled	W	W	W	Reference	Σ
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	D
Off (S5) - WOL Disabled	W	W	W	Use for EuP	$\triangleright$
Category D1					
Short Idle State - WOL Enabled	<b>y</b> W	W	W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	\[\bar{\bar{\bar{\bar{\bar{\bar{\bar{
Long Idle State - WOL Enabled	, w	W	W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P <sub>sleep</sub> )	<u> </u>
Sleep (S3) - WOL Disabled	W	W	W	Reference	<u> </u>
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	<u> </u>
Off (S5) - WOL Disabled	W	W	W	Use for EuP	<u> </u>
Category I3					
Short Idle State - WOL Enabled	48.25 W	48.01 W	48.22 W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	ТГ
Long Idle State - WOL Enabled	25.27 W	25.49 W	25.80 W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	T
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (Psleep)	t
Sleep (S3) - WOL Disabled	0.79 W	0.80 W	0.93 W	Reference	Ħ
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	╁
Off (S5) - WOL Disabled	0.08 W	0.09 W	0.21 W	Use for EuP	H
Category I2					┢
Short Idle State - WOL Enabled	46.13 W	44.75 W	43.98 W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	+
Long Idle State - WOL Enabled		25.77 W	25.31 W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	╁
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P <sub>sleep</sub> )	╁
Sleep (S3) - WOL Disabled	0.92 W	0.94 W	1.11 W	Reference	╬
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P <sub>off</sub> )	╬
Off (S5) - WOL Disabled	0.10 W	0.11 W	0.27 W	Use for EuP	H
	0.70 VV	0.77 VV	0.27 VV	OSE IOI EUP	┞
Category I1 Short Idle State - WOL Enabled	1 45.38 W	46.03 W	46.30 W	Use for ENERGY STAR V6 registration(Pidle)	+
				( 12.5)	H
Long Idle State - WOL Enabled		24.05 W	24.42 W	Use for ENERGY STAR V6 registration(P <sub>idle</sub> )	Ļ
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (Psleep)	Ļ
Sleep (S3) - WOL Disabled	1.87 W	1.88 W	2.03 W	Reference	Ļ
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	Ļ
Off (S5) - WOL Disabled	0.08 W	0.09 W	0.20 W	Use for EuP	Ļ
EPS No-load (External power supply / charger blugged in the wall outlet but disconnected from the product.)	0.136 W	0.139 W	0.198 W		
PTEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week		

ETEC * Annual En	ergy Consumption	<i>I1: 171.67</i> (kWh/year)	I2: 171.91 I1: 173.91 (kWh/year)	12: 169.65 11: 175.72 (kWh/year)	$E_{TEC} = (8760/1000) \times (P_{off} + P_{ShortIdle} \times 0.35 + P_{LongIdle})$ 3) - WOL Enabled; $P_{Idle}$ : Idle	, x 0.15)		
Dienlay res	solution* : 1920*1		-,		land the state of			
Print Spee		Images per minute						Ш
		save mode: 25 minute:						
P9.2*	Information abou	t the energy save func	tion is provided with	the product.		$\boxtimes$		
P9.3*	ENERGY STARGOTHERS SPECIFY:	ets the energy requirem  ® version: 6.0 Tier:			ram/s: <b>Desktop Computer</b>	$\boxtimes$		
P10	Emissions Noise emission	- Declared according	to ISO 9296					
P10.1	Mode	Mode description	10 130 9290	Declared	Declared A	-weighted		
		· ·		A-weighted	sound pressure le	•	)	
				sound power		Bystander po		_
			Dyotandor po					
					or Desk side	(only if product	t is not	
		* ***				operator atte	ended)	4
	Idle	* HDD:Idle		3.7	25.			-   - -
	Operation Other mode	* HDD: Operating		3.8 4.8	26. 35.			┧╙
		ODD operating	V 50144.74	4.0	33.	<del></del>		4
	Measured accord	ding to: ISO7779  Other	ECMA-74	d by ECMA 74 y	with L <sub>pAm</sub> measurement dis	tanco m	١	
P10.2	The product mee	ets the acoustic noise r				tance m		
		sions from printing pr			., 6 9			
P10.3*	Test performed a	according to ECMA-328	8 (ISO/IEC 28360) s	tandard, oth	er specify:			
P10.4	Typical emission	rate (print phase) is (n	ng/h):		•			
	Dust				VOC			
P10.5	Chemical emissi	on requirements of the Ozone	Styrene	program/s Benzene	are met for :			$\boxtimes$
	Electromagnetic		Styrene	Benzene	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
P10.6	Computer display program/s:	y meets the requireme	, ,	electromagnetic	fields of the following volu	ntary		
P11	Consumable ma	aterials for printing p	roducts		F +	24.0)		
P11.1* P11.2*					f not legally required (see F that it meets the requiren		<del>  </del>	
	EN12281.				that it meets the requirem	Territs or		
P11.3*		printing/copying is an i		inction.				
P12 P12.1*		computing products ts the ergonomic requi		1-307 for visual o	display technologies			
P12.2*	. ,	ut device meets the red			. , .			₩
P13	Packaging and		14.1011101110 01 100 9	555 and 150 924	+10.			
P13.1*			EPE weight (g	g): <b>658</b>				
	Product packagin	ng material type(s):	PAPER weight	(g): <b>1803</b>				
	Product packagir	ng material type(s):	HDPE weight (g	յ): <b>66.2</b>				
P13.2*	Product plactic p	ackaging is free from F	PVC					$\overline{}$
P13.3*		r user and product doc		۸).				₩
1 10.0	Electronic X. F	Paper 🔲, Other 🗌	differnation (tion box	Α).				ш
P13.4*			tion, please specify	contained perce	ntage of post-consumer re	cycled		
P14		mation (See Note B4)						
	information conta knowledge availa	ained in this document able at the time of com	All information prov pletion, and supplier	vided by supplier r shall have no o	ranties whether express or in this document is provid bligation to update such in See a Lenovo Account Re	ed based on su formation. The i	pplier's informa	3
P9	See Energy Sta	r Qualified Notebooks						
	http://www.ener	rgystar.gov/index.cfm	n?fuseaction=find_	a_product.shou	wProductGroup&pgw_co	de=CO		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## **Lenovo ErP Lot3 Information Sheet**

## - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaCentre B550	Logo
Model Number	10135, F0A6	_
Issue Date	2014.05.15	lenovo.
Additional information		

(d)	year of manufacture: Please see product name plate	
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:	223
f)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:	277
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10%: 81.57% 20%: 85.49% 50%: 87.73% 100%: 84.80% Average: 86.01%	
(m)	external power supply efficiency (if applicable):	
	10% 20% 50% 100% Average ;	
	or Level:	
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	NA
f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:	
	230 Volts AC, 50 Hz	
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:	
	Follow Energy-Star requirement if internal PSU is applicable	
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:	
	Follow Energy-Star requirement if external PSU is applicable	

(p-3)	the r batte		nent methodology used to determine information mentioned in points (o) - loadingcycles	NA
(p-4)			ent methodology used to determine information mentioned in maximum, idle, sleep, off mode ed in Point P9.1 in the Product IT Eco Declaration:	
	Follow	w Energy-	Star requirement	
(q)	seque	ence of st	eps for achieving a stable condition with respect to power demand::	
	Follow	w Energy-	Star requirement	
(r)	descr	ription of h	now sleep and/or off mode was selected or programmed:	
			will enter sleep mode automatically after no user or network activity for a period of time (it wer management setting).	
(s)	seque off m		vents required to reach the mode where the equipment automatically changes to sleep and/or	
			le, the computer will enter sleep mode automatically after no user or network activity for a	
			(it depends on power management setting). user could press "Start", and select "Shut down" in OS to allow the computer to shut off	
(t)			of idle state condition before the computer automatically reaches sleep mode, or another in does not exceed the applicable power demand requirements for sleep mode (in minutes):	25
(u)			ime after a period of user inactivity in which the computer automatically reaches a hat has a lower power demand requirement than sleep mode (in minutes):	10
(v)	the le	ength of t	ime before the display sleep mode is set to activate after user inactivity (in minutes):	10
(w)	inforn	nation on	the energy-saving potential of power management functionality:	
	Information on the energy-saving potential of power management functionality is at the end of this form			
(x)	user	informatio	on on how to enable the power management functionality:	
	Please Lenovo confirm where or which document will show user information about how to enable the power management functionality.			
(z)	the e	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:		
	230 \	/olts AC,	50 Hz	
			ry Information:	
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a nuser.	on-professional
			The battery[ies] in this product cannot be easily replaced by users themse	elves
Additio	nal infori	mation		

## **Energy Star Statement**



ENERGY STAR® is a joint program of the U.S. Environmental Protection Agency and the U.S. Department of Energy aimed at saving money and protecting the environment through energy efficient products and practices.

Lenovo is proud to offer our customers products with an ENERGY STAR compliant designation. The following machine types have been designed and tested to conform to the ENERGY STAR program requirement for computers at the time of manufacture. For more information about ENERGY STAR ratings for Lenovo computers, go to http://www.lenovo.com.

- 10135/F0A6
- 10136/F0A7

By using ENERGY STAR compliant products and taking advantage of the powermanagement features of your computer, you reduce the consumption of electricity. Reduced electrical consumption contributes to potential financial sayings, a cleaner environment, and the reduction of greenhouse gas emissions.

For more information about ENERGY STAR, go to: http://www.energystar.gov.

Lenovo encourages you to make efficient use of energy an integral part of your day-to-day operations. To help in this endeavor, Lenovo has preset the following power-management features to take effect when your computer has been inactive for a specified duration:

ENERGY STAR power-management features, by operating system.

#### Microsoft Windows Vista, Windows 7, Windows 8 and Windows 8.1

Power plan: Balanced

- . Turn off the display: After 10 minutes
- Put the computer to sleep: After 25 minutes
- Advanced power settings:
  - Turn off hard disk drives: After 20 minutes
  - Hibernate: Never

To awaken your computer from a Sleep or System Standby mode, press any key on your keyboard. For more information about these settings, refer to your Windows Help and Support information system.

# Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19