

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	All-in-One Desktop PC				
Commercial name *	IdeaCentre A740				
Model number *	10162, F0AM				
Issue date *	2014/05/06				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ار	

Model number *	Lenovo A740	MT: 10162, F0AM		
Issue date *	2014/05/06		Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	men	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo A740	MT: 10162, F0AM		
Issue date *	2014/05/06		Logo	lenovo.

Product	t environmental attributes - Market requirements - Environmental conscious design Re	quire	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		一	一百
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	Ħ	Ħ	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		T	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	X		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)		\boxtimes	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: >PC-GF30%<			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: <i>Epoxy Resin</i> , CAS #: <i>26265-08-7</i>			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: CAS #: Chemical name: CAS #: Supplier: Supplier:			
	3. Chemical name: CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic part			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	\boxtimes		
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg		_	
P8.1*	Battery chemical composition: Lithium Ion /Lithium Manganese Dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo A740	MT: 10162, F0AM		
Issue date *	2014/05/06		Logo	lenovo.

Product environmental attri	ibutes - Market	requirements (continued)	Requirement Yes No	
P9 Energy consumptio	n			res No	n.a
9.1 For the product the fo		els or energy cons	umptions are re	ported: See P14	
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)	W	W	W	Full load	
Category D2		•			
Short Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{idle})	\geq
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{idle})	\triangleright
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{sleep})	\triangleright
Sleep (S3) - WOL Disabled	W	W	W	Reference	\triangleright
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	D
Off (S5) - WOL Disabled	W	W	W	Use for EuP	\triangleright
Category D1					<u> </u>
Short Idle State - WOL Enabled	y W	W	W	Use for ENERGY STAR V6 registration (P _{idle})	×
Long Idle State - WOL Enabled	, w	W	W	Use for ENERGY STAR V6 registration (Pidle)	×
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{off})	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Category I3				<u> </u>	_
Short Idle State - WOL Enabled	d W	W	W	Use for ENERGY STAR V6 registration(Pidle)	\triangleright
Long Idle State - WOL Enabled		W	W	Use for ENERGY STAR V6 registration(P _{idle})	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
	**	**	**	OSC 101 Eur	
Category I2 Short Idle State - WOL Enabled	d W	W	W	Use for ENERGY STAR V6 registration(P _{idle})	
Long Idle State - WOL Enabled		W	W	Use for ENERGY STAR V6 registration(P _{idle})	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (Psleep)	
	W	W	W	,	
Sleep (S3) - WOL Disabled				Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	\triangleright
Category I1					<u> </u>
Short Idle State - WOL Enabled		<i>35.24</i> W	35.55 W	Use for ENERGY STAR V6 registration(P _{idle})	L
Long Idle State - WOL Enabled		22.44 W	22.53 W	Use for ENERGY STAR V6 registration(P _{idle})	<u> </u>
Sleep (S3) - WOL Enabled	1.517 W	1.371 W	1.233 W	Use for ENERGY STAR V6 registration (P _{sleep})	L
Sleep (S3) - WOL Disabled	1.46 W	1.35 W	1.19 W	Reference	
Off (S5) - WOL Enabled	0.363 W	0.341 W	0.35 W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	<i>0.35</i> W	<i>0.33</i> W	0.32 W	Use for EuP	L
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	0.282 W	0.287 W	0.310 W		
PTEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week		

ETEC * Annual En	ergy Consumption	137.349 kWh/year			TEC = (8760/1000) x (Poff x 0.45 + Psleep x 0.05 PshortIdle x 0.35 + PLongIdle x 0.15)			
		Poff: Off Mode(S	5) - WOL Enabled; Ps	leep: Sleep Mode(S	63) - WOL Enabled; P _{idle} : Idle State - WO	L Enable	ed	
Display res	solution* : 1920*1	080 Megapixels						\boxtimes
Print Spee	d * :	mages per minute						П
Default tim	e to enter energy	save mode: 25 minutes	<u> </u>					\equiv
P9.2*		t the energy save func		the product		\boxtimes	$\overline{}$	
		<u> </u>	· ·	'			<u> </u>	
P9.3*	•	ts the energy requirem version: <i>Version 6.0</i>			ram/s: ttegrated Desktop Computer	\boxtimes		
P10	Emissions							
D10 1		Declared according to the declared acco	to ISO 9296	Doolored	Dealared A weighted	4		
P10.1	Mode	Mode description		Declared A-weighted	Declared A-weighted			
				sound power	sound pressure level $L_{p{\sf Ar}}$			
				level $L_{W Ad}$ (E	3)	der posit	tions	
					Desktop (only if p	rodust i	الل	
						tor atten		
	Idle	* HDD:Idle		2.9	21.7			
	Operation	* HDD: Operating		2.9	22.0			
	Other mode	ODD operating		N/A	N/A			
	Measured accord	ling to: X ISO7779	ECMA-74		•			
	Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)							
P10.2	The product mee	ts the acoustic noise re	equirements of the	following volunta	ary program/s:			\boxtimes
		ions from printing pr						
P10.3*		according to ECMA-328		standard, oth	ner specify:		Щ	\boxtimes
P10.4		rate (print phase) is (m	-	_				
P10.5	Dust Chamical amissi	Ozone Son requirements of the			TVOC are met for :		$\overline{}$	
1 10.5	Dust	Ozone Ozone	Styrene Styrene	Benzene			ш	
	Electromagnetic	emissions						
P10.6	program/s:	·		electromagnetion	c fields of the following voluntary			
P11	Consumable ma	aterials for printing pr	oducts	anaustian suspi	if not legally required (see P4.3).		_	
P11.1* P11.2*					that it meets the requirements of	- - -	쓔	
P11.3*	EN12281.	printing/copying is an in			that it meets the requirements of		ㅡ	
P12		computing products	ntogratou product it	anotion.			<u> </u>	
P12.1*		ts the ergonomic requir	rements of ISO 924	1-307 for visual	display technologies.			П
P12.2*		ut device meets the rec				Ħ		П
P13	Packaging and	documentation						
P13.1*				g): 1999.3				
				g): 824.7				
P13.2*		ng material type(s): ackaging is free from F	HDPE weight (g	g): 11 9			$\overline{}$	
P13.3*		r user and product doc		x).			<u> —</u>	\vdash
P13.4*	Electronic X, F	aper 🔲, Other 🗌			entage of post-consumer recycled			
F13.4	fiber: 80 %	nd product documental	lion, please specify	contained perce	entage of post-consumer recycled			Ш
P14		mation (See Note B4)						
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					tion		
P9	See Energy Sta	r Qualified Notebooks gystar.gov/index.cfm			st information: wProductGroup&pgw_code=CO			
	•	-		•				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo A740	Logo
Model Number	10162, FOAM	_
Issue Date	2014.05.15	lenovo.
Additional information		

P7.1.1	Product environmental attributes	
(d)	year of manufacture: Please see product name plate	
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:	164
(f)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:;c	218
(l)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10%: 20%: 50%: 100%: Average:	
(m)	external power supply efficiency (if applicable):	
	10% 20% 50% 100% Average ;	
	or Level: V	
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook com	puters):
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distorti the electricity supply system, — information and documentation on the instrumentation, set-up and cir used for electrical testing:	on of cuits
	230 Volts AC, 50 Hz	
(p-1)	the measurement methodology used to determine information mentioned in points (I) - internefficiency:	al PSU
	Follow Energy-Star requirement if internal PSU is applicable	
(p-2)	the measurement methodology used to determine information mentioned in points (m) – extern efficiency: Follow Energy-Star requirement if external PSU is applicable	al PSU

(p-3)	the n batter		ent methodology used to determine information mentioned in points (o) – loadingcycles	NA	
(p-4)			ent methodology used to determine information mentioned in maximum, idle, sleep, off mode ed in Point P9.1 in the Product IT Eco Declaration:		
	Follow	w Energy-	Star requirement		
(q)	seque	ence of st	eps for achieving a stable condition with respect to power demand::		
	Follow	w Energy-	Star requirement		
(r)	descr	ription of h	now sleep and/or off mode was selected or programmed:		
			will enter sleep mode automatically after no user or network activity for a period of time (it wer management setting).		
(s)	seque off me		vents required to reach the mode where the equipment automatically changes to sleep and/or		
		•	e, the computer will enter sleep mode automatically after no user or network activity for a		
			(it depends on power management setting). user could press "Start", and select "Shut down" in OS to allow the computer to shut off		
(t)			f idle state condition before the computer automatically reaches sleep mode, or another n does not exceed the applicable power demand requirements for sleep mode (in minutes):	25	
(u)			ime after a period of user inactivity in which the computer automatically reaches a	10	
			hat has a lower power demand requirement than sleep mode (in minutes):	10	
(v)	the le	ength of t	ime before the display sleep mode is set to activate after user inactivity (in minutes):	10	
(w)	inforn	nation on	the energy-saving potential of power management functionality:		
	Information on the energy-saving potential of power management functionality is at the end of this form				
(x)	user information on how to enable the power management functionality:				
			confirm where or which document will show user information about how to enable the power unctionality.		
(z)	test p	arameter	s for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of		
			upply system, — information and documentation on the instrumentation, set-up and circuits cal testing:		
	230 V	/olts AC, !	50 Hz		
	n Notebo	ok Batter	y Information:		
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a nuser.	on-professional	
			The battery[ies] in this product cannot be easily replaced by users themse	elves	
Additio	nal inforr	nation			

Energy Star Statement



ENERGY STAR® is a joint program of the U.S. Environmental Protection Agency and the U.S. Department of Energy aimed at saving money and protecting the environment through energy efficient products and practices.

Lenovo is proud to offer our customers products with an ENERGY STAR compliant designation. The following machine types have been designed and tested to conform to the ENERGY STAR program requirement for computers at the time of manufacture. For more information about ENERGY STAR ratings for Lenovo computers, go to http://www.lenovo.com.

- 10162/F0AM
- 10163/F0AN

By using ENERGY STAR compliant products and taking advantage of the powermanagement features of your computer, you reduce the consumption of electricity. Reduced electrical consumption contributes to potential financial sayings, a cleaner environment, and the reduction of greenhouse gas emissions.

For more information about ENERGY STAR, go to: http://www.energystar.gov.

Lenovo encourages you to make efficient use of energy an integral part of your day-to-day operations. To help in this endeavor, Lenovo has preset the following power-management features to take effect when your computer has been inactive for a specified duration:

ENERGY STAR power-management features, by operating system.

Microsoft Windows Vista, Windows 7, Windows 8 and Windows 8.1

Power plan: Balanced

- Turn off the display: After 10 minutes
- · Put the computer to sleep: After 25 minutes
- Advanced power settings:
 - Turn off hard disk drives: After 20 minutes
 - Hibernate: Never

To awaken your computer from a Sleep or System Standby mode, press any key on your keyboard. For more information about these settings, refer to your Windows Help and Support information system.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19