

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	0			
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LEIIUVU			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	NB					
Commercial name *	Lenovo Legion Y730-17					
Model number *	81HG, 81J4					
Issue date *	2018/5/7					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	81HG, 81J4 Logo			
lssue da	ite *	2018/5/7	Lene	Lenovo.	
Produc	t enviror	mental attributes - Legal requirements	Require	ment	t met
Item			Yes	No	n.a.
P1	Hazard	ous substances and preparations			
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Product hydrobr trichlorc	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- bethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	Product	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	ie 🔀		
P1.6*	(see leg	ith direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee jal reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/social_responsibility/us/en/environment.html	\boxtimes		
P2	Batterie				
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	referenc		al 🔀		
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Confor	mity verification & Eco design (ErP)			
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/social responsibility/EU DoC notebooks			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
	•	d information is; given in item P15 or added to this document, available at (add URL): www.lenovo.com/social_responsibility/us/en/datasheets_notebooks/			
P5		t packaging			
P5.1*	Packag	ing and packaging components do not contain more than 0,01% lead, mercury, cadmium ar ent chromium by weight of these together.	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material(ee legal reference).	(s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).				
	Comme	nt: Legal reference has no maximum concentration values			
P6		nt: Legal reference has no maximum concentration values.			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		81HG, 81J4	Logo			
Issue date *	۲	2018/5/7		Len	ovo	тм
Product e	nvironi	mental attributes - Market requirements (See General NOTE GN	below)			
		nmental conscious design		Require		net
		ory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
		Disassembly, recycling t have to be treated separately are easily separable				
						<u> </u>
		aterials in covers/housing have no surface coating.				Ц_
	•	arts > 100 g consist of one material or of easily separable materials.				
		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square		
	lastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.			\mathbf{X}
P7.6* L	abels ar	e easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
		lifetime				
P7.7* U	Ipgradin	g can be done e.g. with processor, memory, cards or drives		\square		
P7.8* U	Ipgradin	g can be done using commonly available tools		\boxtimes		
P7.9 S	pare pa	rts are available after end of production for: 5 years				
P7.10 S	ervice is	s available after end of production for: 5 years				
N	laterial	and substance requirements				
P7.11* P	roduct c	over/housing material type (e.g. plastics, metal, aluminum):				
			al type: Alumin	um		
		n materials of external electrical cables are PVC free.			\square	
-		n materials of internal electrical cables are PVC free.			\square	
w p	veight (1 olyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) g more than 25% post-consumer recycled content.	e retardants, ar	nd		
P7.15 P	rinted c	sircuit boards, PCBs (without components) are low halogen: all PCBs >: as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are Io	w	\square	
N	larking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-TD15FR(40) PC+ABS-FR(40)<		\boxtimes		
P7.17 <u>A</u>		emical specifications of flame retardants in printed circuit boards > 25 g (without co A (additive),		\boxtimes		
		emical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(40) for DPOP</i>	ents) > 25 g			
с 1 2	oncentra . Chemi . Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: cal name: CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	s/preparations	in		
<u>A</u>	<u>lt. 2: </u> Ch	emical specifications of flame retardants in plastic parts > 25 g according ISO 104				
а	ssigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:				
			ee note B5)			
	YES; at) Of to a pe	umer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten prcentage of total plastic by weight) is 0%. weight of recycled material is 0 g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model numb	er * 81HG	, 81J4			Logo			
Issue date *	2018/	/5/7				Lenovo		
Product en	vironmenta	l attributes - Market	requirements (cont	inued)	ŀ	Requirement met		
Item			•	,		Yes No n.a.		
Ν	Aaterial and s	ubstance requirements	(continued)					
P7.21* E	Biobased plasti	c material content is use	d in the product (See N	NOTE B7):				
II	f YES; at least	one of the two alternativ	es below shall be answ	vered;				
a		astic parts' weight > 25		material content (calco	ulated as a percen	tage		
0	of total pla or	stic by weight) is	%.					
		t of the biobased plastic	material is g.					
	ight sources a	s are free from mercury, i.e. less than 0,1 mg/lamp.						
		ed specify: Number of la	mps: and maxin	num mercury content pe	er lamp: mg			
	Batteries	al composition: Li-polym	lor.					
-		mption (See NOTE B8)						
		the following power leve	els or energy consumpt	ions are reported:				
Energy mode		Power level at	Power level at	Power level at	Reference/Stand	dard for energy		
		100 V AC	115 V AC	230 V AC	modes and test	method *		
Peak (On-ma	ax)	170 W	170 W	170 W	Full load			
Category	NBI2							
Short Idle St	tato - WOL	10.370 W	10.440 W	12.060 W	Use for ENERG	V STAP V6		
Enabled		10.370 W	10.440 W	12.000 **	registration (Pic			
Long Idle St Enabled	ate - WOL	8.191 W	7.972 W	8.032 W	Use for ENERG registration (Pic			
Sleep (S3) -	WOL Enabled	1.551 W	1.559 W	1.618 W	Use for ENERG registration(Psi			
Off (S5) - WC	DL Enabled	0.462 W	0.466 W	0.516 W	Use for ENERG registration(Pot			
EPS No-load		0.148 W	0.155 W	0.254 W				
	oly / charger plugged in nected from the produc							
PTEC *	nected nom the produc	W	W	W		\boxtimes		
	gy Consumptio							
ETEC * Annual Energ	gy Consumptio	40.19 kWh/year n	40.22 kWh/year	44.82 kWh/year		00) x (P _{off} x 0.25 P _{long_Idle} x 0.10+		
				p Mode(S3) - WOL Enabl	ed; Pidle: Idle State -	WOL Enabled		
	,	ciency Level (Internationa	al Efficiency Marking Pr	rotocol) * : VI				
1 7		1080 megapixels						
		v save mode: 10 minutes						
		out the energy save funct	ion is provided with the	e product.				
	Energy efficien	cy class (monitors only):				\square		
	missions							
		n – Declared according t	o ISO 9296 (See NOT		it A waighted as	d newer level / /D)		
	<i>l</i> ode dle	Mode description * Idle		* 3.0	nt A-weighted soun	d power level, <i>L_{WA,c}</i> (B)		
	Operation	* CPU Operating		* 5.8		<u>H</u>		
	Other mode	Declared A-weighted sour	nd pressure level (dB) -		ition desktop – idle)			
		Declared A weighted	L_{pA}					
	Other mode	Declared A-weighted sour	in pressure level (aB) L_{pP}	41.7 (operator posi	ition desktop – opera	aungj		
Ν	leasured acco	ording to: 🔀 ISO 7779 🗌 Other	ECMA-74 (only if not covered b	V ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	81HG, 81J4	Logo			
ssue dat	e *	2018/5/7		Lenc	Lenovo.	
Product	environr	nental attributes - Market requirements (continued)	• • • • • • • • • • • • • • • • • • •	Require	ment	me
ltem				Yes	No	n.a
		nagnetic emissions				
P10.4	program		of the following volunta	iry		
P12	Ergono	mics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display	y technologies.		\boxtimes	
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410).		\square	
P13	Packagi	ing and documentation				
P13.1*	Product	packaging material type(s): paper weight (kg): 1.2023 packaging material type(s): PP weight (kg): 0.0243 packaging material type(s): weight (kg): 0.0243				
P13.2*	Product	plastic primary packaging is free from PVC.		\boxtimes		
P13.3*		duct primary corrugated fiberboard packaging, specify the contained pe er recovered fiber content: %	ercentage of minimum	post-		
P13.4*		media for user and product documentation (tick box): ronic, XPaper, Other				
P13.5	Úser and	only complete this item if paper documentation used) d product documentation on paper media is chlorine-free: lease specify:			\boxtimes	
	Totally c	hlorine-free				
	,	al chlorine-free		H		
	Process	ed chlorine-free		H		
P14		ry programs				
P14.1		duct meets the requirements of the following voluntary program(s):				
	ENERG	Y STAR® Criteria version: 6.1 Date:	Product category: NBI	2		
	Eco-labe		Product category:			
	Eco-labe	el: Criteria version: Date:	Product category:			
P15	Additio	nal information (See NOTE B10)				
P9	Energy	consumption of specific configuration may vary; description of the t	tested product configu	ıration:		
	informat knowled	Supplier makes no representations, guarantees, assurances or warranties ion contained in this document. All information provided by supplier in this ge available at the time of completion, and supplier shall have no obligation here is approximate and provided for informational purposes only. See a ion.	s document is provided on to update such inforr	based on supprised on supprised on supprised on the superior of the second seco	olier's formati	ion
P9		ergy Star Qualified Notebooks & Tablet Computers for the latest information w.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroups and the state of the state				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Legion Y730-17	Logo
Model Number	81HG, 81J4	
Issue Date	2018/5/7	Lenovo.
Additional information		

P7.1.1	P7.1.1 Product environmental attributes								
(d)	Year of manufacture:								
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are								
	disabled and if the system is tested with switchable graphics mode with UMA driving the display.								
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are								
	enable								
	Category A Category B Category C Category D								
	Memory over base [GB]	(according to ErP Lot 3)	(according to ErP Lot 3)	(according to ErP Lot 3) 32	(according to ErP Lot 3)				
	Additional internal storage			Y					
ents sting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
ustm g tes	Discrete television tuner	(Mar. (Na)	0((N-)	N Mar (Na)	(Yee (Ne)				
/ adji turin	Diagnata Audia Cand	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	(Yes / No)	<mark>N</mark> (Yes / No)	(Yes / No)				
cape appl	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	N #: (Yes / No)	#: (Yes / No)				
	Category of discrete graphics Card(s)								
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)			25.29					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled								
(g)	Idle state power demand (Watts);		I		8.26				
(h)	Sleep mode power demand (Watts);				1.61				
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.46				
(j)	Off mode power demand (Watts);				0.42				
(k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		0.41				
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output powe	er (if applicable):					
	10% 20% 50%	100% Avera	ge						
(m)	External power supply efficiency (if applied	cable)*:							
	Average active efficiency: 89.88%,91.21	%,91.29%,92.49%,90.	46%						
	*internal note: show values for all available external po	ower supplies							
(0)	Minimum number of loading cycles that t	he batteries can withst	and (applies only to n	otebook computers):	300				
(p-1)) Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA								

) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						
(p-3) Mea	asurement method	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	points (o) – loading cycles batteries:				
		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: IEC 62623	naximum, idle, sleep, off mode				
(q) Sec	quence of steps fo	r achieving a stable condition with respect to power Power on -> Wait 5 minutes ->Stable con					
(r) Des	Description of how sleep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or off mode						
	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:						
(t) Dur	ration of idle stat	e condition before the computer automatically re	eaches sleep mode, or another				
con		not exceed the applicable power demand requirement a period of user inactivity in which the compute		30min			
mo	de that has a low	ver power demand requirement than sleep mode (in	minutes):	NA			
		re the display sleep mode is set to activate after ergy-saving potential of power management functio		10min			
(11)		Refer to User Guide	indiky.				
(x) Use	er information on h	now to enable the power management functionality: <i>Refer to User Guide</i>					
the		neasurements: — test voltage in V and frequency in system, — information and documentation on the in-					
use		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301				
Additional No	otebook Batter	y Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{}$					
Internal/built-i	n Battery		\boxtimes				
External/detac	chable Battery						
Bios Backup B	Battery						
Other:							
Additional info	rmation						
Akymynatophata[μτα Las baterias de este Výměnu baterie/bate Brugeren kan ikke uu Der Akku/die Akkus Kasutajad ei saa sell H μπαταρία[-ες] στο La/les batterie(s prés Korisnik ne može lak La batteria/le batterie Lietotāji paši nevar n Šio gaminio baterijos A termék akkumulát II-batterija/batteriji fc Batterie [ene] i dette De batteris [ene] i dette De batteris [ene] i dette De batteris [ene] i dette Batteria (baterille) dir Bateria (baterille) dir Bateria (baterille) dir Baterin(-ie) v tomto v Baterij/baterije v tem Tämän tuotteen akku Det är inte enkelt för	e) δατερυя[и] в този г producto no pueden : prií v tomto výrobku by den videre udskifte ba dieses Produkts kann. le toote akuť/akusid is προϊόν αυτό δεν μποι sente(s) dans ce produ to zamijeniti Bateriju s e in questo prodotto n iomaini tša ražojuma : s [bateriju] pats vartoto orát/akkumulátorait a f dan il-prodott ma tistax e produktet kan ikke le product is (zijn) door o e sam v łatwy sposób te produto não podem a acest produs nu poa výrobku nemôže vymiki izdelku uporabniki sa u [akut] el[vä] ole help kunden att själv byta	ojas negali lengvai pakeisti. felhasználó nem tudja egyedül egyszerűen kicserélni. //jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. ti erstattes av brukerne selv. Je gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie. n ser facilmente substituídas pelos próprios utilizadores. te (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.	werden.				