

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo X86-STG Mod HW DE Rick Lin Lenovo Taiwan Branch 8F., No. 66, Sanchong Rd., Nangang Dist., Taipei City, Zipcode: 11502 Rlin12@lenovo.com	lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of prodct *	Server (Software Define Storage)			
Commercial name *	DX8200C/DX8200N/DX8200D			
Model number *	5120,5128,5135			
Issue date *	2016/07/19			
Intended market *	Slobal Surope Sasia, Pacific & Japan Samericas Samerica			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🖂	

Model number *	5120,5128,5135		
Issue date *	2016/07/19	Logo	lenovo.

Product	roduct environmental attributes - Legal requirements						
Item		Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)						
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.						
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).						
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes					
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.						
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	\boxtimes					
P2	Batteries						
P2.1*							
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)						
P2.3*							
P3	Safety, EMC connection to the telephone network and labeling						
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes					
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes					
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes					
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes					
P4	Consumable materials						
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).						
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			X			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).						
P5	Product packaging						
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.						
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	5120,5128,5135		
Issue date *	2016/07/19	Logo	lenovo

Product	environmental attributes - Market requirements - Environmental conscious design Re	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable			
				-
P7.2*	Plastic materials in covers/housing have no surface coating.			<u> </u>
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		<u>Ц</u>	Щ
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: Steel Material type: PC+ABS Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.			
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			\Box
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #: 3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	\square		
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,		\dashv	∺
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	<u> </u>		
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0% .			
P7.22	Light sources are free from mercury		Ш	
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg			
P8.1*	Battery chemical composition: Lithium, Manganese Dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s:			\dashv

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	5120,5128,5135		
Issue date *	2016/07/19	Logo	lenovo

Product	luct environmental attributes - Market requirements (continued) Requirement me					nt met	
Item	Yes			o n.a.			
P9	Energy consumption						
9.1 For the product the following power levels or energy consumptions are reported:							
Energy mode *		Power level at -48 V DC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and temethod *	st	
On-Peak			/W	733 W	685 W	Max Config., Stress system to worst case	
On-Idle			/W	397 W	388 W	Max Config., system idle	
Off			/W	17.1 W	15.1 W	Max Config., system power off	
EPS No-lo	ad			W	W		
plugged in	oower supply / the wall outlet ted from the pr	but					
PTEC * Typical En	ergy Consump	otion	W	W	W		
TEC * Typical En	ergy Consump	otion	kWh/week	kWh/week	kWh/week		
ETEC * Annual En	ergy Consump	otion					
Display res	solution* : Me	gapixels					
Print Spee	d * :	Image	s per minute				
Default tim	e to enter ene	rgy save n	node: minutes				
P9.2*	Information a	about the e	energy save funct	ion is provided wit	th the product.		
P9.3*	The product ENERGY ST Others speci	AR® vers		ents of the following Product category		gram/s:	
P10	Emissions						
			lared according t	to ISO 9296			
P10.1	Mode	Mode de	scription		Declared A-weighted sound power	er Sound pressure level L_{pAm} (dB)	
					level L_{WAd} (Desktop (only if product is pe]
						or Desk side operator attended	
	Idle		ed on – No disk		* 6.3		
	Operation	* Unit op	perating under t	ypical load	* 6.3		
	Other mode						_
	Measured according to: SO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)						
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s:						

Model nur						
Issue date	*	2016/07/19	Logo	lenovo.		
Product	environn	nental attributes - Market requirements (continued)		Require	ment	met
Item		· · · · · · · · · · · · · · · · · · ·		Yes	No	n.a.
	Chemica	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\boxtimes
P10.4	Typical e	emission rate (print phase) is (mg/h):				$\overline{\boxtimes}$
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica	Il emission requirements of the following voluntary program/s are met for :				\boxtimes
			TVOC			
		nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the follow	owing voluntary			\boxtimes
D44	program					
P11 P11.1*		pable materials for printing products Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	irod (200 D4 3)		_	
P11.1*	-					
	EN1228		e requirements	or	Ш	X
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes
P12		nics for computing products				
P12.1*		lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	gies.	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13		ng and documentation				
P13.1*		packaging material type(s): Corrugated weight (kg): 4.0 packaging material type(s): LDPE weight (kg): 0.15				
		packaging material type(s): <i>EPE</i> weight (kg): 0.7				
P13.2*		plastic packaging is free from PVC.		\boxtimes		
P13.3*	Specify r	nedia for user and product documentation (tick box):				$\overline{\Box}$
	Electron	c 🔀, Paper 🔀, Other 🗌				_
P13.4*	For pape fiber: 0	er user and product documentation, please specify contained percentage of post-co $\%$	nsumer recycled			
P14	Addition	nal information (See Note B4)				
	NOTE: S	Supplier makes no representations, guarantees, assurances or warranties whether ϵ	express or implie	d, regardin	g the	
		on contained in this document. All information provided by supplier in this documen				
		ge available at the time of completion, and supplier shall have no obligation to upda here is approximate and provided for informational purposes only. See a Lenovo A				tion
	informati		locount ivehiesei	nauve IUI I	11016	
P9	See Ene	rgy Star Qualified Enterprise Servers for the latest information: http://www.er s/detail/enterprise-servers	ergystar.gov/pi	roducts/ce	ertified	d-
	-					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19