

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	LEIIOVO
	alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Portable Tablet Computer						
Commercial name *	Lenovo Tab E10						
Model number *	ZA47, ZA4C, ZA4D, ZA4E, ZA4F						
Issue date *	2019/1/31						
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	ZA47, ZA4C, ZA4D, ZA4E, ZA4F	lon			
Issue date *		2019/1/31	Lenovo.			
Produc	t environ	mental attributes - Legal requirements	Require	men	t me	
ltem			Yes	No	n.a	
P1		ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\square			
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\square			
P2	Batterie	S				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\boxtimes			
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/social responsibility/EU DoC tablets/	\boxtimes			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	\square			
		d information is; given in item P15 or added to this document,	\boxtimes			
P5	Dreduct	available at (add URL): <i>lenovo.com/us/en/compliance/eco-declaration</i>				
P5.1*		<mark>t packaging</mark> ng and packaging components do not contain more than 0,01% lead, mercury, cadmium and	4			
1 J. 1	hexaval	ent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of the material(s are legal reference).)			
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoco al reference). nt: Legal reference has no maximum concentration values.	ol 🔀			
P6		ent information				
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	ZA47, ZA4C, ZA4D, ZA4E, ZA4F	Logo			
Issue da	ate *	2019/1/31		Len	ovo	D
Produc	t environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	U,	Disassembly, recycling				
P7.1*		It have to be treated separately are easily separable			╧	
P7.2*		naterials in covers/housing have no surface coating.			\square	
P7.3*	-	arts > 100 g consist of one material or of easily separable materials.		\square		
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradir	ng can be done using commonly available tools			Ē	Ē
P7.9		arts are available after end of production for: 3 years				H
P7.10		s available after end of production for: 1 years				╞
1 1.10		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: PC+20%GF Material type: PC Materia	al type:			
P7.12		n materials of external electrical cables are PVC free.			\square	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				Ē
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b				
		1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame				
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	n parts containin	,g		
P7.15		ircuit boards, PCBs (without components) are low halogen: all \boxtimes PCBs > 25 g	are low balons	en 🔀		
		ed in IEC 61249-2-21. (See 1NOTE B2)	J are low haloge			
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-GF20FR(40)<		\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):			
1 7.17		PA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO, CAS #: 3594		\square		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: FR(40)	ents) > 25 g			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations			
		ations above 0,1%: ical name: Triphenyl phosphate , CAS #: 115-86-6 (See NOTE B4)		\boxtimes		
		ical name: , CAS #:				
		ical name: , CAS #: "				
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which			Ħ	H
-		the following Risk phrases; 22-38-40-48/20/22-50/53-52/53-36/37/38-67-66-36-11				
		statements: Xn,N,F,Xi				
	The sour	rce(s) for these classifications is/are found at (add URL(s)):	19			
		https://www.chemicalbook.com/ProductChemicalPropertiesCB9233809.htm	, (See			
P7.20*	note B5)	sumer recycled plastic material content is used in the product (See Note B6):				
1 1.20	1 03100118	$\frac{1}{1}$			\boxtimes	
		t least one of the two alternatives below shall be answered;				
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten	it (calculated as			
	•	ercentage of total plastic by weight) is %.				
	or b) The	e weight of recycled material is g.				
1	<i>b</i> , 116	woight of rooyolou matchaillo g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	nber *	ZA47, ZA	4C, Z	A4D, ZA4E, ZA	4F		Logo		
Issue date	*	2019/1/3	1					Lenovo.	
Product e	environm	ental at	tribu	tes - Market r	equirements (conti	nued)		Requirement met	
ltem					-			Yes No n.a.	
	Material a	and subs	tance	e requirements	(continued)				
P7.21*	Biobased	plastic m	ateria	l content is used	in the product (See NO	DTE B7):		\square	
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g. 								
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.								
P8	Batteries		speen			an moreary content per	lamp. mg		
P8.1*			ompos	sition: <i>Lithium ic</i>	on				
P9	Energy c	onsumpt	ion (S	See NOTE B8)					
P9.1					s or energy consumptio	ons are reported:			
Energy mod	de *		P	ower level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stand modes and test r	lard for energy	
Peak (On-r	nax)		10.4	W	10.4 W	10.4 W	Full load		
Category	<u>y</u>								
Short Idle Enabled	State - WC	DL	2.36	W	2.37 W	2.43 W	Use for ENERGY STAR V6 registration (P _{idle})		
Long Idle S Enabled	State - WO	L	2.36	W	2.37 W	2.43 W	Use for ENERGY STAR V6 registration (P _{idle})		
Sleep (S3)	- WOL Dis	sabled	0.15	W	0.16 W	0.170.06 W	Reference		
Off (S5) - V	VOL Disab	oled	0.04	W	0.04 W	0.051 W	Use for ErP		
EPS No-loa (External power su wall outlet but disc		lugged in the product.)	0.03	5 W	0.036 W	0.051 W			
PTEC * Typical Ene			15.2	W	15.2 W	15.2 W			
ETEC * Annual Ene			8.82	kWh/year	8.86 kWh/year	9.17 kWh/year	$E_{TEC} = (8760/100)$ + $P_{sleep} \times 0.35$ + $P_{short_Idle} \times 0.30$		
						Mode(S3) - WOL Enabled	I; Pidle: Idle State -	WOL Enabled	
					Efficiency Marking Pro	tocol) * : VI			
Display res	olution * :	1280*800	mega	apixels					
Default time	e to enter e	energy sa	ve mo	de: 1 minutes					
P9.2*	Informatio	on about t	he en	ergy save function	on is provided with the	product.		\square	
P9.3	Energy ef	ficiency c	lass (monitors only):				\boxtimes	
P10	Emission								
D (0 (ISO 9296 (See NOTE				
P10.1	Mode Idle	M	lode d	escription		Statistical upper limit	A-weighted sound	d power level, $L_{WA,c}$ (B)	
	Operation	*				*			
	Other mo		eclared	A-weighted sound	d pressure level (dB) $L_{p{\sf Am}}$	(operator pos	ition desktop – idle		
	Other mo				d pressure level (dB) L _p Am		ition desktop – ope		
					1		non desktop – ope	auny)	
	Measured according to: ISO 7779 ECMA-74					ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nu	mber *	ZA47, ZA4C, Z	A4D, ZA4E, ZA4F		Logo				
lssue dat	e *	2019/1/31			Lenc	Lenovo			
Product	environ	mental attribut	tes - Market requirements	(continued)		Require	ment	met	
ltem						Yes	No	n.a.	
		magnetic emiss							
P10.4	Comput program		the requirement for low freque	ncy electromagnetic fields	s of the following volun	tary		\boxtimes	
P12		mics for compu							
P12.1*	The disp	olay meets the er	gonomic requirements of ISO 9	9241-307 for visual displa	y technologies.	\square			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.								
P13	Packaging and documentation								
P13.1*	Product	Product packaging material type(s): box weight (kg): 0.254 Product packaging material type(s): paper(manual) weight (kg): 0.03 Product packaging material type(s): PE weight (kg): 0.008							
P13.2*			ackaging is free from PVC.			\boxtimes			
P13.3*		duct primary cor	rugated fiberboard packaging, r content: 90 %	, specify the contained p	ercentage of minimun	n post-			
P13.4*	Specify		nd product documentation (tick	box):					
P13.5	Ùser an		is item if paper documentation entation on paper media is chlo						
	Totally c	Totally chlorine-free							
	Element	al chlorine-free							
	Processed chlorine-free								
P14	Volunta	ry programs							
P14.1			equirements of the following vo	luntary program(s):					
	ENERG Eco-labe Eco-labe		Criteria version: 7.0 Criteria version: Criteria version:	Date: 2018-12-14 Date: Date:	Product category: <i>I1</i> Product category: Product category:				
P15	Additio	nal information	(See NOTE B10)		<u> </u>				
P9	Energy	consumption o	f specific configuration may	vary; description of the	tested product config	guration:			
	NOTE: S informat knowled	Supplier makes r ion contained in ge available at th I here is approxir	to representations, guarantees this document. All information the time of completion, and sup mate and provided for informati	, assurances or warranties provided by supplier in thi plier shall have no obligati	s whether express or ir s document is provided on to update such info	nplied, regardin based on supp rmation. The inf	olier's ormati	ion	
P9	See Ene	ergy Star Qualifie	d Notebooks & Tablet Comput w/index.cfm?fuseaction=find_a						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Tab E10	Logo
Model Number	ZA47, ZA4C, ZA4D, ZA4E, ZA4F	
Issue Date	2019/1/31	Lenovo
Additional information		

P7.1.1	Product environmental attributes								
(d)	Year of manufacture:				2018				
(e)	Etec value (kWh) per ErP Lot 3 Categ disabled and if the system is tested wit				cards (dGfx) are				
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable								
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)				
	Memory over base [GB]	2							
ients sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)				
	Category of discrete graphics Card(s)								
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	9.17							
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled								
(g)	Idle state power demand (Watts);				2.43				
(h)	Sleep mode power demand (Watts);				0.17				
(i)	Sleep mode with WOL enabled power of	demand (Watts) (where	enabled);						
(j)	Off mode power demand (Watts);				0.06				
(k)	Off mode with WOL enabled power der	nand (Watts) (where er	nabled);						
(I)	Internal power supply efficiency at 10 %	6, 20 %, 50 % and 100	% of rated output pow	er (if applicable):					
	10% 20% 50%	100% Avera	age						
(m)	External power supply efficiency (if app	licable)*:							
	Average active efficiency: 82.10								
(0)	*internal note: show values for all available external Minimum number of loading cycles that		stand (applies only to n	otebook computers):	300				
(p-1)	Measurement methodology used to det	ermine information mei NA	ntioned in points (I) – ir	nternal PSU efficiency:					

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)									
(p-3)	Measurement metho	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: 800cls, ≥70% of capacity								
(p-4)		Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: ENERGY STAR Test Method for Computers, Rev. March-2016								
(q)	Sequence of steps for	or achieving a stable condition with respect to power ENERGY STAR Test Method for Computers, Re								
(r)		Description of how sleep and/or off mode was selected or programmed: refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state								
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or							
(t)	Duration of idle sta	te condition before the computer automatically r	eaches sleen mode, or another							
(1)		s not exceed the applicable power demand requirem	• *	1						
(u)		r a period of user inactivity in which the compute wer power demand requirement than sleep mode (ir		NA						
(v)										
(w)	Information on the energy-saving potential of power management functionality: Refer to User Guide									
(x)	User information on	how to enable the power management functionality: <i>Refer to User Guide</i>								
(Z)		measurements: — test voltage in V and frequency ir system, — information and documentation on the in sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section	strumentation, set-up and circuits							
Additio	onal Notebook Batter	ry Information:								
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a						
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)}$								
Internal	l/built-in Battery									
Externa	al/detachable Battery									
Bios Ba	ackup Battery									
Other:										
Addition	nal information									
)										
,										

The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Lietotāji paši nevar nomaint šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Batterii(-ie) v tomto výrobku nemôže vymieňať používateľ.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.