

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Portable Computer Tablet					
Commercial name *	Lenovo TAB E7					
Model number *	ZA40,ZA41					
Issue date *	2018.8.1					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

	umber *	ZA40, ZA41 Logo			
Issue date *		2018.8.1	Leng		Этн
Produc	t environ	mental attributes - Legal requirements	Require	ment	t met
ltem			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\square		
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): ww.lenovo.com/social_responsibility/us/en/environment.html	\boxtimes		
P2	Batterie				
P2.1*	If the pro	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega	al 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\square		
P3	Conform	nity verification & Eco design (ErP)			
P3.1*	The proc	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address):	\square		
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products, al reference).	\square		
	Require	d information is; given in item P15 or added to this document, available at (add URL):	\boxtimes		
P5	Product	t packaging			
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ar ent chromium by weight of these together.	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material(se legal reference).	s) 🔀		
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified in the Montre (see legal reference).	al 🔀		
		nt: Legal reference has no maximum concentration values.			
P6					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		ZA40, ZA41	Logo				
Issue dat	te *	2018.8.1		Len	Lenovo		
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)				
	- Enviro	Require	ment	met			
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7		Disassembly, recycling					
P7.1*		t have to be treated separately are easily separable aterials in covers/housing have no surface coating.				<u> </u>	
P7.2*							
P7.3*		arts > 100 g consist of one material or of easily separable materials.				\square	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\square			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes			
	Product						
P7.7*		ig can be done e.g. with processor, memory, cards or drives			\boxtimes		
P7.8*	Upgradir	ig can be done using commonly available tools			\boxtimes		
P7.9	Spare pa	arts are available after end of production for: 3 years					
P7.10	Service i	s available after end of production for: 1 years					
	Material	and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
57.40			al type: <mark>SUS 301</mark>				
P7.12		n materials of external electrical cables are PVC free.		<u> </u>		<u> </u>	
P7.13		n materials of internal electrical cables are PVC free.					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed	circuit boards, PCBs (without components) are low halogen: all PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🔀 are lov	v 🖂			
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\boxtimes	
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive),TBBPA (reactive) (See NOTE B3),Other: <i>DOPO</i> , CAS #: 3594		\boxtimes			
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4: <i>FR(40)</i>	ents) > 25 g	\boxtimes			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0.1%:	es/preparations in	n			
	1. Chemi	ical name: Triphenyl phosphate, CAS #: 115-86-6 (See NOTE B4)					
		ical name: , CAS #: " ical name: , CAS #: "					
	<u>Alt. 2: </u> Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:	\bowtie			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which		\square			
	assigned	I the following Risk phrases; 22-38-40-48/20/22-50/53-52/53-36/37/38-6	7-66-36-11-				
		nd Hazard statements: Xn,N,F,Xi					
	The sour	ce(s) for these classifications is/are found at (add URL(s)):					
		https://www.chemicalbook.com/ProductChemicalProperties	CB9233809.h	1			
	tm,	(See note B5)					
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):			\bowtie		
	a) Of t	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is %.	t (calculated as				
	b) The	weight of recycled material is g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model numb	ber * Z/	4 <i>40, ZA</i>	41			Logo	
Issue date *	20	18.8.1					Lenovo
Product er	nvironmer	ntal at	ributes - Market r	equirements (conti	nued)		Requirement met
Item							Yes No n.a.
ſ	Material and	d subs	tance requirements	(continued)			
P7.21* E	Biobased pl	astic m	aterial content is used	in the product (See N	OTE B7):		
a	a) Of tota of total or	l plastic plastic		, D.	ered; material content (calcul	ated as a percen	tage
				less than 0,1 mg/lamp.			
		s used s	pecify: Number of lar	nps: and maxim	um mercury content per	r lamp: mg	
	Batteries						
			omposition: <i>Li-ion Po</i>	lymer			
			ion (See NOTE B8)				
		luct the		s or energy consumption			<u> </u>
Energy mode			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	modes and test	dard for energy
Peak (On-m	ax)		5 W	5 W	5 W	Full load	
Category	11						
Short Idle Si Enabled	tate - WOL		2.20 W	2.24 W	2.19 W	Use for ENERG registration (P _i	
Long Idle St Enabled	tate - WOL		2.20 W	2.24 W	2.19 W	Use for ENERG registration (P _i	
Sleep (S3) -	WOL Disal	bled	0.77 W	0.79 W	0.81 W	Reference	
Off (S5) - W0	OL Disable	d	0.17 W	0.21 W	0.19 W	Use for ErP	
EPS No-load (External power sup wall outlet but discor		ged in the roduct.)	0.035 W	0.036 W	0.051 W		
PTEC *			W	W	W		
Typical Energy ETEC * Annual Energy			0.9414 kWh/year	0.9159 kWh/year	0.9556 kWh/year		00) x (P _{off} x 0.25
					Mode(S3) - WOL Enable		
External Pow	ver Supply E	Efficien	cy Level (Internationa	Efficiency Marking Pro	otocol) * : VI		
Display resol	lution * : 10	24*600	megapixels				——— <u>—</u>
. ,			/e mode: 1 minutes			<u> </u>	
				on is provided with the	product	l	
			lass (monitors only):		product.		
		iency c	ass (monitors only):				
	Emissions		Declared and the second		DO)		
				ISO 9296 (See NOTE		A woighted ac	d nowor lovel / (P)
	Mode Idle	IVI *	ode description		*	A-weighted sour	d power level, <i>L_{WA,c}</i> (B)
		*			*		
	Operation	*					\square
(Other mode			d pressure level (dB) $L_{p{ m Am}}$		ition desktop – idl	e)
	Other mode	1		d pressure level (dB) L_{pAm}	(operator pos	ition desktop – op	erating)
7	Measured a	ccordin	g to: SO 7779 Other	ECMA-74 (only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	mber *	ZA40, ZA41			Logo			
Issue dat	te *	2018.8.1				Lend	ovo	тн
Product	environ	nental attributes - Market	t requirements (co	ontinued)		Require	ement	met
ltem						Yes	No	n.a.
		nagnetic emissions						
P10.4	program			electromagnetic fields	s of the following volu	ntary 🔀		
P12		nics for computing products						
P12.1*	The disp	ay meets the ergonomic requ	irements of ISO 9247	1-307 for visual displa	y technologies.	\square		
P12.2*	The phy	sical input device meets the re	equirements of ISO 99	995 and ISO 9241-410	0.	\square		
P13	Packag	ng and documentation						
P13.1*	Product	Product packaging material type(s): box weight (kg): 0.06 Product packaging material type(s): paper(manual) weight (kg): 0.02 Product packaging material type(s): PE weight (kg): 0.01						
P13.2*	Product	plastic primary packaging is fr	ee from PVC.			\square		
P13.3*		uct primary corrugated fibert r recovered fiber content:	board packaging, sp %	ecify the contained p	ercentage of minimu	m post-		\boxtimes
P13.4*		nedia for user and product doo onic, XPaper, Other	cumentation (tick box	<):				
P13.5	Ùser an	only complete this item if pape product documentation on pa ease specify:						
	Totally o	nlorine-free				\boxtimes		
		al chlorine-free				E E		
	Process	ed chlorine-free				H		
P14	Volunta	y programs						
P14.1		uct meets the requirements o	f the following volunt	ary program(s):				
	ENERG	STAR® Criteria	version: 6.1	Date: 2014-9-10	Product category: /1	1		
	Eco-lab	I: Criteria	version:	Date:	Product category:			
	Eco-lab			Date:	Product category:			
P15		al information (See NOTE B						
P9	Energy	consumption of specific con	nfiguration may vary	; description of the	tested product conf	iguration:		
	informat knowled provideo informat		t. All information prov npletion, and supplier vided for informationa	ided by supplier in thi shall have no obligati I purposes only. See a	s document is provide ion to update such inf a Lenovo Account Re	ed based on sup ormation. The in	plier's format	ion
P9		rgy Star Qualified Notebooks w.energystar.gov/index.cfm?f						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo TAB E7	Logo
Model Number	ZA40, ZA41	
Issue Date	2018.8.1	Lenovo
Additional information		

P7.1.1	Product environmental attributes								
(d)	Year of manufacture:				2018				
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are				
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable								
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)				
	Memory over base [GB]	2							
lents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
cap app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)				
	Category of discrete graphics Card(s)	No							
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	10.68							
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled								
(g)	Idle state power demand (Watts);				2.19				
(h)	Sleep mode power demand (Watts);				0.74				
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);						
(j)	Off mode power demand (Watts);				0.19				
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);						
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output powe	er (if applicable):					
	10% 20% 50%	100% Avera	age						
(m)	External power supply efficiency (if appli	cable)*:							
	Average active efficiency: 79.18								
(0)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	otebook computers):					
(0)		ine batteries can withs	tand (applies only to h	otebook computers).	300				
(p-1)	Measurement methodology used to dete	ermine information mer NA	ntioned in points (I) – ir	nternal PSU efficiency:					
(p-2)	D-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: Measuring the Energy Consumption of External Power Supplies, Appendix Z to 10 CFR Part 430.								

(p-3) Measurement m	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: 0.5C Charge/Discharge							
	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: ENERGY STAR Test Method for Computers, Rev. Aug-2010							
(q) Sequence of ste	Sequence of steps for achieving a stable condition with respect to power demand:: ENERGY STAR Test Method for Computers, Rev. Aug-2010							
	Description of how sleep and/or off mode was selected or programmed: refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state							
(s) Sequence of even	ents required to reach the mode where the equipment a	utomatically changes to sleep and/or						
Un mode.	refer to power management, 1mins automatically r	eaches sleep mode						
	state condition before the computer automatically		1					
	does not exceed the applicable power demand requiren after a period of user inactivity in which the comput							
mode that has	a lower power demand requirement than sleep mode (i		NA					
	before the display sleep mode is set to activate after ne energy-saving potential of power management functi		1					
	refer to user manual							
(x) User information	on how to enable the power management functionality refer to user manual	:						
	for measurements: — test voltage in V and frequency i pply system, — information and documentation on the i al testing: 230V50HZ-2%-Edition 2.0, 2011-01, Section	nstrumentation, set-up and circuits						
Additional Notebook Ba	attery Information:							
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a					
	The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾	,						
Internal/built-in Battery								
External/detachable Batte	ery							
Bios Backup Battery								
Other:								
Additional information		·	·					
Akymynarophara[ите] δατερия[и] в Las baterias de este producto no pu Výměnu baterie/baterií v tomto výro Brugeren kan ikke uden videre udsk Der Akku/die Akkus dieses Produkts Kasutajad ei saa selle toote akut/akk Hµπαταρία[-ες] στο προϊόν αυτό δε La/les batterie(s présente(s) dans cr Korisnik ne može lako zamijeniti Bal La batteria/le batterie in questo prod Lietotāji paši nevar nomainīt šā ražo Šio gaminio baterijos [bateriju] pats A termék akkumulátorát/akkumuláto Il-batterija/batteriji fdan il-prodott ma Batterie [ene] i dette produktet kan De batteria (bateriile) din acest produs A ou as baterias deste produto não Bateria (bateriile) din acest produs Bateria (bateriile) din acest produs n Batériu(-ie) v tomto výrobku nemôže Baterij/baterije v tem izdelku uporab Tämän tuotteen akku [akut] ei[vät] o Det är inte enkelt för kunden att själ	v μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστε a produit ne peuvent être facilement remplacée(s) par les utilisateurs eriju sam u ovom proizvodu. otto non può/possono essere facilmente sostituita/e dall'utente. juma akumulatoru(-us). vartotojas negali lengvai pakeisti. rait a felhasználó nem tudja egyedül egyszerűen kicserélni. t istax/jistgħux tiġi/ijġu sostitwita/i mill-utenti stess. ikke lett erstattes av brukerne selv. door de gebruiker niet gemakkelijk vervangbaar. posób wymienić baterii w tym produkcie. podem ser facilmente substituídas pelos próprios utilizadores. Iu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. vymieňať používateľ. niki sami ne morejo zlahka zamenjati. le helposti käyttäjän vaihdettavissa.	nt werden. ς						