



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Portable Computer Tablet				
Commercial name *	Lenovo TAB M10				
Model number *	ZA48, ZA49				
Issue date *	2018.8.20				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

woder nu	mber	ZA48, ZA49	Logo	Lend		5
Issue date *		2018.8.20		Leik		тм
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item		<u> </u>		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe concentr	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	naximum			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).					
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail own.lenovo.com/social_responsibility/us/en/environment.html	contact):	\boxtimes		
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm e)	nium. (See lega	al 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements): elaration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/social responsibility/EU DoC tablets	gal reference).			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	, ,	d information is; given in item P15 or added to this document, available at (add URL):				
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature or legal reference).		, 2		
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Montre	al 🔀		

Madalasasakan

P6

P6.1*

Treatment information

Information for recyclers/treatment facilities is available (see legal reference).

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	ZA48, ZA49	Logo	Lopovo	_
Issue date *	2018.8.20		LELIOVO"	

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	<u></u> _		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			\boxtimes
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools		\boxtimes	
P7.9	Spare parts are available after end of production for: 3 years			
P7.10	Service is available after end of production for: 1 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: PC+20%GF Material type: PC Material type: C7521			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			Ш
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\boxtimes
D7 47	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):	\square		
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO , CAS #: 35948-25-5		Ш	ш
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:		Ш	Ш
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:>PC-GF20FR(25)<			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\overline{\square}$	$\overline{}$	
1 7.10	assigned the following Risk phrases; R36/37/38 and Hazard statements: S26,S36		ш	ш
	The source(s) for these classifications is/are found at (add URL(s)):			
	http://www.chemicalbook.com/CASEN_29420-49-3.htm, (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\boxtimes	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is %.			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	ZA48, ZA	149			Logo	Len	21/6	
Issue date	*	2018.8.2	0				Len) _{TM}
Product	environn	nental at	tributes - Market r	equirements (conti	nued)		Requir	emen	t met
Item							Yes	No	n.a.
			stance requirements						
P7.21*	Biobased	l plastic m	aterial content is used	I in the product (See No	OTE B7):			\boxtimes	
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g. 								
P7.22*			ree from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp. nps: and maxim	um mercury content per	lamp: mg			
P8	Batteries								
P8.1*	Battery c	hemical c	omposition: Li-ion Po	lymer					
P9			tion (See NOTE B8)						
P9.1		roduct the		s or energy consumption	ons are reported:				
Energy mo			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standa modes and test m		ergy	
Peak (On-I	max)		10 W	10 W	10 W	Full load			
Categor	<u>yI3</u>								
Short Idle Enabled	State - W	OL	2.43 W	2.41 W	2.32 W	Use for ENERGY registration (Pidle			
Long Idle Enabled	State - WO	OL	2.55 W	2.44 W	2.36 W	Use for ENERGY registration (Pidle			
Sleep (S3)	- WOL Di	sabled	0.43 W	0.43 W	0.36 W	Reference			
Off (S5) - V		bled	0.33 W	0.34 W	0.32 W	Use for ErP			
EPS No-loa			0.026 W	0.039 W	0.051 W				
(External power s wall outlet but dis	supply / charger connected from	plugged in the the product.)							
PTEC *			W	W	W				\boxtimes
Typical En	ergy Consi	umption	40.001114/1/	40 50 1 14/1/	0.07134/6/	E (0700/400	0) (D (
ETEC * Annual Ene	ergy Consi	umption	10.66 kWh/year	10.53 kWh/year	9.97 kWh/year	$E_{TEC} = (8760/1000 + P_{sleep} \times 0.35 + P_{short_Idle} \times 0.30)$	P _{long_ldle} x 0.	10+	
					Mode(S3) - WOL Enabled	d; P _{idle} : Idle State - V	VOL Enabled		
				Efficiency Marking Pro	otocol) * : VI				
			00 megapixels						
			ve mode: 1 minutes						
P9.2*	Informati	on about t	the energy save functi	on is provided with the	product.				
P9.3	Energy e	fficiency c	class (monitors only):						\boxtimes
P10	Emissio								
				ISO 9296 (See NOTE					
P10.1	Mode Idle	N	Mode description		Statistical upper limit *	A-weighted sound	power leve	, L _{WA,c}	(B)
	Operation	n *			*				X
	Other mo	ode D	eclared A-weighted soun	d pressure level (dB) L_{pAn}	(operator pos	ition desktop – idle)			
	Other mo			d pressure level (dB) L_{pAn}		ition desktop – oper	ating)		
	Mossura		_	ECMA-74	., , , , , , , , , , , , , , , , , , ,				
	Measured according to: SO 7779 COMPA-74 Other (only if not covered by ECMA-74)								

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nui	mber *	ZA48, ZA49			Logo		Leno	MO	
Issue date	*	2018.8.20					Leil	VU	тм
Product	environm	ental attribut	tes - Market requirements	(continued)			Require	ment	me
Item							Yes	No	n.a
	Electrom	agnetic emiss	ions						
P10.4	program(s):	the requirement for low frequer	ncy electromagnetic fields	s of the following vo	luntary			
P12		nics for compu							
P12.1*	The displ	ay meets the er	gonomic requirements of ISO 9	241-307 for visual displa	y technologies.		\boxtimes		
P12.2*	The phys	ical input device	e meets the requirements of ISC	9995 and ISO 9241-41	0.		\boxtimes		
P13	Packagir	ng and docume	entation						
P13.1*	Product p	ackaging mater	rial type(s): box weight rial type(s): paper(manual) rial type(s): PE weight (kg): 0.0	nt (kg): 0.367 weight (kg): 0.068 108					
P13.2*	Product p	lastic primary p	ackaging is free from PVC.				\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:								
P13.4*		nedia for user ar onic, <mark> Paper,</mark>	nd product documentation (tick Other	box):					
P13.5	Ù ser and		is item if paper documentation of entation on paper media is chlo						
	•	lorine-free Il chlorine-free							
	Processe	d chlorine-free							
P14	Voluntar	y programs							
P14.1			equirements of the following vol	untary program(s):					
	ENERGY Eco-label Eco-label	: :	Criteria version: 7.0 Criteria version: Criteria version:	Date: 2018-2-16 Date: Date:	Product category: Product category: Product category:				
P15			(See NOTE B10)						
P9			f specific configuration may v						
	information information information	on contained in le available at the here is approxir	to representations, guarantees, this document. All information p ne time of completion, and supp mate and provided for information	rovided by supplier in thi lier shall have no obligat	is document is provi ion to update such i	ided bas informati	ed on supp on. The inf	olier's ormat	ion
P9			d Notebooks & Tablet Compute v/index.cfm?fuseaction=find_a)			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo TAB M10	Logo
Model Number	ZA48, ZA49	Lenovo
Issue Date	2018.8.20	Lenovo.
Additional information		

	Product environmental attributes						
d)	Year of manufacture:				2018		
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are		
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable						
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	4					
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)	No					
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	9.97					
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
(g)	Idle state power demand (Watts);				2.36		
(h)	Sleep mode power demand (Watts);				0.36		
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);				
(j)	Off mode power demand (Watts);				0.32		
(k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);				
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):			
	10% 20% 50%	100% Avera	ige				
(m)	External power supply efficiency (if applie	cable)*:					
	Average active efficiency: 82.57						
	*internal note: show values for all available external po						
(o)	Minimum number of loading cycles that t	he batteries can withs	tand (applies only to n	otebook computers):	300		
(p-1)	Measurement methodology used to dete	rmine information mer	itioned in points (I) – ii	nternal PSU efficiency	:		
(p-2)	Measurement methodology used to dete						

(p-3)	Measurement metho	dology used to determine information mentioned in policy used to determine the policy used to deter	points (o) – loading cycles batteries:			
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: ENERGY STAR Test Method for Computers, R				
(q)	Sequence of steps for achieving a stable condition with respect to power demand:: ENERGY STAR Test Method for Computers, Rev. Aug-2010					
(r)	Description of how sleep and/or off mode was selected or programmed: refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state					
(s)	off mode:	required to reach the mode where the equipment au	, , ,			
(t)	condition which does	te condition before the computer automatically rendered the applicable power demand requirement	ents for sleep mode (in minutes):	1		
(u)		a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		NA		
(v)		re the display sleep mode is set to activate after		1		
(w)	Information on the er	nergy-saving potential of power management functionergy-saving power functionergy-saving power functionergy-saving power functionergy-saving power functionergy-saving power functionergy-saving functionergy-saving power functionergy-saving functi	nality:			
(x)	User information on I	now to enable the power management functionality: refer to user manual				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits			
Addition	nal Notebook Batter	y Information:				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/I	built-in Battery					
External	/detachable Battery					
Bios Bac	ckup Battery					
Other:						
Additiona	al information					
Akymynatopi Las baterías Výměnu bate Brugeren kar Der Akku/die Kasutajad ei H μπαταρία[- Lal/les batteria/les Lietotāji paši Šio gaminio t A termék akk ILietotāji paši Šio gaminio t A termék akk Ilabatterija/ba Batteriet (ene De batterij/ene Užytkownik n A ou as bate Bateria (bate Baterij/baterij/ Baterij/baterij/ Baterij/baterij/ Tämän tuotte Det är inte er	ната[ите] батерия[и] в този de este producto no pueden rierle/baterií v tomto výrobku by nikke uden videre udskifte be Akkus dieses Produkts kanr saa selle toote akut/akusid is ec] στο προϊόν αυτό δεν μπο e(s présente(s) dans ce produce lako zamijeniti Bateriju se batterie in questo produto nevar nomainīt šā ražojuma baterijos [bateriju] pats vartot kumulátorát/akkumulátorait a tetriji f dan il-prodott ma tistæ] i dette produktet kan ikke le n) in dit product is (zijn) door nie može sam w latwy sposóť rias deste produto não poder riile) din acest produs nu poætomto výrobku nemôže vymi je v tem izdelku uporabniki se en akku [akut] ei[vät] ole helekelt för kunden att själv byta	ρούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs esam u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente. akumulatoru(-us). ojas negali lengvai pakeisti. felhasználó nem tudja egyedül egyszerűen kicserélni. //jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. stt erstattes av brukerne selv. de gebruiker niet gemakkelijk vervangbaar. o wymienić baterii w tym produkcie. n ser facilmente substituídas pelos próprios utilizadores. tte (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. eñat používatef. ami ne morejo zlatka zamenjati. oosti käyttäjän vaihdettavissa.	werden.			