

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
e-mail address	Alvin L Carter	Lenovo.			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Portable Computer Tablet			
Commercial name *	Lenovo TAB M10 HD			
Model number *	ZA4G, ZA4K			
Issue date *	2019.5.7			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model number *		ZA4G, ZA4K	Logo			
Issue dat	:e *	2019.5.7		Leng		
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)					
P1.2*	Commer	e do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.4*		e do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych I (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*		o do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ie 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	k 🔀		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/medias/Lenovo-REACH-SVHC-Disclosure.pdf					
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal	\boxtimes		
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn e)	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\square		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The proc The Dec	luct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc	gal reference).			
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	d information is; given in item P15 or added to this document,		\boxtimes		
P5	Droduct	packaging	o-deciaration			
P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercur	v cadmium a	nd 🔀		
	hexavale	ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).				
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Aontreal Protoc	ol 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	ZA4G, ZA4K	Logo			
Issue da	ite *	2019.5.7		Len		
Product		mental attributes - Market requirements (See General NOTE GN	· ·			
		onmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling It have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.		<u> </u>		
					<u> </u>	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ц.	<u> </u>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					Щ.
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
P7.7*	Product					
		ng can be done e.g. with processor, memory, cards or drives		<u> </u>		<u> </u>
P7.8*		ng can be done using commonly available tools			\boxtimes	<u> </u>
P7.9		arts are available after end of production for: 2 years				_Ц_
P7.10		s available after end of production for: 2 years				
D7.44*		and substance requirements				
P7.11*	Material		al type: <mark>SUS304</mark>			
P7.12		n materials of external electrical cables are PVC free.			\square	
P7.13		n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, an	d 🛄		
P7.15		circuit boards, PCBs (without components) are low halogen: all	are low haloge	n 🖂		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\boxtimes
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO , CAS #: 3594				
	accordin	nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4: <i>FR(40)</i>		\square		
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: PX-200 , CAS #: 139189-30-3 (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations i	n 🖂		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104				
P7.19	assigned The sour	<pre>parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; R43 and Hazard statements: S24;S37 rce(s) for these classifications is/are found at (add URL(s)): http://www.molbase.com/en/precursor_139189-30-3-moldata-67767.html,</pre>	n have been (See note B5)			
P7.20*	lfYES;a a) Oft ape or	sumer recycled plastic material content is used in the product (See Note B6): at least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is %. a weight of recycled material is g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	ZA4G, ZA4K	Logo	
Issue date *	2019.5.7		Lenovo
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

Requirement met Yes No n.a.

	Material and sub	stance requirements	(continued)			
P7.21*			d in the product (See No	DTE B7):		
	If YES: at least or	e of the two alternative	es below shall be answe	ared.		
			the biobased plastic m		ted as a percentage of	
	total plastic			, , , , , , , , , , , , , , , , , , ,	1 0	
	or					
P7.22*		of the biobased plastic				
P1.22		l specify: Number of lar	less than 0,1 mg/lamp.	um mercury content pe	r lamp: mg	
P8	Batteries				i lampi mg	
P8.1*	Battery chemical	composition: Li-ion Po	lymer			
P9	Energy consum	otion (See NOTE B8)				
P9.1		e following power leve	ls or energy consumption	ons are reported:		
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy	
De els (Ore		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-	max)	10 W	10 W	10 W	Full load	
Categor	y2					
Chart Idla	State - WOL	4 90 \//	1.50 \\/	1.92 W	Use for ENERGY STAR V7.1	
Enabled	State - WOL	1.89 W	1.56 W	1.92 VV	registration (P _{idle})	
-	State - WOL	0.33 W	0.29 W	0.34 W	Use for ENERGY STAR V7.1	
Enabled					registration (P _{idle})	
Sleen (S3)	- WOL Disabled	0.26 W	0.29 W	0.34 W	Reference	
Off (S5) - 1	WOL Disabled	0.26 W	0.26 W	0.28 W	Use for ErP	
EPS No-lo	ad	0.026 W	0.039 W	0.051 W		
(External power s	supply / charger plugged in the connected from the product.)					
PTEC *		W	W	W		
	ergy Consumption				_	
ETEC *	o "	6.8 kWh/year	5.8 kWh/year	7.03 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25	
Annual En	ergy Consumption				+ P _{sleep} x 0.35 + P _{long_ldle} x 0.10+ P _{short_ldle} x 0.30)	
		Poff: Off Mode(S5) - W	OL Enabled; P _{sleep} : Sleep	Mode(S3) - WOL Enable	d; P _{idle} : Idle State - WOL Enabled	
External P	ower Supply Efficie		I Efficiency Marking Pro			
Display res	solution * : 800*128	0 megapixels				
		ave mode: 1 minutes			H	
P9.2*			ion is provided with the	product.		
P9.3		class (monitors only):		r		
P10	Emissions					
1 10		- Declared according to	o ISO 9296 (See NOTE	B9)		
P10.1		Mode description			t A-weighted sound power level, <i>L_{WA,c}</i> (B)	
	Idle	*		*		
	Operation	*		*		
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p{ m Am}}$	(operator pos	sition desktop – idle)	
	Other mode	Declared A-weighted sour	ad pressure level (dB) L_{pAm}	(operator po	sition desktop – operating)	
					show assure – operating)	
	Measured accord	° = -	ECMA-74			
	Other (only if not covered by ECMA-74)					

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	ZA4G, ZA4K			Logo			
lssue dat	e *	2019.5.7				Lenc	OVO	тн
Product	environr	nental attribut	es - Market requirements	(continued)		Require	ment	met
ltem						Yes	No	n.a.
		magnetic emissi						
P10.4	program	ı(s):	the requirement for low freque	ncy electromagnetic fields	s of the following volunts	ary 🔀		
P12		mics for compu						
P12.1*	The disp	play meets the er	gonomic requirements of ISO	9241-307 for visual display	y technologies.	\square		
P12.2*	The phy	sical input device	meets the requirements of IS	O 9995 and ISO 9241-410).	\boxtimes		
P13	Packagi	ing and docume	ntation					
P13.1*	Product Product	packaging mater	ial type(s): <i>paper(manual)</i> ial type(s): <i>PE</i> weight (kg): 0. (ht (kg): 0.21 weight (kg): 0.068 008				
P13.2*	Product	plastic primary p	ackaging is free from PVC.			\boxtimes		
P13.3*	For proc	duct primary cor er recovered fibe	rugated fiberboard packaging, r content: %	, specify the contained p	ercentage of minimum	post-		
P13.4*		media for user ar ronic, XPaper,	nd product documentation (tick	box):				
P13.5	Úser and		s item if paper documentation entation on paper media is chl					
	Totally c	hlorine-free				\square		
	,	al chlorine-free				E E		
	Process	ed chlorine-free				H		
P14	Volunta	ry programs						
P14.1			quirements of the following vo	luntary program(s):				
	ENERG Eco-labe	Y STAR® el:	Criteria version: 7.1 Criteria version:	Date: 2018-11-18 Date:	Product category: /3 Product category:			
	Eco-labe		Criteria version:	Date:	Product category:			
P15		nal information						
P9			specific configuration may					
	informat knowled	ion contained in t ge available at th d here is approxir	o representations, guarantees his document. All information e time of completion, and sup nate and provided for informati	provided by supplier in this plier shall have no obligati	s document is provided on to update such infor	based on support	olier's format	ion
P9	See Ene	ergy Star Qualifie	d Notebooks & Tablet Comput v/index.cfm?fuseaction=find_a					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo TAB M10	Logo		
Model Number	ZA4G, ZA4K	Lenovo		
Issue Date	2019.5.7		Lenovo.	
Additional information				

P7.1.1	Product environmental attributes				
(d)	Year of manufacture:				2019
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	tments applied when a	II discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	4			
ients sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	No			
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	5.8			
Test n	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);				1.56
(h)	Sleep mode power demand (Watts);				0.29
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		
(j)	Off mode power demand (Watts);				0.26
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):				
	10% 20% 50%	100% Avera	age		
(m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 82.57				
(0)	*internal note: show values for all available external pr Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	800cls, ≥70% of capacity
(p-1)	Measurement methodology used to dete	ermine information mer NA	ntioned in points (I) – ir	nternal PSU efficiency:	
(p-2)	Measurement methodology used to dete Measuring the Energy Consumption				

(p-3) Measurement n	ethodology used to determine information mentione 0.5C Charge/Discharge	d in points (o) – loading cycles batteries:	
	ethodology used to determine information mentioned in Point P9.1 in the Product IT Eco Declaration: ENERGY STAR Test Method for Computer		
(q) Sequence of sto	os for achieving a stable condition with respect to po ENERGY STAR Test Method for Computer		
	w sleep and/or off mode was selected or programm nanagement, sleep mode: ACPI system level G1 ACPI system level G2/S5 ('soft o	/S3 (suspend to RAM) state; off mode:	
(s) Sequence of ev	nts required to reach the mode where the equipmer	at automatically changes to sleep and/or	
on mode.	refer to power management, 1mins automatical	ly reaches sleep mode	
(t) Duration of idl	state condition before the computer automatica	Ily reaches sleep mode, or another	1
(u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA
	pefore the display sleep mode is set to activate a e energy-saving potential of power management fu		1
(w) information on	refer to user manual	icuonanty.	
(x) User informatio	on how to enable the power management functiona refer to user manual	lity:	
	for measurements: — test voltage in V and frequen oply system, — information and documentation on th I testing: 230V50HZ-2%-Edition 2.0, 2011-01, Sect	e instrumentation, set-up and circuits	
Additional Notebook B	ttery Information:		
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
	The battery[ies] in this product cannot be earlier replaced by users themselves. $^{1)} \ensuremath{D}$	sily	
Internal/built-in Battery			
External/detachable Batt	ry 🗌		
Bios Backup Battery			
Other:			
Additional information			
Akymynaróphara[μτε] δατερικ[μ] ε as baterias de este producto no pu- /ýměnu baterie/baterií v tomto výrob Rrugeren kan ikke uden videre udski Der Akku/die Akkus dieses Produkts (asutajad ei saa selle toote akut/akk μπαταρία[-ες] στο προϊόν αυτό δεχ a/les batterie(s présente(s) dans ce Korisnik ne može lako zamijeniti Bat .a batteria/le batterie in questo prod- isto gaminio baterijos [bateriju] pats v A termék akkumulátorát/akkumulátor batterija/batterij í fdan il-prodott ma Batteriet [ene] i dette produktet kan i De batterij(en) in dit product is (zijn)	ιπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρής roduit ne peuvent être facilement remplacée(s) par les utilisater iju sam u ovom proizvodu. to non può/possono essere facilmente sostituita/e dall'utente. ma akumulatoru(-us). rtotojas negali lengvai pakeisti. t a felhasználó nem tudja egyedül egyszerűen kicserélni. stax/jistghux tiġi/jiġu sostitwita/i mill-utenti stess. e lett erstattes av brukerne selv. sor de gebruiker niet gemakkelijk vervangbaar. sób wymienić baterii w tym produkcie.	scht werden. πες	