



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Phones, Phablets, Options

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
e-mail address	Alvin L Carter	Lenovo			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemer	nts given in this declaration.				
Type of product *	Phablets				
Commercial name *	Lenovo TAB V7				
Model number *	ZA4L, ZA4M				
Issue date *	2019/3/7				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		ZA4L, ZA4M	Logo	010		
Issue date *		2019/3/7		Lend	JVC) _{TM}
Product	environ	mental attributes - Legal requirements		Require	mení	met
Item		<u> </u>		Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych d (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the	• 🔀		
P1.6*						
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with land Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See legal	\boxtimes		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conformity verification & Eco design (ErP)					
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements): laration of Conformity can be requested at (add link or e-mail address): ww.lenovo.com/us/en/social_responsibility/EU_DoC_tablets/	jal reference).			
P3.2*		oduct complies with the Eco design requirements for energy-related products, gal reference).				
	Required information is; given in item P15 or added to this document, available at (add URL): lenovo.com/us/en/compliance/eco-declaration					
P5	Product	packaging	-acciaration			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	v. cadmium and	d 🖂		
	hexavale	ent chromium by weight of these together.			<u> </u>	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature legal reference).	, ,	,		
P5.3*	(see lega	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco (see legal reference). Comment: Legal reference has no maximum concentration values.		ol 🔀		
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	ZA4L, ZA4M	Logo	Lanava
Issue date *	2019/3/7		LEI IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, Recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			\boxtimes
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools		X	
P7.9	Spare parts are available after end of production for: 1 years			
P7.10	Service is available after end of production for: 1 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC Material type: PC+20%GF Material type: ADC12			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			\boxtimes
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.	9		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge	en 🖂	\Box	
	as defined in IEC 61249-2-21. (See 1NOTE B2)	_		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\boxtimes
D7 47	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO, CAS #: 35948-25-5	\boxtimes		
			ш	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: <i>FR(40)</i>		Ш_	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations	n _		
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)			\boxtimes
	2. Chemical name: , CAS #: (See NOTE B4)			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\square
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		+	
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		X	\Box
	If YES; at least one of the two alternatives below shall be answered;			
	 a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is %. 			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	ZA4L, ZA4M		Longvo	
Issue date *	2019/3/7		Lei Iovo,	

Product environmental attributes - Market requirements (continued)			nt met
Item	Yes	No	n.a.

	Material and sub	stance requirements	(continued)				
P7.21*	Material and substance requirements (continued) Biobased plastic material content is used in the product (See NOTE B7):						
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.						
	or						
P7.22*	b) The weight of the biobased plastic material is g. Light sources are free from mercury, i.e. less than 0,1 mg/lamp.						
F1.22	Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg						
P8	Batteries						
P8.1*	Battery chemical composition: Lithium ion						
P9	Energy consump	otion (See NOTE B8)					
P9.1			s or energy consumption				
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-	max)	10 W	10 W	10 W	Full load		
Categor	yNB 3						
Short Idle Enabled	State - WOL	2.09 W	2.15 W	2.21 W	Reference		
Long Idle Enabled	State - WOL	1.18 W	1.18 W	1.24 W	Reference		
Sleep (S3)	- WOL Disabled	1.18 W	1.18 W	1.24 W	Reference		
Off (S5) - I	WOL Disabled	0.26 W	0.26 W	0.26 W	Reference		
EPS No-loa (External power s	ad supply / charger plugged in the connected from the product.)	0.025 W	0.028 W	0.036 W			
PTEC *	ergy Consumption	1.13 W	1.15 W	1.19 W			
ETEC *		9.91 kWh/year	10.07 kWh/year	10.42 kWh/year			
	ergy Consumption						
External Po	ower Supply Efficie	ncy Level (International	Efficiency Marking Pro	tocol) * : VI			
Display res	solution * : 2.33 me	gapixels					
	e to enter energy s	ave mode: 1 minutes					
P9.2*	Information about	the energy save function	on is provided with the	product.			
P9.3	Energy efficiency	class (monitors only):					
P10	Emissions						
	Noise emission – Declared according to ISO 9296 (See NOTE B9)						
P10.1			Statistical upper limit A-weighted sound power level, LwA,c (B				
	Idle	*		*			
	Operation	*		*			
			d pressure level (dB) $L_{p m Am}$		sition desktop – idle)		
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p{ m Am}}$	(operator position desktop – operating)			
	Measured accord	ing to: 🔲 ISO 7779 🗌	ECMA-74				
		Other	(only if not covered by	ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		ZA4L, ZA4M				Logo	Long	1/0	
Issue date	e *	2019/3/7					Lenc	VO	гм
Product	environn	nental attributes	- Market requirement	s (continued			Require	ment	met
Item							Yes	No	n.a.
		nagnetic emission							
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):								
P12		mics for computin							
P12.1*	The disp	lay meets the ergor	nomic requirements of ISC	9241-307 for v	isual display technolo	gies.	\boxtimes		
P12.2*	The phys	sical input device m	eets the requirements of I	SO 9995 and IS	O 9241-410.				
P13		ng and document							
P13.1*	Product		type(s): Corrugated sing type(s): molded pulp we type(s): EPS we		weight (kg): 0.07				
P13.2*	Product	plastic primary pacl	kaging is free from PVC.				\boxtimes		
P13.3*	consume	er recovered fiber co			contained percentage	of minimum	post-		
P13.4*			product documentation (tid Other	ck box):					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:								
	Totally chlorine-free Elemental chlorine-free								
	Processe	ed chlorine-free							
P14		ry programs							
P14.1	The proc	luct meets the requ	irements of the following v	oluntary progra	m(s):				
	ENERGY Eco-labe Eco-labe		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:			
P15		nal information (Se							
			pecific configuration may						
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1