

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

### Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *					
Contact information * Lenovo Global Environmental Affairs			ODOVO		
e-mail address	Alvin L Carter	_enovo			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook						
Commercial name *	Lenovo Y520						
Model number *	80YY						
Issue date *	2017-5-26						
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	80YY Logo			
lssue da	ite *	2017-5-26	Leng		тн
Produc	t environ	mental attributes - Legal requirements	Require	ment	met
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\square$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated I (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products chain co	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	< 🖂		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): w.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batterie	S			
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	$\square$		
P2.2*	referenc		I 🛛		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Conform	nity verification & Eco design (ErP)			
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). laration of Conformity can be requested at (add link or e-mail address): //ww.lenovo.com/social responsibility/us/en/ec doc notebooks			
P3.2*		fuct complies with the Eco design requirements for energy-related products, al reference).	$\boxtimes$		
	Require	d information is; given in item P15 or added to this document, available at (add URL):			
P5		ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks packaging			
P5.1*		раскаділд ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ar	d 🔽		
	hexaval	ent chromium by weight of these together.			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material( e legal reference).			
P5.3*	(see leg	luct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). nt: Legal reference has no maximum concentration values.	ol 🔀		
P6		nt information			
		on for recyclers/treatment facilities is available (see legal reference).		_	_

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	Logo				
Issue dat	te *	2017-5-26	-	Len	ovo	DTH
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling thave to be treated separately are easily separable				
P7.2*		haterials in covers/housing have no surface coating.				<u> </u>
P7.2					<u> </u>	<u> </u>
P7.3 P7.4*		arts > 100 g consist of one material or of easily separable materials.			⊢⊢	<u> </u>
		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	avallable tools.		_Ц	<u> </u>
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
D7 7 <b>*</b>	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives			<u> </u>	<u> </u>
P7.8*		ig can be done using commonly available tools		$\boxtimes$		<u> </u>
P7.9		rts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years				
<b>D7</b> 4 4 <b>b</b>		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: >PC+ABS-FR(40)< Material type: >PC+ABS-TD15-FR(40)< Materia	al type:			
P7.12		n materials of external electrical cables are PVC free.	ur type.		$\square$	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				H
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	promine and 0.1	%		⊢⊢
	weight (	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	e retardants, ar	nd		
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i	n parts containir	ıg		
P7.15		n 25% post-consumer recycled content. ircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🔀	1 I h.e.l			
17.10		arcuit boards, PCBs (without components) are low nalogen. all PCBs > 25 g 🔀	are low haloge	)n 🔛		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		$\square$		
	Marking:	FR(40)				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c		_	_	_
		A (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy	Resin, CAS #:			
	26265-08			_	_	_
	<u>Alt. 2:</u> Ch	nemical specifications of flame retardants in printed circuit boards (without components)	ents) > 25 g			
P7.18	Alt. 1: FL	ame retarded plastic parts > 25 g contain the following flame retardant substance	es/preparations	in		
		ations above 0,1%:	o, propulationo			
		ical name: YGN5001RFD, NH-1021, CAS #: confidential (See NOTE B4)				
					_	_
P7.19			h have been	$\boxtimes$		
	-					
D7 20 <b>*</b>			See note B5)			
P7.20	Posicons	sumer recycled plastic material content is used in the product (See Note Bo).				
	,	t least one of the two alternatives below shall be answered;				
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content $\frac{1}{2}$	nt (calculated as			
		ercentage of total plastic by weight) is U%.				
		weight of recycled material is <i>0</i> g.				
P7.18 P7.19 P7.20*	Alt. 1: FI concentr 1. Chemi 2. Chemi 3. Chemi Alt. 2: Ch In plastic assigned The sour Postcons If YES; a a) Of t a pe or	ical name: YGN5001RFD, NH-1021, CAS #: confidential (See NOTE B4) ical name: YGN5151RFL, NH-1150HH, CAS #: confidential " ical name: , CAS #: " memical specifications of flame retardants in plastic parts > 25 g according ISO 104 parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: ce(s) for these classifications is/are found at (add URL(s)): , (S sumer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 0%.	3-4: <i>FR(40)</i> h have been See note B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	80YY	Logo	Lenovo			
Issue date *	2017-5-26		LEHOVO.			
Product environm	Product environmental attributes - Market requirements (continued)					

Item

Requirement metYesNon.a.

	Material and sub	stance requirements	(continued)						
P7.21*		naterial content is used		IOTE B7):					
	-								
	,	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
		total plastic by weight) is 0%.							
	or								
	b) The weight o	f the biobased plastic i	material is <mark>0</mark> g.						
P7.22*		free from mercury, i.e.							
	If mercury is used	specify: Number of lar	mps: and maxin	num mercury content pe	er lamp: mg				
P8	Batteries								
P8.1*	Battery chemical of	composition: <i>LI-ION</i>							
P9		tion (See NOTE B8)							
P9.1		e following power leve							
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy				
Deals (Ora		100 V AC	115 V AC	230 V AC	modes and test method *				
Peak (On-	max)	135 W	135 W	<b>135</b> W	Full load				
Categor	v 13	1							
	State - WOL	7.61 W	7.65 W	7.79 W	Use for ENERGY STAR V6				
Enabled					registration (P <sub>idle</sub> )				
Long Idle	State - WOL	4.95 W	4.97 W	5.02 W	Use for ENERGY STAR V6				
Enabled					registration (P <sub>idle</sub> )				
Sleep (S3)	- WOL Enabled	0.49 W	0.49 W	0.54 W	Use for ENERGY STAR V6				
					registration(P <sub>sleep</sub> )				
Sleep (S3)	- WOL Disabled	0.49 W	0.49 W	0.54 W	Reference				
			· · ·						
Off (S5) - 1	WOL Enabled	0.29 W	0.29 W	0.33 W	Use for ENERGY STAR V6				
					registration(P <sub>off</sub> )				
Off (S5) - 1	WOL Disabled	0.29 W	0.29 W	0.33 W	Use for ErP				
EPS No-loa	ad	0.071 W	0.072 W	0.086 W					
	au supply / charger plugged in the	0.071 VV	0.072 VV	0.000 VV					
wall outlet but dis	connected from the product.)								
PTEC *	0	W	W	W					
Typical Ene	ergy Consumption	26.47 kWh/year	26 60 kWb/yoor	27 25 k/M/b/200r					
-	ergy Consumption	20.47 KVVII/year	26.60 kWh/year	27.25 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$ + $P_{sleep} \times 0.35 + P_{long \ Idle} \times 0.10 +$				
	ergy consumption				P <sub>short</sub> Idle x 0.30)				
		Poff: Off Mode(S5) - W	OL Enabled; P <sub>sleep</sub> : Slee	p Mode(S3) - WOL Enabl					
External Po	ower Supply Efficier	ncy Level (Internationa							
	solution * : 1920*10		. 0	•					
		ave mode: <b>10</b> minutes			+				
			on in provided with the	product					
P9.2*		formation about the energy save function is provided with the product.							
P9.3		gy efficiency class (monitors only):							
P10	Emissions		10.0.0000 (2						
D40.1		- Declared according to	5 ISO 9296 (See NOT		14 A				
P10.1		Mode description			it A-weighted sound power level, <i>L</i> <sub>WA,c</sub> (B)				
	Idle '	* HDD:Idle		* 2.9					
	Operation *	HDD: Operating		* 3.1					
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{nAl}$	m 23.9 (operator posi	ition desktop – idle)				
	Other mode	Declared A-weighted soun	d pressure level (dB) I		ition desktop – operating)				
			-	m					
	Measured accordi	ng to: 🔀 ISO 7779 📘	ECMA-74						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u> NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Other (only if not covered by ECMA-74)		
	Other	

Model nu	imber *	80YY					Logo			
Issue dat	te *	2017-5-26						Len	ovo	тм
Product	environ	nental attribute	es - Market requiren	nents (cor	itinued)			Requi	rement	t me
ltem								Ye	s No	n.a
		magnetic emission								
P10.4			ne requirement for low AC adapter only)	frequency e	ectromagnetic field	s of the follo	owing volunta	iry 🔀		
P12		mics for computi								
P12.1*	The disp	olay meets the erg	onomic requirements o	f ISO 9241-	307 for visual displa	ay technolog	gies.	$\mathbf{X}$		
P12.2*	The phy	sical input device	meets the requirement	s of ISO 999	5 and ISO 9241-41	0.		$\overline{\mathbf{X}}$		
P13	Packaging and documentation									
P13.1*	Product		al type(s): <b>CARTON</b> al type(s): <b>CUSHION</b> al type(s):	weight (kg weight (kg weight (kg	j): <b>0.158</b>					
P13.2*	Product	plastic primary pa	ckaging is free from P\	/C.				X		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 100 %									
P13.4*	Specify		d product documentatio	on (tick box)						
P13.5	Ùser an		item if paper documer ntation on paper media					$\boxtimes$		
	Totally o	hlorine-free						$\mathbf{X}$		
	Elemental chlorine-free									
	Process	ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The pro	duct meets the rec	uirements of the follow	ring voluntar	y program(s):					
		Y STAR® el: <i>EPEAT</i> el:	Criteria version: <b>6.</b> Criteria version: <b>16</b> Criteria version:	-	Date: 2014/9/10 Date: 2017/1/16 Date:		ategory: <b>/3</b> ategory: <b>Silv</b> ategory:	er		
P15	Additio	nal information (	See NOTE B10)							
P9			specific configuration							
	informat knowled	ion contained in the ge available at the I here is approxim	representations, guara is document. All inform time of completion, ar ate and provided for inf	nation provid nd supplier s	ed by supplier in th hall have no obligat	is documen tion to upda	t is provided te such inform	based on su mation. The	ipplier's informa	
P9	See Ene	ergy Star Qualified	Notebooks & Tablet C /index.cfm?fuseaction=				code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Y520	Logo
Model Number	80YY	Lenovo
Issue Date	2017-5-26	Lehovo.
Additional information		

P7.1.1	7.1.1 Product environmental attributes								
(d)	Year of manufacture:				2016				
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.								
	disabled and if the system is tested with	switchable graphics h	node with UNA driving	the display.					
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when <b>a</b>	Il discrete graphics o	cards (dGfx) are				
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)				
	Memory over base [GB]			12					
lents sting	Additional internal storage (Yes / No) (Yes / No) (Yes / No)								
adjustm Iring tes	Additional internal storage     (Yes / No)     (Yes / No)     (Yes / No)       Discrete television tuner     (Yes / No)     (Yes / No)     (Yes / No)       Discrete Audio Card     (Yes / No)     (Yes / No)     (Yes / No)       Discrete graphics Card(s) [number / #]     #:     #:     1								
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)				
cap	Discrete graphics Card(s) [number / #] #: 1 #: Yes (Yes / No) (Yes / No) (Yes / No)				#: (Yes / No)				
Category of discrete graphics Card(s) G5									
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)								
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			18.06					
(g)	Idle state power demand (Watts);				6.09				
(h)	Sleep mode power demand (Watts);				0.49				
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.49				
(j)	Off mode power demand (Watts); 0.31								
(k)	Off mode with WOL enabled power demand (Watts) (where enabled); 0.31								
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):								
	10% 20% 50% 100% Average								
(m)	External power supply efficiency (if appli	cable)*:							
	Average active efficiency: 135W:89.889	6 <b>,91.29</b> %							
	*internal note: show values for all available external po								
(0)	Minimum number of loading cycles that t	he batteries can withs	tand (applies only to n	otebook computers):	300 cycles				
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA								

(p-2)	(p-2) Measurement methodology used to determine information mentioned in po EPA "Test Method for calculating the Energy Eifficiency of Single-Vo Power Suppler" dated August 11,201		oltage External AC-DC and AC-AC			
(p-3)	IEC 61960 measurement methodology					
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: IEC 62623 / IEC EN50564:2011 measurement r	· · · ·			
(q)	Sequence of steps for	or achieving a stable condition with respect to power IEC 62623 / IEC EN50564:2011 measurement r				
(r)	Description of how s	leep and/or off mode was selected or programmed:				
	refer to power mai	nagement, sleep mode: ACPI system level G1/S3 ACPI system level G2/S5 ('soft off') s				
(s)	) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: refer to power management, 30mins automatically reaches sleep mode					
		dle state condition before the computer automatically reaches sleep mode, or another th does not exceed the applicable power demand requirements for sleep mode (in minutes):				
(u)			r automatically reaches a power	NA		
(v)				10		
(w)						
(x)	User information on	how to enable the power management functionality: refer to user manual				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits			
Additio	nal Notebook Batte	v Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. <sup>1)</sup>				
Internal/built-in Battery						
External/detachable Battery						
Bios Backup Battery						
Other:						
Addition	nal information	•		•		
<u> </u>						
/ he hatter/lia	est in this product cannot be e	asily replaced by users themselves				

The battery[les] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latvy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.