



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	based on product specification or test results based obtained from sample testing), that the product of the given in this declaration.
Comornis to the statemen	its given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo ideapad S540-15 GTX
Model number *	81SW
Issue date *	2019/5/13
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	81SW Logo	Lon		
Issue dat	te *	2019/5/13	Len		D _{TM}
Product	environ	mental attributes - Legal requirements	Require	men	met
Item			Yes	No	n.a.
P1	Hazardo	ous substances and preparations			
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated (PCT) in preparations (see legal reference).			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	(
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega e)	I 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)			
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). elaration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
		d information is; given in item P15 or added to this document,	\boxtimes		
P5	Droduct	available at (add URL): lenovo.com/us/en/compliance/eco-declaration			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ar	ıd 🔀		
	hexavale	ent chromium by weight of these together.			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material(se legal reference).	,		
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference).	ol 🔀		
		nt: Legal reference has no maximum concentration values.			
P6		nt information		_	
P6.1*	ıntormati	on for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81SW	Logo	Lanava
Issue date *	2019/5/13		Lei IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			\boxtimes
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 2 years			
P7.10	Service is available after end of production for: 2 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	d		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🗌	\boxtimes	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(16)			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations is			
	concentrations above 0,1%: 1. Chemical name: BDP, CAS #: 181028-79-5 (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	\boxtimes		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; <i>Confidential</i> and Hazard statements: <i>Confidential</i> The source(s) for these classifications is/are found at (add URL(s)): <i>European Council Directive</i> 67/548/EEC (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\boxtimes	
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0%. or b) The weight of recycled material is 0 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81SW	Logo	Lonovo
Issue date *	2019/5/13		Lei IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

D7 04*		stance requirements		OTE D7\.		
P7.21*	Biobased plastic i	naterial content is used	d in the product (See No	JIEB/):		Ш
	If YES; at least or	ne of the two alternative	es below shall be answe	ered;		
			, the biobased plastic m	aterial content (calcula	ited as a percentage of	
	total plastic b	by weight) is %.				
	or b) The weight o	of the biobased plastic	material is			
P7.22*			material is g. less than 0,1 mg/lamp.		\square	$\overline{}$
1 7.22	U	specify: Number of la		um mercury content pe	er lamp: mg	Ш
P8	Batteries					
P8.1*	Battery chemical	composition: Lithium i	ion			П
P9	Energy consump	otion (See NOTE B8)				
P9.1			ls or energy consumption	ons are reported:		
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	
		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-	-max)	90 W	90 W	90 W	Full load	
Categor	<u>у</u>					
Chart Idla	State - WOL	6.4 W	6.5 W	6.7 W	Use for ENERGY STAR V7.1	
Enabled	State - WOL	0.4 VV	0.5 VV	0.7 VV	registration (P _{idle})	
Lilabieu					, ,	
_	State - WOL	3.6 W	3.5 W	3.7 W	Use for ENERGY STAR V7.1	
Enabled					registration (P _{idle})	
01(00)) 1401 Divition	0.510/	0.4107	0.514/	D. C	
) - WOL Disabled	0.5 W	0.4 W	0.5 W	Reference	
Off (S5) -	WOL Disabled	0.3 W	0.3 W	0.3 W	Use for ErP	
EPS No-lo	ad	0.05 W	0.12 W	0.14 W		
(External power	supply / charger plugged in the sconnected from the product.)					
PTEC *	sconnected from the product.)	W	W	W		\boxtimes
Typical En	ergy Consumption					
ETEC *		22.2 kWh/year	22.3 kWh/year	23.0 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
Annual En	ergy Consumption				+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+	
		D 05 14 (05) 14	101 5 11 1 5 01	M 1 (00) MOL 5 11	Pshort_Idle x 0.30)	
F. damad D	C Efficie				ed; P _{idle} : Idle State - WOL Enabled	_
			I Efficiency Marking Pro	otocoi) " : VI		<u>Ц</u>
Display res	solution * : 1920*10	80 megapixels				
Default tim	ne to enter energy s	ave mode: 25 minutes	;			
P9.2*	Information about	the energy save functi	ion is provided with the	product.		
P9.3	Energy efficiency	class (monitors only):				
P10	Emissions				·	
	Noise emission -	 Declared according to 	o ISO 9296 (See NOTE	B9)		
P10.1	Mode	Mode description		Statistical upper lim	it A-weighted sound power level, $L_{WA,c}$ (I	B)
	Idle	* Idle mode		* 2.8		
	Operation	* Operating (CPU)		* 3.1		
			ad pressure level (dB) $L_{p{ m Am}}$		on desktop – idle)	
			ad pressure level (dB) $L_{p{ m Am}}$		on desktop – operating)	
	Measured accord	ing to: X ISO 7779	ECMA-74			
		Other	(only if not covered by	FCMA-74)		
1	1		(S.II) II IISE GOVOIGA DY			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nun	nber *	81SW			Logo	one	V	
Issue date	*	2019/5/13				Leno	VO.	4
Product 6	environn	nental attributes	Market requirements (c	ontinued)		Require	ment	met
Item						Yes	No	n.a.
	Electron	nagnetic emissions						
P10.4		er display meets the l (s): MPR-II(3 pin AC	requirement for low frequency adapter only)	electromagnetic fields	of the following voluntary			
P12		nics for computing						
P12.1*			omic requirements of ISO 924			\boxtimes		
P12.2*	The phys	sical input device me	ets the requirements of ISO 9	995 and ISO 9241-410).	\boxtimes		
P13		ng and documentat						
P13.1*	Product		<pre>/pe(s): Corrugated Carton /pe(s): Polyethylene Cushio /pe(s): Others weight (</pre>	weight (kg ns weight (kg (kg): 0.075kg				
P13.2*	Product	plastic primary packa	iging is free from PVC.			\boxtimes		
P13.3*		luct primary corruga er recovered fiber co	ted fiberboard packaging, sp ntent: 70 %	ecify the contained p	ercentage of minimum pos	t-		
P13.4*	Specify r	media for user and p	oduct documentation (tick bo Other	x):				
P13.5	Ùser and		m if paper documentation use tion on paper media is chlorin					
	Elementa	hlorine-free al chlorine-free ed chlorine-free						
P14	Voluntai	ry programs						
P14.1	The prod	luct meets the requir	ements of the following volun	tary program(s):				
		Y STAR®	Criteria version:7.1	Date: 2019/04/24	Product category: //			
		l: <i>EPEAT</i>	Criteria version:	Date:	Product category:			
P15	Eco-labe	^{श:} nal information (See	Criteria version:	Date:	Product category:			
P9			ecific configuration may var	v: description of the	tested product configurati	ion:		
P9	NOTE: S informati knowledg provided informati	Supplier makes no re on contained in this of ge available at the tir here is approximate on.	oresentations, guarantees, as document. All information pro- ne of completion, and supplie and provided for informationa	surances or warranties vided by supplier in thi r shall have no obligati al purposes only. See a	s whether express or implied s document is provided base on to update such information a Lenovo Account Represen	d, regardin ed on supp on. The inf	olier's formati	ion
P9			tebooks & Tablet Computers dex.cfm?fuseaction=find_a_pi					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad S540-15 GTX	Logo	
Model Number	81SW		Lonovo
Issue Date	2019/5/13		Lenovo
Additional information			

d)	Year of manufacture:				
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	tments applied when a	Ill discrete graphics (cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3
	Memory over base [GB]		12		
ents sting	Additional internal storage	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
bility ied du	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cape	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		19.71		
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	1	1	1	6.7
h)	Sleep mode power demand (Watts);				0.48
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		NA
j)	Off mode power demand (Watts);				0.33
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		NA
[1]	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% NA 20% NA 50% NA 100% N	A Average NA			
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 88.86%,88.57				
0)	*internal note: show values for all available external po Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	300
p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) - in	nternal PSU efficiency:	:

(p-2)		dology used to determine information mentioned in program Requirements for Single Voltage Externa Eligibility Criteria (Version 2.0)	• •		
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623				
(q)	Sequence of steps for achieving a stable condition with respect to power demand: *Power on -> Wait 5 minutes -> Stable condition*				
(r)	Description of how sleep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or off mode				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:				
		NA NA			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30min	
(u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA		
(v)					
(w) Information on the energy-saving potential of power management functionality: **Refer to User Guide**					
(x)	(x) User information on how to enable the power management functionality: **Refer to User Guide**				
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:				
230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301					
Additional Notebook Battery Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Additional information					
1					
1)					

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.