



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LCIIOVO
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statement	conforms to the statements given in this declaration.					
Type of product *	Personal Computer					
Commercial name *	ideacentre 510 Compact Tower					
Model number *	90LU					
Issue date *	2019-7-1					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information	ENERGY STAR® Qualified;					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	90LU Logo			
Issue dat	te *	2019-7-1	Len		D _{tm}
Product	environ	mental attributes - Legal requirements	Require	men	t met
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobro	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
		ration values.			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated // (PCT) in preparations (see legal reference).			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
		intaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week	\boxtimes		
		al reference).			
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.		_	
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/social responsibility/social responsibility resources/	\boxtimes		
P2	Batterie				
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batterie: reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal se)			
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3		nity verification & Eco design (ErP)			
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
		claration of Conformity can be requested at (add link or e-mail address):			
		com/us/en/compliance/eu-doc			
P3.2*		duct complies with the Eco design requirements for energy-related products,	\boxtimes		
	, ,	al reference).			
	Require	d information is; given in item P15 or added to this document,		Ш	Ш
		available at (add URL): lenovo.com/us/en/compliance/eco-declaration			
P5		t packaging			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury, cadmium and	d 🔀		
DC 0*		ent chromium by weight of these together.	\ \	_	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material(see legal reference).			
P5.3*		duct packaging material is free from ozone depleting substances as specified in the Montreal Protoco	ol 🖂		
		al reference).		_	_
-		nt: Legal reference has no maximum concentration values.			
P6		ent information			
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	90LU	Logo	Lanova
Issue date *	2019-7-1		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling	<u> </u>		
P7.1*	Parts that have to be treated separately are easily separable			<u> </u>
P7.2*	Plastic materials in covers/housing have no surface coating.		<u> </u>	<u> </u>
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Щ.	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		<u>Ц</u>	Щ
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
D7 7*	Product lifetime	<u> </u>		
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		Щ.	<u> </u>
P7.8*	Upgrading can be done using commonly available tools			<u> </u>
P7.9	Spare parts are available after end of production for: 5 years			<u> </u>
P7.10	Service is available after end of production for: 2 years			
D7 44*	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Material type: Material type:			ļ
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.	\dashv	\overline{X}	+
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			∺
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
P7.15	more than 25% post-consumer recycled content.	$\overline{}$		
1 7	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	ш		ш
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			X
	Marking:			<u></u>
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	□TBBPA (additive), ☑TBBPA (reactive) (See NOTE B3), □Other: , CAS #:	\boxtimes	Ш	Ш
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: (See NOTE 64)			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		Ħ	
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 30.7%.			
	or			
	b) The weight of recycled material is 105 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	90LU	Logo	Lonovo
Issue date *	2019-7-1		Lei IOVO"

Product environmental attributes - Market requirements (continued)			nt met
Item	Yes	No	n.a.

Material a	nd substance requirements	(continued)		
P7.21* Biobased	plastic material content is used	in the product (See N	IOTE B7):	
	ces are free from mercury, i.e. is used specify: Number of lar		num mercury content pe	r lamp: mg
P8 Batteries				
P8.1* Battery ch	emical composition: Lithium N	Manganese Dioxide		
	onsumption (See NOTE B8)			
	oduct the following power level	s or energy consumpti	ons are reported:	
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Category I2				
Short Idle State - WO Enabled	L 19.26 W	19.43 W	19.13 W	Use for ENERGY STAR V77.1 registration (P _{idle})
Long Idle State - WO Enabled	L 17.76 W	19.76 W	19.58 W	Use for ENERGY STAR V77.1 registration (P _{idle})
Sleep (S3) - WOL Ena	abled 1.26 W	1.24 W	1.22 W	Use for ENERGY STAR V77.1 registration (P _{sleep})
Off (S5) - WOL Enabl	ed 0.81 W	0.8 W	0.8 W	Use for ENERGY STAR V77.1 registration (Poff)
Category I3				
Short Idle State - WO Enabled	L 19.66 W	19.76 W	19.62 W	Use for ENERGY STAR V77.1 registration (P _{idle})
Long Idle State - WO Enabled	L 18.36 W	18.46 W	18.24 W	Use for ENERGY STAR V77.1 registration (P _{idle})
Sleep (S3) - WOL End	abled 1.27 W	1.26 W	1.22 W	Use for ENERGY STAR V77.1 registration (P _{sleep})
Off (S5) - WOL Enabl	ed 0.81 W	0.8 W	0.81 W	Use for ENERGY STAR V77.1 registration (Poff)
Category D1				
Short Idle State - WO Enabled	L 27.86 W	27.91 W	27.67 W	Reference
Long Idle State - WO Enabled	L 28.51 W	26.73 W	27.29 W	Reference
Sleep (S3) - WOL End	abled 1.25 W	1.25 W	1.25 W	Reference
Off (S5) - WOL Enabl	ed 0.81 W	0.81 W	0.8 W	Reference
Category D2				
Short Idle State - WO Enabled	L 27.86 W	28.95 W	27.84 W	Reference
Long Idle State - WO Enabled	L 26.84 W	26.74 W	26.61 W	Reference
Sleep (S3) - WOL Ena	abled 1.27 W	1.26 W	1.23 W	Reference
Off (S5) - WOL Enabl		0.81 W	0.8 W	Reference
ETEC * Annual Energy Consul	126.62 kWh/year 124.44 kWh/year	89.23 kWh/year 88.55 kWh/year 124.44 kWh/year 127.64 kWh/year	88.07 kWh/year 87.85 kWh/year 124.39 kWh/year 124.02 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.45 + P _{sleep} x 0.05 + P _{long_idle} x 0.15+ P _{short_idle} x 0.35)
i	D . Off Mode/9	SE) WOL Enabled: D.	Class Mada(C2) MOI	Enabled: P Idle State - WOL Enabled

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

External D	OWAL SIIN	dy Effic	iency I evel	(International Efficiency I	Marking Proto	ocol) * ·						
Display res			megapixels	(International Efficiency i	warking From							
			<u> </u>	25 minutes								
P9.2*					ad with the ar	and that						<u> </u>
P9.2 P9.3				y save function is provid	ea with the pr	oduci.						
			y class (mo	nitors only).								
P10	Noise e		ı – Declared	according to ISO 9296	(See NOTE F	19)						
P10.1	Mode	111133101	Mode desc		(00011012	Statistical uppe	er limit A-w	veighted s	ound powe	er level,	Lwa,c ((B)
	Idle		* HDD:Id	•		* 3.3						
	Operation	n	* HDD: O	perating		* 3.4						
	Other m	ode	Declared A-	weighted sound pressure le	vel (dB) L _{nAm}	18 (operator p	osition des	sktop – idl	e)			
	Other m	ode		weighted sound pressure le		20 (operator p	osition des	sktop – op	erating)			
	Measure	ed accor	rding to:	ISO 7779 ECMA-74 Other (only if not	covered by E	CMA-74)						
Model nui	mber *	90LU						Logo			7//	
Issue date	e *	2019-	7-1						-	enc) _{TM}
Duaduat			-44m!b4	Mauleat va vysina va a	-1- /1:	٠ - حا/				!		4
Item	environi	mentai	attributes	- Market requirement	nts (contini	Jea)			, F	Require Yes	men No	n.a.
item	Flectro	magnet	ic emission	16						163	110	II.a.
P10.4				requirement for low free	quency electro	omagnetic field	s of the fol	lowing vo	luntary			
	program			'	. ,			Ŭ				
P12			r computin									
P12.1*				nomic requirements of IS				gies.				
P12.2*				eets the requirements of	f ISO 9995 ar	nd ISO 9241-41	0.					
P13.1*			document									
P13.1	Product	packag		type(s): <i>paper</i> v	veight (kg): 0. veight (kg): 1. veight (kg):							
P13.2*	Product	plastic	primary pacl	kaging is free from PVC.						\boxtimes		
P13.3*				ated fiberboard packag ontent: <mark>90</mark> %	ing, specify t	the contained p	ercentage	of minin	num post-			
P13.4*	Specify	media f		product documentation (tick box):							
P13.5				tem if paper documentat	tion used)							
		d produ	ct document	ation on paper media is						\boxtimes		
	Totally of											
	Element											
			rine-free									
P14	Volunta											
P14.1				irements of the following	voluntary pro	ogram(s):						
	ENEDO	\		0.11	_				10.10.04.0	_		
	ENERG Eco-lab		(®	Criteria version: 7.1 Criteria version:	Da Da			category: category:	12,13,D1,D	2		
	Eco-lab			Criteria version:	Da			category:				
P15	Additio	nal info		ee NOTE B10)				Ŭ,				
P9			•	pecific configuration m		•						
	informat knowled	ion con lge avai d here is	tained in this	epresentations, guarante s document. All informati time of completion, and s te and provided for inforr	on provided b supplier shall	y supplier in thi have no obligat	is docume ion to upd	nt is provi ate such i	ded based nformation	on sup . The in	plier's forma	tion
P9	See Ene	ergy Sta	r Qualified N	Notebooks & Tablet Com	puters for the	latest informat	ion:	65				
-	http://wv	vw.ener	gystar.gov/ii	ndex.cfm?fuseaction=fin	<pre>a_product.</pre>	snowProductGr	oup&pgw_	_code=CC	J			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ideacentre 510-15ICK	Logo
Model Number	90LU	Lonovo
Issue Date	2019-7-1	Lenovo.
Additional information	ENERGY STAR® Qualified;	

d)	year of manufacture:				2019
e)	Etec value (kWh) per ErP Lot 3 Categorial disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categorianable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]		30		28
ents	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
ability a	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)
	Category of discrete graphics Card(s)		G5		G5
results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		72.18		70.13
Test re	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		102.19		99.51
g)	Idle state power demand (Watts);				27.91 27.13
h)	Sleep mode power demand (Watts);				1.12 1.17
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		1.25 1.24
j)	Off mode power demand (Watts);				0.8 0.8
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.8 0.81
1)	Internal power supply efficiency at 10 % PA-2221-3VE: 10% 78.33% 20% 84.2		% of rated output pow	, , , ,	
m)	External power supply efficiency (if appliance) Average active efficiency:	icable)*:			
o)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to p	otehook computers):	

(p-1)	(p-1) Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: 80 PLUS® Program				
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: N/A				
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: N/A				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623 / IEC EN50564:2011 measurement methodology				
(q)	Sequence of steps for achieving a stable condition with respect to power demand: *Power on -> Wait 5 minutes -> Stable condition*				
(r)	Description of how sleep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Description of how sleep and/or off mode** **Begin menu -> Power -> Select sleep or off mode** **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or off mode wa				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Control Panel->Power Options-> Change Settings-> Restore default settings for this plan				
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			25min	
(u)	(u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):				
(v)					
(w)	Information on the energy-saving potential of power management functionality: N/A				
(x)	x) User information on how to enable the power management functionality: **Refer to User Guide**				
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V/50Hz				
Additional Notebook Battery Information:					
Addition	iai Notebook Batter	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)		1,7,4	
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Addition	al information				
)					

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriat [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterig [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.