

ECMA/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

Annex B2 - Product environmental attributes **Desktop/All-in-One Computers**

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
e-mail address	Alvin L Carter		Lenovo.		
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statement	nts given in this declaration.				
Type of product *	All in One Computer				
Commercial name *	ideacentre A340-22 AIO				
Model number *	FOES				
Issue date *	2019/8/12				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information	ENERGY STAR®,				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	F0ES Logo			
Issue da	ite *	2019/8/12	Len	ovc	D
Produc	t environ	mental attributes - Legal requirements	Require	ment	t met
ltem			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	Product	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	the 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/we al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\boxtimes		
P2	Batterie				
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference) www.lenovo.com/us/en/social responsibility/EU DoC desktops			
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See leg	gal 🔀		
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conform	nity verification & Eco design (ErP)			
P3.1*	The pro	duct is CE-marked to show conformance with applicable legal requirements (see legal reference) claration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc).		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
	Require	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaratic	on 🖂		
P5	Product	t packaging	\square		
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the materia se legal reference).	al(s) 🔀		
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified in the Montreal Proto al reference). nt: Legal reference has no maximum concentration values.	ocol 🔀		
P6	Treatme	ent information			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		FOES	Logo			
Issue dat	te *	2019/8/12		Len	ovc	ТМ
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	· ·	Require	mont	mot
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling		100	110	n.u.
P7.1*	U 7	at have to be treated separately are easily separable		\square		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			Ē	
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.			Ħ	Ħ
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				Ħ	Ħ
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ħ
		lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradir	ng can be done using commonly available tools				
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*	Material		al type: PC			
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			\times	
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in an 25% post-consumer recycled content.	e retardants, and	d 🔼		
P7.15	as define	sircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 ad in IEC 61249-2-21. (See 1NOTE B2)		ו 🗌	\square	
P7.16	Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >ABS<,>ABS+PC-FR(40)<		\square		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):	\square		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: Brominated Epoxy Resin See P15	ents) > 25 g			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: confidencial, CAS #: confidencial (See NOTE B4) ical name: , CAS #: (See NOTE B4) ical name: , CAS #: (See NOTE B4)	s/preparations ir	ו ו		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: >ABS+PC-			
P7.19	assigned	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; NA and Hazard statements: Not applicable				\square
D7 00t			e note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):				
	a) Oft apo or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 3.6% . (black) 3.6% . (White) e weight of recycled material is 713.3 g. (black) 713.3 g. (White)	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	FOES	Logo	
Issue date *	2019/8/12		LEIIUVU

Product environmental attributes - Market requirements (continued)

Item

Requirement met Yes No n.a.

Material and subs	stance requirements	(continued)						
		d in the product (See N	OTE B7):					
		es below shall be answ						
			ereo; naterial content (calcula	ted as a percentage of				
total plastic b								
or								
, , ,	f the biobased plastic i	v						
	free from mercury, i.e. specify: Number of lar	less than 0,1 mg/lamp	ium mercury content pe	r lamp: mg				
P8 Batteries	specify. Number of la		ium mereury content pe	inamp. mg				
	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide							
P9 Energy consump	Energy consumption (See NOTE B8)							
		ls or energy consumpti	ons are reported:					
Energy mode *	Power level at	Power level at	Power level at	Reference/Standard for energy				
	100 V AC	115 V AC	230 V AC	modes and test method *				
Peak (On-max)	91.30 W	91.30 W	91.30 W	Full load				
CategoryI3								
Short Idle State - WOL	18.34 W	18.47 W	19.80 W	Use for ENERGY STAR V7.1				
Enabled				registration (P _{idle})				
Long Idle State - WOL	6.95 W	7.07 W	7.75 W	Use for ENERGY STAR V7.1				
Enabled				registration (Pidle)				
Sleep (S3) - WOL Enabled	1.01 W	0.99 W	0.98 W	Use for ENERGY STAR V7.1 registration(P _{sleep})				
Sleep (S3) - WOL Disabled	0.854 W	0.854 W	0.854 W	Use for ErP				
Off (S5) - WOL Enabled	0.3 W	0.3 W	0.33 W	Use for ENERGY STAR V7.1 registration(Poff)				
Off (S5) - WOL Disabled	0.264 W	0.264 W	0.264 W	Use for ErP				
	W	W	W					
Cotogony 12								
CategoryI2								
Short Idle State - WOL Enabled	19.14 W	18.62 W	21.10 W	Use for ENERGY STAR V7.1 registration (P _{idle})				
Long Idle State - WOL	9.46 W	6.84 W	8.11 W	Use for ENERGY STAR V7.1				
Enabled				registration (P _{idle})				
Sleep (S3) - WOL Enabled	1.03 W	1.33 W	1.48 W	Use for ENERGY STAR V7.1				
				registration(P _{sleep})				
Sleep (S3) - WOL Disabled	1.004W	1.004W	1.004W	Use for ErP				
Off (S5) - WOL Enabled	0.29 W	0.29 W	0.29 W	Use for ENERGY STAR V7.1 registration(P _{off})				
Off (S5) - WOL Disabled	0.294 W	0.294 W	0.294 W	Use for ErP				
	W	W	W					
CategoryI1								
Short Idle State - WOL Enabled	21.3 W	21.04 W	22.43 W	Use for ENERGY STAR V7.1 registration (P _{idle})				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Long Idle Enabled	e State - WOL	7.73 W	7.73 W	8.68 W	Use for ENERGY STAR V7.1 registration (P _{idle})	
Sleep (S3) - WOL Enabled		0.93 W	1.40 W	1.39 W	Use for ENERGY STAR V7.1 registration(P _{sleep})	
Sleep (S3) - WOL Disabled		NA W	NA W	NA W	Reference	
Off (S5) -	WOL Enabled	0.21 W	0.21 W	0.24 W	Use for ENERGY STAR V7.1 registration(Poff)	
Off (S5) - WOL Disabled		NA W	NA W	NA W		
		W	W	W		
	oad r supply / charger plugged in the lisconnected from the product.)	0.126 W	0.126 W	0.157 W		
PTEC *		W	W	W		
Typical Er	nergy Consumption					
ETEC * Annual Er	nergy Consumption	<i>13:</i> 66.99 kWh/year <i>12 : 72.71</i> kWh/year <i>11:76.70</i> kWh/year	<i>I3 : 67.54</i> kWh/year <i>I2: 67.80</i> kWh/year <i>I1: 76.11</i> kWh/year	<i>I3 : 72.62</i> kWh/year <i>I2: 77.14</i> kWh/year <i>I1:81.73</i> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$ $+ P_{sleep} \times 0.05 + P_{long_{ldle}} \times 0.15 + P_{short_{ldle}} \times 0.35)$	
				s: Sleep Mode(S3) - WOL	Enabled; Pidle: Idle State - WOL Enabled	
External F	Power Supply Efficie	ncy Level (International	Efficiency Marking Pro	otocol) * : VI		
Display re	esolution * : 2.07 me	gapixels				
Default tin	me to enter energy s	ave mode: 25 minutes				
P9.2*	Information about	the energy save function	on is provided with the	product.		
P9.3	Energy efficiency	class (monitors only):				
P10	Emissions					
		 Declared according to 	ISO 9296 (See NOTE			
P10.1		Mode description			t A-weighted sound power level, L _{WA,c} (B)	
	Idle	* HDD:Idle		* 2.5		
	Operation			* 2.7		
	Other mode	Declared A-weighted soun	d pressure level (dB) _{L_pAn}	16 (operator position desktop – idle)		
	Other mode	Declared A-weighted soun	d pressure level (dB) L_{pAm}	16 (operator positio	n desktop – operating)	
	Measured accord	ing to: 🔀 ISO 7779 🗌 Other	ECMA-74 (only if not covered by	ECMA-74)		

Model nu	ımber *	FOES			Logo			
Issue dat	te *	2019/8/12				Lenc	OVO	TH
Product	environ	mental attribut	tes - Market requirements	s (continued)		Require	ment	me
Item						Yes	No	n.a
		magnetic emiss						
P10.4		er display meets n(s): CE,FCC	the requirement for low freque	ency electromagnetic fiel	ds of the following volun	ntary 🔀		
P12		mics for compu						
P12.1*	The dis	play meets the er	gonomic requirements of ISO	9241-307 for visual disp	lay technologies.		\square	
P12.2*	The phy	sical input device	e meets the requirements of IS	SO 9995 and ISO 9241-4	10.		\square	
P13	Packaging and documentation							
P13.1*	Product	packaging mater packaging mater packaging mater	rial type(s): Carton+pizza boy rial type(s): Cushion wei rial type(s): Bag wei	<pre>weight (kg): 1.553 ght (kg): 0.662 ght (kg): 0.0385</pre>				
P13.2*	Product	plastic primary p	ackaging is free from PVC.			\square		
P13.3*		duct primary cor er recovered fibe	rugated fiberboard packaging r content: 80 %	, specify the contained	percentage of minimur	m post-		
P13.4*	Specify		nd product documentation (tic	k box):				
P13.5	Úser an		is item if paper documentatior entation on paper media is ch			\boxtimes		
	Totally of	chlorine-free				\boxtimes		
	Elemen	tal chlorine-free						
	Process	ed chlorine-free						
P14	Volunta	ry programs						
P14.1			equirements of the following vo	oluntary program(s):				
	ENERG Eco-lab Eco-lab		Criteria version: 7.1 Criteria version: Criteria version:	Date: 2019/7 Date: Date:	Product category: <i>i3,</i> Product category: Product category:	, i2,i1		
P15		-	(See NOTE B10)					
P9	Energy CPU : i	consumption o 5-8400T/G5400T	f specific configuration may //G4900T ; GPU : AMD Radeo	on 530 ; RAM : 16+16G	; Storage : 1T HDD +25	56G SSD ; OS :)
	informa knowled	tion contained in Ige available at th d here is approxim	to representations, guarantees this document. All information ne time of completion, and sup mate and provided for informa	provided by supplier in t	his document is provide ation to update such info	d based on support	olier's format	ion
P9			d Notebooks & Tablet Compu v/index.cfm?fuseaction=find_					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).


Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ideacentre A340-22 AIO	Logo
Model Number	FOES	
Issue Date	2019/8/12	Lenovo
Additional information	ENERGY STAR®,	· · · · · · · · · · · · · · · · · · ·

P7.1.1	Product environmental attributes					
(d)	year of manufacture:				2019	
(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are	
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable					
		Category A (according to ErP Lot 3) (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]		32		32	
ents sting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)	
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)	
ability a	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)	
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	
	Category of discrete graphics Card(s)		G2		G2	
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		26.16		31.96	
Test n	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
(g)	Idle state power demand (Watts);			B	: 8.196W / D : 8.715W	
(h)	Sleep mode power demand (Watts);			В	: 1.047W / D: 0.943W	
(i)	Sleep mode with WOL enabled power de	emand (Watts) (whe	e enabled);	В	: 1.004W /D : 0.854W	
(j)	Off mode power demand (Watts);			В	: 0.292W/D :0.294W	
(k)	Off mode with WOL enabled power dem	and (Watts) (where e	enabled);	B	: 0.294W / D : 0.264W	
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 10	0 % of rated output pow	er (if applicable):		
	10% 20% 50%	100% Ave	erage			
(m)	External power supply efficiency (if appli	cable)*:				
	Average active efficiency: 120W Level	VI(90.02%)				
(0)	*internal note: show values for all available external p Minimum number of loading cycles that t		stand (applies only to r	notebook computers).		
. ,					NA	
(p-1)	Measurement methodology used to dete	ermine information m NA	entioned in points (I) – i	nternal PSU efficiency	:	
(p-2)	 Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: <i>refer to EN 50563:2011 External a.c. — d.c. and a.ca.c. power supplies</i> 					



			230 Volts AC, 50 H	z		
	Instrument Type AC Power Source Power Meter Hygrothermograph Light Measuring		Range Used Or *** 230V;50Hz 0~200V;0~20A -20 to 50°C;20 to 90% Y		Make and Model ** EXTECH;6810;SN:1450172	
					KOGAWA;WT210;SN:91H427511	
					SEKONIC;ST-50	
			1° ; 0.01 to 999,900 cd/m2	0.01 to 999,900 cd/m2 Konica Minolta;LS-150		
Addition	al Notebook Batter	y Info	ormation:			
			Battery[ies] <u>not</u> user replaceable		Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾				
Internal/built-in Battery						
External/detachable Battery						
Bios Backup Battery						
Other:						

The battery[ies] in this product cannot be easily replaced by users themselves.

Akywynarophara[urae] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt. Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Hμπαταρία[-ες] στο προίόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

1)

A termék akkumulátoraita felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.