



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	_
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	based on product specification or test results based obtained from sample testing), that the product of the control of the con
	, '
Type of product *	Notebook
Commercial name *	Lenovo ideapad 720S-13
Model number *	81BR
Issue date *	2017-9-12
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

wodei nu	ımber "	81BR	Logo	Lon		
Issue dat	te *	2017-9-12		Len		J _{th}
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference).		\boxtimes		
		nt: Legal reference has no maximum concentration value.				
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes		
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach				
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m	naxımum			
- · · ·		ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes		
- · - ·		/I (PCT) in preparations (see legal reference).			_	
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	oon atoms in th	ne 🔀		
D4.0*		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	- , 2,		_	
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0),5 μg/cm²/wee	k 🔀		
		al reference).				
- · - ·		nt: Max limit in legal reference when tested according to EN1811:2011-5.			_	
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	\boxtimes		
	http://ww	vw.lenovo.com/social_responsibility/us/en/environment.html				
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with	he disposal			
		Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See lega	al 🔀		
	referenc	- /				
P2.3*		s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see le				
			mail addres	s):		
	http://w	ww.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/				
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products,				
1 0.2		al reference).			ш	
	-	d information is; given in item P15 or added to this document,				
	rtoquilot	and the contract of the contra				ш
	In 44 m v //v					
P5		www.lenovo.com/social_responsibility/us/en/datasheets_notebooks/				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	, andmium a	nd 🔽	_	
1 3.1		ent chromium by weight of these together.	y, caumum a	nd 🔀	Ш	
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature	of the material	(s)		
3.2		pe legal reference).		(-)	ш	ш
P5.3*		duct packaging material is free from ozone depleting substances as specified	in the Montre	eal 🔀		
		(see legal reference).				
		nt: Legal reference has no maximum concentration values.				
P6	Treatme	nt information				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Information for recyclers/treatment facilities is available (see legal reference).

P6.1*

Model number *	81BR	Logo	Longvo
Issue date *	2017-9-12		Lei Iovo

Produc	ct environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			<u> </u>
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: >PC+ABS-FR(40)< Material type: >PC+ABS-TD15FR(40)< Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in part			
	containing more than 25% post-consumer recycled content.	,3		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	w	\boxtimes	
	halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: <i>FR</i> (40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resin, CAS #:	\boxtimes		
	26265—08—7			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	\boxtimes		
	according ISO 1043-4: FR(16)			
P7.18	Alt. 1	in 🔽		
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations i concentrations above 0.1%:	in 🔀	Ш	Ш
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name:, CAS #: <i>confidential</i>			
	2. Chemical name: CAS #: confidential			
	3. Chemical name: CAS #: confidential			
	4. Chemical name: CAS #: confidential			
	5. Chemical name: CAS #: <i>confidential</i> Alt. 2	\boxtimes		
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; Confidential and Hazard statements: Confidential		_	
	The source(s) for these classifications is/are found at (add URL(s)): European Council Directive			
D7 00*	67/548/EEC , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		Ш	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
1	a percentage of total plastic by weight) is 0.2%.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81BR	Logo	Lanava
Issue date *	2017-9-12		LEI IOVO,

Product environmental at	ttributes - Market r	equirements (conti	nued)	Requirement met
Item		•	•	Yes No n.a.
	stance requirements			
P7.21* Biobased plastic m	naterial content is used	in the product (See N	OTE B7):	
		es below shall be answer	ered; material content (calcu	lated as a percentage
of total plastic	by weight) is 0		,	
	f the biobased plastic r			
	free from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp	um mercury content pe	r lamp: mg
P8 Batteries		npo. ana maxim	an moreary content po	namp. mg
P8.1* Battery chemical of	composition: LI-ION			
	tion (See NOTE B8)			
		s or energy consumption		Defended for some
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Peak (On-max)	45 W	45 W	45 W	Full load
Category I2				
Short Idle State - WOL Enabled	8.81 W	8.91 W	9.09 W	Use for ENERGY STAR V6 registration (Pidle)
Long Idle State - WOL	4.51 W	4.61 W	4.67 W	Use for ENERGY STAR V6
Enabled	4.37 VV	4.07 **	4.07 VV	registration (P _{idle})
Sleep (S3) - WOL Enabled	0.46 W	0.48 W	0.49 W	Use for ENERGY STAR V6 registration(P _{sleep})
Sleep (S3) - WOL Disabled	0.46 W	0.48 W	0.49 W	Reference
Off (S5) - WOL Enabled	0.36 W	0.37 W	0.38 W	Use for ENERGY STAR V6 registration(P _{off})
Off (S5) - WOL Disabled	0.36 W	0.37 W	0.38 W	Use for ErP
	W	W	W	Reference
Category I3				
Short Idle State - WOL Enabled	9.08 W	9.19 W	9.23 W	Reference
Long Idle State - WOL	4.56 W	4.65 W	4.74 W	Reference
Enabled				
Sleep (S3) - WOL Enabled	0.46 W	0.48 W	0.49 W	Reference
Sleep (S3) - WOL Disabled	0.46 W	0.48 W	0.49 W	Reference
Off (S5) - WOL Enabled	0.36 W	0.38 W	0.38 W	Reference
Off (S5) - WOL Disabled	0.36 W	0.38 W	0.38 W	Reference
	W	W	W	Reference
Category				
Short Idle State - WOL Enabled				Reference
Long Idle State - WOL Enabled				Reference

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Sleep (S	3) - WOL Enabled				Reference
Sleep (S.	3) - WOL Disabled				Reference
Off (S5) -	WOL Enabled				Reference
Off (S5) -	WOL Disabled				Reference
		W	W	W	Reference
EPS No-I		0.024 W	0.027 W	0.66 W	
	er supply / charger plugged in the disconnected from the product.)				
PTEC *		W	W	W	
	nergy Consumption				
ETEC * Annual E	nergy Consumption	29.30 kWh/year 30.06 kWh/year	29.74 kWh/year 30.53 kWh/year	30.31 kWh/year 30.74 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short_idle} x 0.30)
		Poff: Off Mode(S5) - 1	WOL Enabled; Psleep: Sleep	p Mode(S3) - WOL Enal	bled; Pidle: Idle State - WOL Enabled
External I	Power Supply Efficie	ncy Level (Internatior	nal Efficiency Marking Pr	rotocol) * : V/	
Display re	esolution * : 3840*21	60 megapixels			
Default tii	me to enter energy sa	ave mode: 10 minute	s		
P9.2*	Information about	the energy save fund	ction is provided with the	product.	
P9.3	Energy efficiency	class (monitors only)	· · · · · · · · · · · · · · · · · · ·		
P10	Emissions	<u> </u>			
-	Noise emission -	- Declared according	to ISO 9296 (See NOTI	E B9)	
P10.1	Mode	Mode description	•	Statistical upper lii	mit A-weighted sound power level, L _{WA,c} (B)
	Idle	* HDD:Idle		* 3.2	
	Operation	* HDD: Operating		* 4.2	
	Other mode	Declared A-weighted so	und pressure level (dB) L_{pA}	m 19.7 (operator po	sition desktop – idle)
	Other mode	Declared A-weighted so	und pressure level (dB) L_{pA}	m 34.6 (operator po	sition desktop – operating)
	Measured accordi	ing to: ISO 7779 Other	ECMA-74 (only if not covered by	y ECMA-74)	

Product environmental attributes - Market requirements (continued) Requirement	Model nu	ımper *	81BR					Logo	Lone	VG	
Electromagnetic emissions	Issue dat	te *	2017-9-12	_					Lenc	VU	тм
Electromagnetic emissions	Product	t environr	mental attribu	tes - Market requiren	nents (co	ntinued)			Require	ment	met
P10.4 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): MPR-II(3 pin AC adapter only) P12 Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Packaging and documentation P13.1* Product packaging material type(s): CARTON weight (kg): 0.305 weight (kg): 0.305 Product packaging material type(s): EFE weight (kg): 0.528 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 % P13.4* Specify media for user and product documentation (tick box): Electronic A. Paper A. Other D. User and product documentation (tick box): Electronic A. Paper A. Other D. User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free B. Criteria version: 6.1 Date: Product category: If Energy consumption of receptance in the product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: Silver Eco-label: Criteria version: 1680.1-2009 Date: 2009/12/9 Product category: Silver Eco-label: Criteria version: Date: Product category: If Energy consumption of specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.	Item				•	•			Yes	No	n.a
Program(s): MPR-II/3 pin AC adapter only) P12. Ergonomics for computing products P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. □ P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. □ P13. Packaging and documentation P13.1* Product packaging material type(s): CARTON weight (kg): 0.305 Product packaging material type(s): EPE weight (kg): 0.528 P13.2* Product packaging material type(s): Gift BOX weight (kg): 0.528 P13.3* For product pinary packaging is free from PVC. □ P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 % Specify media for user and product documentation (tick box): Electronic □, Paper □, Other □ P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:											
P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Packaging and documentation P13.1* Product packaging material type(s): CARTON Product packaging packaging specify the contained percentage of minimum post-consumer recovered fiber content: 100 % P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 % P13.4* Specify media for user and product documentation (tick box): Electronic Paper Of Carton Product packaging is free from PVC. P13.5* (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-fr		program	(s): MPR-II(3 pi	n AC adapter only)	frequency e	electromagnetic field	ls of the foll	owing voluntary			
P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Product packaging material type(s): CARTON weight (kg): 0.305 Product packaging material type(s): EPE weight (kg): 0.068 Product packaging material type(s): EPE weight (kg): 0.068 Product packaging material type(s): EPE weight (kg): 0.068 Product packaging material type(s): Gift BOX weight (kg): 0.528 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 % P13.4* Specify media for user and product documentation (tick box): Electronic Paper Output (tick box): Electronic Paper Pa											
P13.1* Product packaging material type(s): CARTON weight (kg): 0.305 Product packaging material type(s): CFPE weight (kg): 0.068 Product packaging material type(s): CFPE weight (kg): 0.528 P13.2* Product packaging material type(s): Gift BOX weight (kg): 0.528 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 % P13.4* Specify media for user and product documentation (tick box): Electronic Paper Of the Pape			•	•		•	•	gies.			
P13.1* Product packaging material type(s): CARTON Product packaging material type(s): EPE weight (kg): 0.068 weight (kg): 0.068 weight (kg): 0.068 Product packaging material type(s): EPE weight (kg): 0.528 P13.2* Product plastic primary packaging is free from PVC.				<u>'</u>	s of ISO 999	95 and ISO 9241-41	10.		\boxtimes		
Product packaging material type(s): EPE weight (kg): 0.068											
P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 % P13.4* Specify media for user and product documentation (tick box):	P13.1*	Product	packaging mate	rial type(s): <i>EPE</i>	weight (kg	g): 0.068					
consumer recovered fiber content: 100 % P13.4* Specify media for user and product documentation (tick box):	P13.2*	Product	plastic primary p	packaging is free from PV	/C.				\boxtimes		
P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Date: P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 6.1 Date: Product category: I1 Eco-label: EPEAT Criteria version: 1680.1-2009 Date: 2009/12/9 Product category: Silver Eco-label: Criteria version: Date: Product category: P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:	P13.3*	consume	er recovered fibe	er content: 100 %			percentage	of minimum po	st-		
User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free ENERGY STAR® Criteria version: 6.1 Eo-label: EPEAT Criteria version: 1680.1-2009 Date: 2009/12/9 Product category: 11 Eco-label: Criteria version: Date: Product category: Silver Eco-label: Criteria version: Date: Product category: Silver Eco-label: Criteria version: Date: Product category: Silver Eco-label: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:	P13.4*				on (tick box)	:					
Elemental chlorine-free Processed chlorine-free P14 Voluntary programs P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 6.1 Date: Product category: I1 Eco-label: EPEAT Criteria version: 1680.1-2009 Date: 2009/12/9 Product category: Silver Eco-label: Criteria version: Date: Product category: Silver Eco-label: Criteria version: Date: Product category: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:	P13.5	Ùser and	d product docum								
P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 6.1 Date: Product category: I1 Eco-label: EPEAT Criteria version: 1680.1-2009 Date: 2009/12/9 Product category: Silver Eco-label: Criteria version: Date: Product category: Silver Eco-label: Criteria version: Date: Product category: Silver P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:		Element	al chlorine-free								
P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: 6.1 Date: Product category: I1 Eco-label: EPEAT Criteria version: 1680.1-2009 Date: 2009/12/9 Product category: Silver Eco-label: Criteria version: Date: Product category: Silver Eco-label: Criteria version: Date: Product category: Silver P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:	D14										
Eco-label: Criteria version: 1680.1-2009 Date: 2009/12/9 Product category: Silver Eco-label: Criteria version: Date: Product category: Silver P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:				equirements of the follow	ring volunta	ry program(s):					
P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:											
P9 Energy consumption of specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:		Eco-labe	el:	Criteria version:		Date:	Product of	category:			
NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:											
information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:	P9	Energy	consumption o	f specific configuration	n may vary;	description of the	tested pro	duct configura	tion:		
P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO		informati knowled provided informati	ion contained in ge available at the here is approximon.	this document. All inform he time of completion, ar mate and provided for inf	nation provio nd supplier s formational	ded by supplier in the shall have no obligat purposes only. See	is documer tion to upda a Lenovo A	nt is provided bas nte such informat	sed on supp tion. The inf	olier's format	ion
	P9	See Ene	rgy Star Qualific w.energystar.go	ed Notebooks & Tablet Cov/index.cfm?fuseaction=	omputers for find_a_prod	or the latest informat duct.showProductG	tion: roup&pgw_	code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad 720S-13ARR	Logo	
Model Number	81BR		Lenovo
Issue Date	2017-9-12		reliovo"
Additional information			

Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Category enable Memory over base [GB] Additional internal storage Discrete television tuner Discrete Audio Card	switchable graphics n	ments applied when a Category B (according to ErP Lot 3) (Yes / No)	the display.	, ,
disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Category enable Memory over base [GB] Additional internal storage Discrete television tuner	y and capability adjust Category A (according to ErP Lot 3) No (Yes / No) No (Yes / No)	ments applied when a Category B (according to ErP Lot 3) (Yes / No)	c the display. Ill discrete graphics of the discrete graphics of the control of	Category D (according to ErP Lot 3)
Memory over base [GB] Additional internal storage Discrete television tuner Discrete Audio Card	Category A (according to ErP Lot 3) 8 No (Yes / No) No (Yes / No)	Category B (according to ErP Lot 3) (Yes / No)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
Additional internal storage Discrete television tuner Discrete Audio Card	(according to ErP Lot 3) 8 No (Yes / No) No (Yes / No)	(according to ErP Lot 3) (Yes / No)	(according to ErP Lot 3)	(according to ErP Lot 3)
Additional internal storage Discrete television tuner Discrete Audio Card	NO (Yes / No) NO (Yes / No)	,	(Yes / No)	(Yes / No)
Discrete television tuner Discrete Audio Card	(Yes / No) No (Yes / No)	,	(Yes / No)	(Yes / No)
Discrete Audio Card	(Yes / No)	(Vec / Ne)		
	No	(Yes / No)	(Yes / No)	(Yes / No)
Discrete graphics Card(s) [number / #]	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
Discrete graphics Card(s) [number / #]	No #: (Yes / No)	# <i>:</i> (Yes / No)	#: (Yes / No)	#: (Yes / No)
Category of discrete graphics Card(s)				
Etec Value (kWh) - dGfx disabled Ill discrete graphics cards (dGfx) are disabled/ JMA is active for switchable graphics/ product has no graphics cards (dGfx)	14.88			
Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
Idle state power demand (Watts);			•	4.74
Sleep mode power demand (Watts);				0.49
Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.49
Off mode power demand (Watts);				0.38
Off mode with WOL enabled power dema	and (Watts) (where en	abled);		0.38
Internal power supply efficiency at 10 %,	20 %, 50 % and 100 9	% of rated output pow	er (if applicable):	
10% 20% 50%	100% Avera	ige		
External power supply efficiency (if applic	cable)*:			
Average active efficiency: 88.8%				
Minimum number of loading cycles that the	he batteries can withst	tand (applies only to n	otebook computers):	300CYCLES
Measurement methodology used to deter		tioned in points (I) - ir	nternal PSU efficiency:	
	Category of discrete graphics Card(s) Lec Value (kWh) - dGfx disabled discrete graphics cards (dGfx) are disabled/MA is active for switchable graphics/coduct has no graphics cards (dGfx) Lec Value (kWh) - dGfx enabled discrete graphics cards (dGfx) Lec Value (kWh) - dGfx enabled discrete graphics cards (dGfx) are enabled discrete graphics are enabled discrete graphics are enabled discrete graphics are enabled discrete graphics discrete graphics are enabled discrete graphics are discrete gra	Category of discrete graphics Card(s) Etec Value (kWh) - dGfx disabled I discrete graphics cards (dGfx) are disabled/MA is active for switchable graphics/roduct has no graphics cards (dGfx) are enabled I discrete graphics cards (Watts); Sleep mode with WOL enabled power demand (Watts) (where enabled power demand (Watts) (where enabled power supply efficiency at 10 %, 20 %, 50 % and 100 % 10 % 20 % 50 % 100 % Averation of the power supply efficiency (if applicable)*: Average active efficiency: 88.8% *internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withster in the power supplies is a supplied to the power supplies in the power supplies is a supplied to the power supplied in the power supplied	Category of discrete graphics Card(s) Category of discrete graphics Card(s) Category of discrete graphics Card(s) Category of discrete graphics cards (dSrx) are disabled oduct has no graphics cards (dSrx) Category oduct has no graphics cards (dSrx) Category of discrete graphics (daspled) Category of discrete graphics (dSrx) C	Category of discrete graphics Card(s) Etec Value (kWh) - dGfx disabled I discrete graphics cards (d6fx) are disabled/ MA is active for switchable graphics cards (d6fx) are disabled/ MA is active for switchable graphics (d6fx) are disabled/ MA is active for switchable graphics (d6fx) are enabled I discrete graphics cards (d6fx) are enabled I discrete graphics (where enabled); Idle state power demand (Watts); Sleep mode with WOL enabled power demand (Watts) (where enabled); Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average External power supply efficiency (if applicable)*: Average active efficiency: 88.8% *internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:

		dology used to determine information mentioned in dfor calculating the Energy Eifficiency of Single		
		AC Power Suppler" dated August 11		
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: *IEC61916 measurement methodology**			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC62321/IEC EN50564:2011 measurement methodology			
(q)	Sequence of steps for achieving a stable condition with respect to power demand:: IEC62321/IEC EN50564:2011 measurement methodology			
(r)	Description of how sleep and/or off mode was selected or programmed: refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: *refer to power management, 30mins automatically reaches sleep mode*			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			
(u)	Length of time after	raperiod of user inactivity in which the computer ver power demand requirement than sleep mode (ii	er automatically reaches a power	NA
(v) (w)	Length of time befo	re the display sleep mode is set to activate after nergy-saving potential of power management function refer to user manual	user inactivity (in minutes):	10
(x)	User information on how to enable the power management functionality: refer to user manual			
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting: 230V50HZ-2%-Edition 2.0, 2011-01, Section	strumentation, set-up and circuits	
			-, IL 002001	
Addition	nal Notebook Batter		4, 12002001	
Addition	nal Notebook Batter		Battery[ies] user replaceable	n/a
Addition	nal Notebook Batter	y Information:	Battery[ies] user replaceable	n/a
	nal Notebook Batter	y Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily	Battery[ies] user replaceable	n/a
Internal/I	built-in Battery /detachable Battery	y Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a
Internal/I	built-in Battery	y Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a
Internal/I	built-in Battery /detachable Battery	y Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a
Internal/I External/ Bios Bac Other:	built-in Battery /detachable Battery	y Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a
Internal/I External/ Bios Bac Other:	built-in Battery /detachable Battery ckup Battery	y Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08