

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo)		
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
e-mail address	Alvin L Carter		Lenovo		
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook					
Commercial name *	Lenovo ideapad 530S-14, XiaoXin Air 14					
Model number *	81H1, 81KK					
Issue date *	2018-3-16					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	81EU Logo	Lon		
Issue dat	:e *	2018-3-16	Leng	DVC	
Product	environ	mental attributes - Legal requirements	Require	men	t met
Item			Yes	No	n.a.
P1	Hazardo	ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\square		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	Products terpheny	\boxtimes			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the national structure of the second structure of the se			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): ww.lenovo.com/social_responsibility/us/en/environment.html	\boxtimes		
P2	Batterie	s			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legate)	al 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conform	nity verification & Eco design (ErP)			
P3.1*	The D	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). leclaration of Conformity can be requested at (add link or e-mail addres www.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/	s):		
P3.2*		duct complies with the Eco design requirements for energy-related products,	\square		
	. 0	al reference).			
	Require	d information is; given in item P15 or added to this document, available at (add URL):			
	http://w	ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/			
P5		t packaging			
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material be legal reference).	(s) 🔀		
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified in the Montre (see legal reference). nt: Legal reference has no maximum concentration values.	eal 🔀		
P6		Int information			
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Issue date * 2018-3-16 Lenovo. Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met Item *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a P7 Design, Disassembly, recycling P7.1* P7.1* Patts that have to be treated separately are easily separable Image: Construction of the easily separable Image: Construction of the easily separable P7.3* Plastic materials in covers/housing have no surface coating. Image: Construction of the easily separable materials. Image: Construction of the easily separable materials. P7.4* Plastic parts > 100 g consist of one material or of easily separable materials. Image: Construction of the easily separable in the easily separable. Image: Construction of the easily separable in the easily separable. P7.4* Plastic parts 25 g have material codes according to ISO 11469 referring ISO 1043-4. Image: Construction of easily separable. Image: Construction of easily separable. P7.5* Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. Image: Construction of easily separable. Image: Construction of easily separable. P7.7* Upgrading can be done e.g. with processor, memory, cards or drives Image: Construction of easily separas Imag						Logo		81H1	umber *	Model number *			
- Environmental conscious design Requirement met Item *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. P7 Design, Disassembly, recycling				n	Le		2018-3-16						
Item *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. P7 Design, Disassembly, recycling						DTE GN below)	requirements (See General NOTE	nmental attributes - Marke	t environ	Product			
P7 Design, Disassembly, recycling P7.1* Parts that have to be treated separately are easily separable Image: Construct the separately are easily separable P7.2* Plastic materials in covers/housing have no surface coating. Image: Construct the separately are easily separable materials. P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. Image: Construct the separately are easily separable materials. P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. Image: Construct the separately are easily separable. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. Image: Construct the separately are easily separable. P7.6* Labels are easily separable. Chis requirement does not apply to safety/regulatory labels). Image: Construct the separately are constructed as a separately are available tools. P7.7* Upgrading can be done e.g. with processor, memory, cards or drives Image: Constructed aset as a separately are available tools. Image: Constructed aset as a separately are available after end of production for: 5 years Image: Constructed aset as a separately are available after end of production for: 5 years Image: Construct aset available after end of production for: 5 years Image: Construct aset available after and of production for: 5 years Image: Construct aset available after and for a separater aset available after	t	me											
P7.1* Parts that have to be treated separately are easily separable Image: Construct of the separately are easily separable P7.2* Plastic materials in covers/housing have no surface coating. Image: Construct of the separately separable materials. P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. Image: Construct of the separately separable materials. P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. Image: Construct of the separable materials. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. Image: Construct of the separable. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Image: Construct of the separately regulatory labels). P7.7* Upgrading can be done e.g. with processor, memory, cards or drives Image: Construct of the separately regulatory labels). P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years Material and substance requirements Image: Construct reduirements Image: Construct reduirements P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum): Image: Conserid construct reduirements	а.	n.	No	es	Y	nder P14.	tion regarding each item may be found under						
P7.2* Plastic materials in covers/housing have no surface coating. P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):				7			and the second large states						
P7.3* Plastic parts > 100 g consist of one material or of easily separable materials. P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):	1		<u> </u>	4									
P7.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):							-						
P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 P7.10 Service is available after end of production for: 5 Years Image: Spare parts are available after end of production for: 5 P7.10 Service is available after end of production for: 5 Years Image: Spare parts are available after end of production for: 5 P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):	3							•					
P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):				\triangleleft									
Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years Material and substance requirements P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):	1			\triangleleft	ols.	commonly available too	or have inlays that can be removed with comm	parts are free from metal inlays	Plastic pa	P7.5			
Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years Material and substance requirements P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):	1			2		ry labels).	rement does not apply to safety/regulatory lab	are easily separable. (This requ	Labels a	P7.6*			
P7.8* Upgrading can be done using commonly available tools P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years Material and substance requirements P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):		-		_				t lifetime	Product				
P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years Material and substance requirements P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):	Т			<		Upgrading can be done e.g. with processor, memory, cards or drives							
P7.9 Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years Material and substance requirements P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):	ī		Ē	3			y available tools	ng can be done using common	Upgradin	P7.8*			
P7.10 Service is available after end of production for: 5 years Material and substance requirements P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):	1				<u>k</u>					P7.9			
Material and substance requirements P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):	f						•			P7 10			
P7.11* Product cover/housing material type (e.g. plastics, metal, aluminum):							•	•		17.10			
5 51 (51) ,	_									P7.11*			
Material type: >PC+ABS-FR(40)< Material type: >PC+ABS-TD15FR(40)< Material type:						Material type:							
P7.12 Insulation materials of external electrical cables are PVC free.	7					31				P7.12			
P7.13 Insulation materials of internal electrical cables are PVC free.	f			-			cables are PVC free.	on materials of internal electrica	Insulation	P7.13			
P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	╡			7	d 0.1%	000 ppm) bromine and	g contain no more than 0.1% weight (1000 p	I plastic casing/cover parts > 2	External	P7.14			
weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and	-	L											
polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts					n parts	000 ppm) chlorine in							
containing more than 25% post-consumer recycled content.	_			_						D7.45			
P7.15 Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low Normal Statements (See 1NOTE B2)		L			re low	_ PCBs >25 g				P7.15			
P7.16 Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	3				[SO 1043-4:	overs / housings are marked according ISO 10			P7.16			
P7.17 <u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):										P7.17			
TBBPA (additive), XTBBPA (reactive) (See NOTE B3), Other: <i>Brominated Epoxy Resin</i> , CAS #:				\leq	S#:	ed Epoxy Resin , CAS	ve) (See NOTE B3) , Other: Brominated E	PA (additive), 🔀 TBBPA (react	TBBP				
26265—08—7						265—08—7							
Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g]				g [out components) > 25 g	retardants in printed circuit boards (without co						
according ISO 1043-4:								ng ISO 1043-4:					
P7.18 Alt. 1	_	_	_	_						P7.18			
Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in X		L		\leq	ons in	substances/preparatio	contain the following flame retardant subs						
Comment: No legal limits exist, this is a market requirement.							this is a market requirement						
1. Chemical name: CAS #: <i>confidential</i>													
2. Chemical name: CAS #: <i>confidential</i>													
. Chemical name: <i>FR3021,</i> CAS #: <i>confidential</i>							nfidential	cal name: <i>FR3021,</i> CAS #: co	. Chemic				
	-	_		_	г								
Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			_님	_				-		D7.40			
P7.19 In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; <i>Confidential</i> and Hazard statements: <i>Confidential</i>	2	2			n [P7.19			
The source(s) for these classifications is/are found at (add URL(s)): European Council Directive					ive								
67/548/EEC , (See note B5)					-								
P7.20* Postconsumer recycled plastic material content is used in the product (See Note B6):	٦	Г		2									
If YES; at least one of the two alternatives below shall be answered;	-					,	es below shall be answered;	at least one of the two alternativ	If YES; a	-			
a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as					ed as	erial content (calculated			,				
a percentage of total plastic by weight) is 0%.							gnt) is 0%.	percentage of total plastic by we	a pe				
b) The weight of recycled material is 0.1 g.								o 1 ,	or				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81H1				Logo		
Issue date *	2018-3-1	6				Lenov	Отм
Product environ	mental at	tributes - Market r	equirements (conti	nued)		Requireme	nt met
Item			• •	,		Yes No	n.a.
Materia	I and subs	stance requirements	(continued)				
	-		l in the product (See No				
of	total plastic	by weight) is 0	%.	material content (calcul	ated as a percent	tage	
P7.22* Light sc	ources are f		less than 0,1 mg/lamp.				
P8 Batterio		specify: Number of lan	nps: and maxim	um mercury content per	r lamp: mg		
		omposition: LI-ION					
		tion (See NOTE B8)					
			s or energy consumption	ons are reported:			
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	modes and test	lard for energy method *	
Peak (On-max)		65 W	65 W	65 W	Full load		
Category I3							
Short Idle State - V Enabled	VOL	5.81 W	5.64 W	5.69 W	Use for ENERG registration (Pic		
Long Idle State - W Enabled	VOL	3.87 W	3.69 W	3.71 W	Use for ENERG registration (P _{ic}		
Sleep (S3) - WOL I	Disabled	0.45 W	0.46 W	0.48 W	Reference		
Off (S5) - WOL Dis	abled	0.30 W	0.30 W	0.33 W	Use for ErP		
Category I2							
Short Idle State - V Enabled	VOL	5.18 W	5.61 W	5.13 W	Reference		
Long Idle State - W Enabled	VOL	3.02 W	3.34 W	3.63 W	Reference		
Sleep (S3) - WOL L	Disabled	0.50 W	0.51 W	0.53 W	Reference		
Off (S5) - WOL Dis	abled	0.42 W	0.41 W	0.45 W	Reference		
Category I1							
Short Idle State - V Enabled	VOL	5.29 W	5.42 W	7.82 W	Reference		
Long Idle State - W Enabled	VOL	3.53 W	3.58 W	5.45 W	Reference		
Sleep (S3) - WOL L	Disabled	0.50 W	0.47 W	0.56 W	Reference		
Off (S5) - WOL Dis	abled	0.32 W	0.30 W	0.34 W	Reference		
EPS No-load (External power supply / charge wall outlet but disconnected from	er plugged in the m the product.)	.145 W	W	W			
PTEC * Typical Energy Con	sumption	W	W	W			\boxtimes
ETEC * Annual Energy Con		20.69 kWh/year 18.71 kWh/year 19.23 kWh/year	20.12 kWh/year 20.13 kWh/year 19.48 kWh/year	20.40 kWh/year 19.27 kWh/year 20.02 kWh/year Mode(S3) - WOL Enabled	+ P _{sleep} x 0.35 + P _{short_Idle} x 0.30)	00) x (P _{off} x 0.25 P _{long_Idle} x 0.10+	
External Power Sun	nly Efficien		Efficiency Marking Pro			TOL Enabled	
Display resolution *					+		
		ve mode: 10 minutes			+		
	i onorgy sa				L		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

P9.2*	Information abo	out the energy save function is provided with the p	roduct.			
P9.3	Energy efficien	cy class (monitors only):				
P10	Emissions			•		
	Noise emission – Declared according to ISO 9296 (See NOTE B9)					
P10.1	Mode	Mode description	on Statistical upper limit A-weighted sound power			
	Idle	* HDD:Idle	* 2.8			
	Operation	* HDD: Operating	* 4.1			
	Other mode	Declared A-weighted sound pressure level (dB) L_{pAm}	19.8 (operator positi	on desktop – idle)		
	Other mode	Other mode Declared A-weighted sound pressure level (dB) L_{pAm} 33.5 (operator position desktop – operating)				
	Measured according to: 🔀 ISO 7779 🗌 ECMA-74					
		Other (only if not covered by E	ECMA-74)			

Model nu	mber *	81H1				Logo	Lond		
Issue dat	e *	2018-3-16					Lenc	VO	ти
Product	environr	mental attributes	s - Market requirem	nents (cor	ntinued)		Require	ement	met
Item							Yes	No	n.a.
	Electron	nagnetic emissio	ns						
P10.4		er display meets the (s): <i>MPR-II</i>	e requirement for low f	frequency e	lectromagnetic fie	elds of the following volunta	iry 🔀		
P12		mics for computin							
P12.1*	The disp	lay meets the ergo	nomic requirements of	f ISO 9241-	307 for visual dis	play technologies.	\boxtimes		
P12.2*	The phy	sical input device n	neets the requirements	s of ISO 999	95 and ISO 9241-	410.	\boxtimes		
P13	Packagi	ing and document	tation						
P13.1*	Product packaging material type(s): CARTONweight (kg): 0.2738Product packaging material type(s): CUSHIONweight (kg): 0.089Product packaging material type(s): Gift BOXweight (kg): 0.030								
P13.2*	Product	plastic primary pac	kaging is free from PV	′C.			\boxtimes		
P13.3*		duct primary corruger recovered fiber of		aging, spec	cify the contained	d percentage of minimum			
P13.4*	Specify I		product documentatio	n (tick box):					
P13.5	Úser and		item if paper documen tation on paper media				\boxtimes		
		hlorine-free al chlorine-free					\boxtimes		
	Process	ed chlorine-free							
P14	Volunta	ry programs							
P14.1			uirements of the follow	ing voluntar	y program(s):				
		Y STAR® el: EPEAT	Criteria version: 6.1 Criteria version: 16		Date: Date: 2009/12/ 9	Product category: 11 , 1 2 Product category: Silve			
	Eco-labe	el:	Criteria version:		Date:	Product category:			
P15	Addition	nal information (S	ee NOTE B10)						
P9	Energy	consumption of s	pecific configuration	may vary;	description of t	he tested product configu	iration:		
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.								
P9			Notebooks & Tablet Co index.cfm?fuseaction=			nation: Group&pgw_code=CO			

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad 530S-14/XiaoXin Air -14	Logo
Model Number	81H1	
Issue Date	2018-3-16	Lenovo
Additional information		

(d)	Year of manufacture:				2018		
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are		
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	II discrete graphics o	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	16					
lents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
idjustm ring tes	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capa app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)						
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	16.14					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
g)	Idle state power demand (Watts);		1		A : 5.38		
h)	Sleep mode power demand (Watts);				A : 0.48		
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A : 0.48		
j)	Off mode power demand (Watts);				A : 0.30		
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A : 0.30		
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 9	% of rated output pow	er (if applicable):			
	10% 20% 50%	100% Avera	ige				
(m)	External power supply efficiency (if appli	cable)*:					
	Average active efficiency: 89.23%, 89.	03%, 88.93%, 89.04	%,89.92%,89.18%				
(0)	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 800CYCLES						
(p-1)	Measurement methodology used to dete	rming information man	tioned in points (I) it	tornal DSLL officianov			

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)							
(p-3)	Measurement method	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	oints (o) – loading cycles batteries:					
(p-4)		dology used to determine information mentioned in n oint P9.1 in the Product IT Eco Declaration: IEC 62623	naximum, idle, sleep, off mode					
(q)	Sequence of steps fo	r achieving a stable condition with respect to power on -> Wait 5 minutes ->Stable cor						
(r)	Description of how slo	eep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or o	ff mode					
(s)	Sequence of events r off mode:	equired to reach the mode where the equipment aut	omatically changes to sleep and/or					
	on mode.	NA						
(t)		e condition before the computer automatically re not exceed the applicable power demand requireme		30min				
(u)	Length of time after mode that has a low	a period of user inactivity in which the computer er power demand requirement than sleep mode (in	r automatically reaches a power minutes):	NA				
(v) (w)		re the display sleep mode is set to activate after u ergy-saving potential of power management function		10min				
()		Refer to User Guide	inny.					
(x)	User information on h	ow to enable the power management functionality: <i>Refer to User Guide</i>						
(z)		neasurements: — test voltage in V and frequency in system, — information and documentation on the ins ting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits					
A -1-1:4:	- Notebaals Datta		,					
Additiona	al Notebook Batter	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾						
Internal/b	uilt-in Battery							
External/c	letachable Battery							
Bios Back	up Battery							
Other:								
Additional	information							
Akymynaτopha Las baterías de Výměnu bateria Brugeren kan i Der Akku/die A Kasutajad ei sa H μπαταγία[-ες La/les batterie(Korisnik ne mo La batteria/le b Lietotāji paši nu Šio gaminio ba A termék akku II-batterija/batte Batteriet [ene] De batterij(en) Užytkownik nie A ou as bateria Bateria (baterii Bateria (baterii Baterij/batterije	Ta[μτe] δατερμя[μ] в този г e este producto no pueden i e/baterií v tomto výrobku by kke uden videre udskifte ba kkus dieses Produkts kann aa selle toote akut/akusid is cj στο προϊόν αυτό δεν μπο js présente(s) dans ce prodi že lako zamijeniti Bateriju s atterie in questo prodotto n evar nomainīt šā ražojuma a terijos [bateriju] pats vartoto mulátorát/akkumulátorait a f ariji fdan il-prodott ma tistaæ i dette produktet kan ikke le in dit product is (zijn) door o može sam w latwy sposób is deste produto não poden le) din acest produs nu poden v tem izdelku uporabniki sa	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες iit ne peuvent être facilement remplacée(s) par les utilisateurs e am u ovom proizvodu. on puó/possono essere facilmente sostituita/e dall'utente. akumulatoru(-us). jas negali lengvai pakeisti. elhasználó nem tudja egyedűl egyszerűen kicserélni. /jistghux tigi/ijdu sostitwita/i mill-utenti stess. tt erstattes av brukerne selv. le gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie. s ser facilmente substituídas pelos próprios utilizadores. te (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. eñať používateľ. mi ne morejo zlahka zamenjati. osti käyttäján vaihdettavissa.	werden.					