



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0
Company name *	Lenovo		<u> </u>
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LEHOVO
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo ideapad L340-17
Model number *	81M0, 81LY
Issue date *	2018-12-18
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	81M0	Logo	Long		
Issue dat	:e *	2018-12-18		Lend	JVC	<b>D</b> <sub>TM</sub>
Product	environ	mental attributes - Legal requirements		Require	men	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	Products hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlethane, methyl bromide (see legal reference). Comment: Legal reference has no maration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated biphen	orinated	$\boxtimes$		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms in the	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0, al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	5 μg/cm²/week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail c	ontact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	ie disposal			
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmi e)	um. (See legal	l 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see legal	al reference).	X		
	The Dec	laration of Conformity can be requested at (add link or e-mail address):				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is;				
P5	Droduct					
P5.1*	Packagii	<ul> <li>packaging</li> <li>ng and packaging components do not contain more than 0,01% lead, mercury.</li> <li>ent chromium by weight of these together.</li> </ul>	, cadmium an	d 🔀		
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature of the legal reference).	f the material(s	s) 🔀		
P5.3*	The prod (see lega	duct packaging material is free from ozone depleting substances as specified in the M al reference).	ontreal Protoco	ol 🔀		
P6		nt: Legal reference has no maximum concentration values.				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81M0	Logo	Lanava
Issue date *	2018-12-18		LEI IOVO

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.		$\boxtimes$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: >PC+ABS-FR(40)< Material type: >PC+ABS-TD15FR(40)<			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing	3		ļ
P7.15	more than 25% post-consumer recycled content.			
	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: <b>Brominated Epoxy Resin</b> , CAS #: 26265-08-7		Ш	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	$\boxtimes$		
	according ISO 1043-4: FR(16)			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:	$\boxtimes$		
	1. Chemical name: <i>FR2021</i> ,, CAS #: <i>confidential</i> (See NOTE B4) 2. Chemical name: <i>NH-1150</i> , CAS #: <i>confidential</i> "			
	2. Chemical name: <i>Nn-1150</i> , CAS #: <i>confidential</i> 3. Chemical name: <i>ER5151RFL</i> , CAS #: <i>confidential</i> "			
57.40	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)		Щ.	<del>_</del> <del>   </del>
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)  Postconsumer recycled plastic material content is used in the product (See Note B6):		$\overline{}$	
F1.20	Posiconsumer recycled plastic material content is used in the product (See Note Bo).	$\boxtimes$		ш
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 0.337%%.			
	or b) The weight of recycled material is <b>3.4</b> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81M0	Logo	Lonovo
Issue date *	2018-12-18		LEIIOVO

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and subs	stance requirements	(continued)			
P7.21*	Biobased plastic m	naterial content is used	I in the product (See No	OTE B7):		
		c parts' weight > 25 g,	s below shall be answe the biobased plastic m	ered; aterial content (calcula	ted as a percentage of	
		f the biobased plastic r	naterial is g.			
P7.22*			less than 0,1 mg/lamp.			
		specify: Number of lan	nps: and maxim	um mercury content pe	r lamp: mg	
P8	Batteries					
P8.1*	<u> </u>	composition: LI-ION				
P9		tion (See NOTE B8)				
P9.1 Energy mo	For the product the	Power level at	s or energy consumption  Power level at	ons are reported:  Power level at	Reference/Standard for energy	
Energy Ino	ue	100 V AC	115 V AC	230 V AC	modes and test method *	Ш
Peak (On-	max)	65 W	65 W	65 W	Full load	
Categor	<u>y</u>	1	1	1		
Short Idle Enabled	State - WOL	5.7W	5.58 W	6.19 W	Use for ENERGY STAR V6 registration (Pidle)	
Long Idle Enabled	State - WOL	3.36 W	2.67 W	3 W	Use for ENERGY STAR V6 registration (P <sub>idle</sub> )	
Sleep (S3)	- WOL Enabled	0.51 W	0.50 W	0.51 W	Use for ENERGY STAR V6 registration(P <sub>sleep</sub> )	
Sleep (S3)	- WOL Disabled	0.51 W	0.50 W	0.51 W	Reference	
Off (S5) - V	WOL Enabled	0.25 W	0.25 W	<b>0.27</b> W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - V	WOL Disabled	0.25 W	0.25 W	0.27 W	Use for ErP	
EPS No-loa (External powers	ad supply / charger plugged in the econnected from the product.)	0.106W	0.105 W	0.106 W		
PTEC *	ergy Consumption	W	W	W		
ETEC *	<del>9,</del>	20.03	19.08	21.05	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	$\Box$
Annual Ene	ergy Consumption	kWh/year	kWh/year	kWh/year	+ P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> x 0.10+ P <sub>short_Idle</sub> x 0.30)	
		Poff: Off Mode(S5) - WC	OL Enabled; P <sub>sleep</sub> : Sleep	Mode(S3) - WOL Enable	d; P <sub>idle</sub> : Idle State - WOL Enabled	
External Po	ower Supply Efficier	ncy Level (International	Efficiency Marking Pro	otocol) * : VI		
Display res	solution * : 1920*108	30 megapixels				
Default time	e to enter energy sa	ve mode: 30 minutes				T
P9.2*	Information about	the energy save function	on is provided with the	product.		Ħ
P9.3		class (monitors only):		-		
P10	Emissions	, ,,				
		Declared according to	ISO 9296 (See NOTE	E B9)		
P10.1		Mode description	,		t A-weighted sound power level, $L_{WA,c}$	(B)
	Idle *	HDD:Idle		* 2.5		
	Operation *	HDD: Operating		* 3.6		
	Other mode	ODD :Operating		3.1		
	Other mode	eclared A-weighted soun	d pressure level (dB) $L_{pAn}$	(operator pos	sition desktop – operating)	
	Measured according	ng to: SO 7779	ECMA-74	FCMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Electromagnetic emissions  P10.4 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):  P12 Ergonomics for computing products  P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13 Packaging and documentation  P13.1* Product packaging material type(s): CARTON weight (kg): 0.37 Product packaging material type(s): EPE weight (kg): 0.09 Product packaging material type(s): EPE weight (kg): 0.09  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box):  □ P13.5 (Please only complete this item if paper documentation used)  User and product documentation on paper media is chlorine-free:  If Yes, please specify:  Totally chlorine-free	met n.a.
Item	
Electromagnetic emissions  P10.4 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):  P12 Ergonomics for computing products  P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13 Packaging and documentation  P13.1* Product packaging material type(s): CARTON weight (kg): 0.37 Product packaging material type(s): EPE weight (kg): 0.09 Product packaging material type(s): EPE weight (kg): 0.09  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box):  □ P13.5 (Please only complete this item if paper documentation used)  User and product documentation on paper media is chlorine-free:  If Yes, please specify:  Totally chlorine-free	
P10.4 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):  P12 Ergonomics for computing products  P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13 Packaging and documentation  P13.1* Product packaging material type(s): CARTON weight (kg): 0.37 Product packaging material type(s): EPE weight (kg): 0.09 Product packaging material type(s): PE weight (kg): 0.0238  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box):  Electronic, Paper, Other  P13.5 (Please only complete this item if paper documentation used)  User and product documentation on paper media is chlorine-free:  If Yes, please specify:  Totally chlorine-free	
program(s):  P12 Ergonomics for computing products  P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13 Packaging and documentation  P13.1* Product packaging material type(s): CARTON weight (kg): 0.37 Product packaging material type(s): EPE weight (kg): 0.09 Product packaging material type(s): PE weight (kg): 0.0238  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box):  Electronic, Paper, Other  P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free	
P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13 Packaging and documentation  P13.1* Product packaging material type(s): CARTON weight (kg): 0.37 Product packaging material type(s): EPE weight (kg): 0.09 Product packaging material type(s): PE weight (kg): 0.0238  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box):  Electronic, Paper, Other  P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:  If Yes, please specify: Totally chlorine-free	
P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410.  P13 Packaging and documentation  P13.1* Product packaging material type(s): CARTON weight (kg): 0.37     Product packaging material type(s): EPE weight (kg): 0.09     Product packaging material type(s): PE weight (kg): 0.0238  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box):  Electronic, Paper, Other  P13.5 (Please only complete this item if paper documentation used)     User and product documentation on paper media is chlorine-free:     If Yes, please specify:     Totally chlorine-free	
P13.1* Product packaging material type(s): CARTON weight (kg): 0.37 Product packaging material type(s): EPE weight (kg): 0.09 Product packaging material type(s): PE weight (kg): 0.0238  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box):  □ Electronic, □ Paper, □ Other  P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free	
P13.1* Product packaging material type(s): CARTON weight (kg): 0.37 Product packaging material type(s): EPE weight (kg): 0.09 Product packaging material type(s): PE weight (kg): 0.0238  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box):  Electronic, Paper, Other  P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:  If Yes, please specify: Totally chlorine-free	
Product packaging material type(s): EPE weight (kg): 0.09 Product packaging material type(s): PE weight (kg): 0.0238  P13.2* Product plastic primary packaging is free from PVC.  P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box):  Electronic, Paper, Other  P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:  If Yes, please specify: Totally chlorine-free	
P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box):  Electronic, Paper, Other  P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:  If Yes, please specify: Totally chlorine-free	
consumer recovered fiber content: 100 %  P13.4* Specify media for user and product documentation (tick box):  Electronic, Paper, Other  P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:  If Yes, please specify:  Totally chlorine-free	
Electronic,	
User and product documentation on paper media is chlorine-free:  If Yes, please specify:  Totally chlorine-free	Ш
·	
Elemental chlorine-free	
Processed chlorine-free	
P14 Voluntary programs	
P14.1 The product meets the requirements of the following voluntary program(s):	
ENERGY STAR® Criteria version: 7.1 Date: 2018-11-22 Product category: 1 Eco-label: Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category:	
P15 Additional information (See NOTE B10)	
P9 Energy consumption of specific configuration may vary; description of the tested product configuration:	
NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informatio provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.	'n
P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO	

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# **Lenovo ErP Lot3 Information Sheet** - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad L340-17IWL	Logo	
Model Number	81M0		Lonovo
Issue Date	2018-12-18		Lenovo.
Additional information			

d)	Year of manufacture:				
					2018
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
7)	Etec value (kWh) per ErP Lot 3 Catego enable	ry and capability adjus	tments applied when a	ıll discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16	16		
ents ting	Additional internal storage	Yes (Yes / No)	Yes (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	Yes #: 1 (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	G3	G3		
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	11.9	11.62		
J)	Idle state power demand (Watts);				A:3.7 B:3.95
1)	Sleep mode power demand (Watts);				A:0.51 B:0.52
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		A:0.51
)	Off mode power demand (Watts);				B:0.52 A:0.33
	On mode power demand (watts),				B:0.34
)	Off mode with WOL enabled power dem	nand (Watts) (where er	nabled);		A:0.33 B:0.34
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100	% of rated output pow	er (if applicable):	5.0.07
	10% 20% 50%	100% Avera	age		
1)	External power supply efficiency (if appl	icable)*:			
	Average active efficiency: VI				
))	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	otebook computers):	300 cycles
p-1)	Measurement methodology used to dete	ermine information men	ntioned in points (I) - in	nternal PSU efficiency:	:

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  Measuring the Energy Consumption of External Power Supplies, Appendix Z to 10 CFR Part 430.			
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  IEC 61960 measurement methodology / 0.5C Charge/Discharge			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  ENERGY STAR Test Method for Computers, Rev. Aug-2012			
(p)	Sequence of steps for achieving a stable condition with respect to power demand:			
(1)	Boot the computer and wait until the operating system has fully loaded. If necessary, run the initial			
	operating system setup and allow all preliminary file indexing and other one-time/periodic processes			
(r)	to complete.  Description of how sleep and/or off mode was selected or programmed:			
(1)	refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode:			
	ACPI system level G2/S5 ('soft off') state			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:			
refer to power management, 30mins automatically reaches sleep mode				
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):  30min			30min
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10min			
(w)	Information on the energy-saving potential of power management functionality:			
(x)	refer to user manual  User information on how to enable the power management functionality:			
(*)	refer to user manual			
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:			
Additional Notebook Battery Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)		
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Additional information				
)				

The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituídas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

H μπαταρία[-ες] στο προίον αυτό δεν μπορούν να αντικατάσταθούν εύκολα από τους ίδιους τους χρηστές

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.