

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	ttp://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html					

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook				
Commercial name *	Lenovo ideapad MIIX 510-12ISK				
Model number *	80U1				
Issue date *	2016.07.13				
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	80U1		
Issue date *	2016.07.13	Logo	Lenovo

Product	duct environmental attributes - Legal requirements			t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)	\boxtimes		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	80U1		
Issue date *	2016.07.13	Logo	Lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design R	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
D7.4*	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		<u>Ц</u>	<u>Ц</u>
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			\boxtimes
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		X	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	$\overline{\boxtimes}$	$\overline{\Box}$	
P7.9.	Spare parts are available after end of production for: 5 years			Ħ
P7.10	Service is available after end of production for: 5 years			$\overline{}$
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: Mg-AI Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		$\overline{\boxtimes}$	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		Ħ	Ħ
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		X	$\overline{}$
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\square		
	Marking:			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:		Ш	
	TODAA (additive) , TODAA (teactive) , Ottlet, Chemical Hame. , CAS #.			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	·			
	1. Chemical name: <i>triaryl phosphate esters</i> , CAS #:			
	2. Chemical name: , CAS #: 3. Chemical name: , CAS #:			
	3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	\boxtimes		
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	\boxtimes		
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %. Light sources are free from mercury			
P7.22	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		Ш	Ш
P8	Batteries			
P8.1*	Battery chemical composition: Li-ion			
P8.2	Batteries meet the requirements of the following voluntary program/s:			$\neg \Box$

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	80U1		
Issue date *	2016.07.13	Logo	Lenovo.

Item	ributes - Market	requirements (d	continuea)	Yes No n.a			
P9 Energy consumpt	ion			100 110	д.		
9.1 For the product the following power levels or energy consumptions are reported: See P14							
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	Ī		
Peak (On-max)	20.500W	22.524 W	22.495 W	2 E.5124W ad 22.495	5 V		
Category 0	11						
Short Idle State - WOL Enable	ed NAW	NA W	NA W	Use for ENERGY STAR V6 registration (P _{idle})	Т		
Long Idle State - WOL Enable	d NAW	NA W	NA W	Use for ENERGY STAR V6 registration (P _{idle})	Ŧ		
Sleep (S3) - WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 registration(P _{sleep})	Ī		
Sleep (S3) - WOL Disabled	NA W	NA W	NA W	Reference	Ŧ		
Off (S5) - WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 registration(Poff)	Ī		
Off (S5) - WOL Disabled	NA W	NA W	NA W	Use for EuP	Ī		
Category I1							
Short Idle State - WOL Enable	ed 10.188W	10.344W	10.612W	Use for ENERGY STAR V6 registration(P _{idle})	T		
Long Idle State - WOL Enable	d 6.516W	6.396W	6.804W	Use for ENERGY STAR V6 registration(P _{idle})	Ī		
Sleep (S3) - WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 registration (P _{sleep})	Ħ		
Sleep (S3) - WOL Disabled	0.672W	0.672 W	0.648 W	Reference	Ī		
Off (S5) - WOL Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 registration(P _{off})	Ī		
Off (S5) - WOL Disabled	0.36W	0.36 W	0.348 W	Use for EuP	Ī		
EPS No-load	0.06 W	0.06 W	0.06 W		Ī		
(External power supply / charge plugged in the wall outlet but disconnected from the product.)							
PTEC *	W	W	W		_		
Typical Energy Consumption	VV	VV	VV		_		
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week]		
ETEC *	35.33	35.64	36.60	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35)$	I		
Annual Energy Consumption	kWh/year	kWh/year	kWh/year	+ P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)			
Birds and the COM.		5) - WOL Enabled; I	P _{sleep} : Sleep Mode	(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	_		
Display resolution* : 2.3 Mega					_		
•	ages per minute				1		
Default time to enter energy say							
	ne energy save funct				┙		
	the energy requirem rersion: Version 6.1		ng voluntary prod luct category: <mark>/1</mark>]		
P10 Emissions					┪		
	Declared according t	to ISO 9296	Dadasad	De clared A weighted			
P10.1 Mode N	lode description		Declared A-weighted sound power	er Sound pressure level L_{pAm} (db)			
			level $L_{W\!Ad}$ (Desktop (only if product is not			
				or Desk side operator attended)			
Idle *	HDD:Idle		* 2.7	21.6]		
Operation * Other mode	HDD: Operating		* 4.0	31.7	J		
Measured accordin	a to: X ISO7770	ECMA-74		1			
INICASUIGU ACCOIUIII	Other	_	red by ECMA-74	with L _{pAm} measurement distance m)			
P10.2 The product meets	the acoustic noise re				7		

Model number *	80U1		
Issue date *	2016.07.13	Logo	Lenovo.

Product	environmental attributes - Market requirements (continued)	equire	ment	met
Item	·	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:	\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes		
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated weight (kg): 0.455			
	Product packaging material type(s): <i>EPE</i> weight (kg): <i>0.0125</i> Product packaging material type(s): <i>0.0125</i> weight (kg): <i>0.035</i>			
P13.2*	Product plastic packaging is free from PVC.			
P13.3*	Specify media for user and product documentation (tick box):			+
1 10.0	Electronic , Paper , Other .			ш
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: <i>NA</i>			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied,			
	information contained in this document. All information provided by supplier in this document is provided based			
	knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representa			on
	information.		11010	
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad MIIX 510-12ISK	Logo
Model Number	80U1	Lanava
Issue Date	2016/07/13	Lenovo ®
Additional information		

Product environmental attributes	
year of manufacture:	2016
E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics ca disabled and if the system is tested with switchable graphics mode with UMA driving the display:	rds (dGfx) are
Category (according to ErP Lot 3): A Etec: 20.3	
E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics car enabled:	ds (dGfx) are
Category (according to ErP Lot 3): NA Etec: NA	
idle state power demand (Watts);	6.73
sleep mode power demand (Watts);	0.67
sleep mode with WOL enabled power demand (Watts) (where enabled);	NA
off mode power demand (Watts);	0.38
off mode with WOL enabled power demand (Watts) (where enabled);	NA
internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
10% 20% 50% 100% Average	
external power supply efficiency (if applicable):	
Average*: 45W:88.40%;88.64%;88.53%;	
*internal note: show values for all available external power supplies	
the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	500
the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:	
NA NA	
the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:	
Energy-star requirement	
	year of manufacture: E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cardisabled and if the system is tested with switchable graphics mode with UMA driving the display: Category (according to ErP Lot 3): A Etec: 20.3 E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics carenabled: Category (according to ErP Lot 3): NA Etec: NA idle state power demand (Watts); sleep mode power demand (Watts); sleep mode with WOL enabled power demand (Watts) (where enabled); off mode with WOL enabled power demand (Watts) (where enabled); internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average external power supply efficiency (if applicable): Average*: 45W-88.40%,88.64%,88.53%; *internal note: show values for all available external power supplies the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): the measurement methodology used to determine information mentioned in points (I) — internal PSU efficiency: NA the measurement methodology used to determine information mentioned in points (m) — external PSU efficiency:

Additional informa	uoil -						
Additional informa	tion						
			themselves				
(Battery not us replaceable)	er (Battery user replaceable)		The battery[ies] in this product cannot be easily repla	ced by users			
			by a non-professional user.	эси ани геріасей			
Addition Notebool Yes	Battery Information	n/a	This notebook computer is operated by battery/ies that cannot be acces	sed and replaced			
			50Hz, Total Harmonic Distortion <2 %				
	trical testing:						
			test voltage in V and frequency in Hz, — total harmonic distortion of the n and documentation on the instrumentation, set-up and circuits used				
. ,			Based on user manual				
(x) user inf	ormation on how to en	able the	power management functionality:				
			Based on user manual				
(w) informa	tion on the energy-sav	ing poter	ntial of power management functionality:				
(v) the len	(v) the length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10						
power mode that has a lower power demand requirement than sleep mode (in minutes): NA							
(u) the length of time after a period of user inactivity in which the computer automatically reaches a							
	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 30						
0			Based on user manual				
(s) sequen	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or						
			Based on user manual				
(r) descrip	r) description of how sleep and/or off mode was selected or programmed:						
	IEC6	2623/IEC	EN50564:2011 measurement methodology				
(q) sequen	sequence of steps for achieving a stable condition with respect to power demand::						
powers	IEC62623/IEC EN50564:2011 measurement methodology						
	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
batterie	s:	IFC	61960 measurement methodology				