



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		<u> </u>
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:	•	
	http://www.lenovo.com/ecodeclaration		

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	NB
Commercial name *	Lenovo ideapad S340-14/S340-14Touch
Model number *	81N7, 81NB, 81QE, 81QD, 81QM, 81QQ
Issue date *	2018/11/6
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	81N7, 81NB, 81QE, 81QD, 81QM, 81QQ	Logo	Lan		
Issue date	e *	2018/11/6		Lend	JVC) _{TM}
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	k 🔀		
P1.7*	REACH.	Article 33 information about substances in articles is available at (add URL or mail w.lenovo.com/social_responsibility/us/en/environment.html	contact):	\boxtimes		
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	luct is CE-marked to show conformance with applicable legal requirements (see legal requirements) (see legal requirements): laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/	gal reference).			
P3.2*	The prod	luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	d information is; given in item P15 or added to this document, available at (add URL): www.lenovo.com/social_responsibility/us/en/datasheets_notebooks/				
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the material	(s)		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Nal reference). It Legal reference has no maximum concentration values.	Montreal Protoc	col 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81N7, 81NB, 81QE, 81QD, 81QM, 81QQ	Logo	Lonovo
Issue date *	2018/11/6		LEHOVO.

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			Щ.
P7.2*	Plastic materials in covers/housing have no surface coating.		<u> </u>	Щ.
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Щ.	Щ.
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u>Ц</u>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		Щ	
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: plastics Material type: aluminum Material type: Insulation materials of external electrical cables are PVC free.			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:	\boxtimes		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	□TBBPA (additive), ☑TBBPA (reactive) (See NOTE B3), □Other: , CAS #: 79-94-7	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: FR(16)	\boxtimes		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:	\boxtimes		
	1. Chemical name: Confidential, CAS #: Confidential (See NOTE B4)	_		_
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		Щ	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
	If YES; at least one of the two alternatives below shall be answered;			
1	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 2.5%.			
	or b) The weight of recycled material is 9.7 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81N7, 81NB, 81QE, 81QD, 81QM, 81QQ	Logo	Lonovo
Issue date *	2018/11/6		LEI IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and sub	otonoo roc	uiromonto	/oontinu	o.d\				
P7.21*	Material and sub Biobased plastic r					NOTE B7):			
	If YES; at least or			•	•	•			
	,					,	ntent (calcu	lated as a percentage of	
	total plastic b			tilo blobe	acca piactic	matorial col	ntont (oaloa	iated as a percentage of	
	or								
D7 00*	b) The weight of								
P7.22*	Light sources are If mercury is used					ıp. mum mercu	ırv content i	per lamp: mg	
P8	Batteries	opcony. 14	arriber or iar	про.	una maxi	mam merea	iry contone	por ramp.	
P8.1*	Battery chemical	composition	n: <i>Li-polyr</i>	ner					П
P9	Energy consump	tion (See	NOTE B8)						
P9.1	For the product th			ls or ener	gy consump	otions are re	ported:		
Energy mo	de *		r level at		er level at	_	er level at	Reference/Standard for energy	
D 1 (O.			V AC		15 V AC		0 V AC	modes and test method *	
Peak (On-	max)	65 W		65 W		65 W		Full load	
Categor	y NB1								
Short Idle	State - WOL	6.77	W	5.94	W	5.38	W	Use for ENERGY STAR V6	
Enabled								registration (P _{idle})	
Long Idle	State - WOL	2.54	W	2.50	W	2.72	W	Use for ENERGY STAR V6	
Enabled								registration (Pidle)	
	- WOL Disabled	0.41	W	0.41	W	0.50	W	Reference	
Off (S5) - V	WOL Disabled	0.28	W	0.28	W	0.38	W	Use for ErP	
EPS No-loa		0.053 W	1	0.057 V	V	0.150 W	1		
(External powers wall outlet but dis	supply / charger plugged in the connected from the product.)								
PTEC *		W		V	٧	V	/		
	ergy Consumption								
ETEC *		21.89	_	19.67		18.89		$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
Annuai Ene	ergy Consumption	kWh/yea	Γ	kWh/yea	ar	kWh/yea	ar	+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)	
		P _{off} : Off N	lode(S5) - W	OL Enable	d; P _{sleep} : Sle	ep Mode(S3)	- WOL Enak	oled; P _{idle} : Idle State - WOL Enabled	
External Po	ower Supply Efficie								
Display res	solution * : 1920*10	80 megapi	xels						Ħ
	e to enter energy sa								
P9.2*	Information about			on is prov	vided with th	ne product.			
P9.3	Energy efficiency			•		•			X
P10	Emissions	(1111)	,,						
	Noise emission -	- Declared	according to	ISO 929	6 (See NO	ΓΕ B9)			
P10.1		Mode desc			,		cal upper lir	mit A-weighted sound power level, $L_{WA,c}$	(B)
	Idle '	' Idle				* 2.7			
	Operation '	CPU Ope	rating			* 3.8			
	Outof Inodo	_	veighted soun	d pressure	e level (dB)	17.7	(operator	position desktop – idle)	
		L _p Am	rolarbén -l	al mun==	Javal (-ID)	07.5			
		Declared A-и L_{pAm}	reighted soun	u pressure	: ievei (aß)	27.5	(operator	position desktop – operating)	
	Measured accord	_	SO 7779 🔀	ECMA :	7/				
	ivieasured accord			_		by ECMA 7	4)		
	1		Other	(Only If N	or coveted	by ECMA-74	+ <i>)</i>		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	81N7, 81NB, 81Q	E, 81QD, 81QM, 81Q	Q			Logo	Loro	27.72	
Issue date	*	2018/11/6						Len	OVO	TH
Product	onvironn	nontal attributor	s - Market requirem	nonte (cor	ntinued)			Poqui	rement	met
Item	EIIVIIOIII	nentai atti ibutes	s - Market requirem	ients (cor	itinueu)			Yes		n.a.
10111	Flectron	nagnetic emission	ns					10.	, 110	11.4.
P10.4			e requirement for low f	requency el	lectromagnetic fields	of the follo	owing volunt	tarv		
	program						3		ш	
P12		nics for computin								
P12.1*	The disp	lay meets the ergo	nomic requirements of	f ISO 9241-	307 for visual displa	y technolog	gies.			\boxtimes
P12.2*	The phys	sical input device m	neets the requirements	of ISO 999	95 and ISO 9241-410	0.				
P13		ng and document								
P13.1*			type(s): paper pad	weight (kg						
		packaging material		weight (kg	,,					
P13.2*		packaging material	7 1	weight (kg	j): 0.281					
			kaging is free from PV		of the control of the		. 6	<u> </u>		뿌
P13.3*		iuct primary corruger recovered fiber c	gated fiberboard pack	aging, spec	city the contained p	ercentage	or minimum	n post-		
P13.4*			product documentatio	n (tick box):						$\overline{}$
		ronic, 🔀 Paper, 🗌		(, , , ,						ш
P13.5	(Please	only complete this	item if paper documen	tation used))					
			tation on paper media	is chlorine-	free:					
	If Yes, pl	ease specify:								
	Totally c	hlorine-free							I	
	Elementa	al chlorine-free								
	Processe	ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The prod	luct meets the requ	irements of the followi	ing voluntar	y program(s):					
		Y STAR®	Criteria version: 7.1	1	Date: 2018/12/20		ategory: NE	31		
	Eco-labe		Criteria version:		Date:	Product c	0 ,			
DAF	Eco-labe		Criteria version:		Date:	Product c	ategory:			
P15		nal information (S				441	-l			
F9			pecific configuration epresentations, guara						ling the	
			epresentations, guara s document. All inform							
			time of completion, an							ion

provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.

See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

P9

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad S340-14/S340-14Touch	Logo	
Model Number	81N7, 81NB, 81QE, 81QD, 81QM, 81QQ		Lonovo
Issue Date	2018/11/6		Lenovo.
Additional information			

d)	Year of manufacture:				2018
e) f)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Categor	switchable graphics n	node with UMA driving	the display.	, ,
	enable	Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3
	Memory over base [GB]	8	8	(docording to En Eoro)	(according to En Lot o
ents	Additional internal storage	YES (Yes / No)	YES (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	NO (Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
capi	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	YES #: 1 (Yes / No)	# <i>:</i> (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NA	G3		
ssults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	7.89			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		9.95		
g)	Idle state power demand (Watts);	1		ı	A: 2.21; B: 2.93
n)	Sleep mode power demand (Watts);				A: 0.46; B: 0.48
i)	Sleep mode with WOL enabled power do	emand (Watts) (where	enabled);		A: 0.46; B: 0.48
j)	Off mode power demand (Watts);				A: 0.32; B:0.35
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A: 0.32; B:0.35
l)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 9	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 88.45%, 88.	64%,88.53%,89.24	% <i>,</i> 89.03% <i>,</i> 88.93%		
-\	*internal note: show values for all available external p		hand (analian and the	atabaala aanansto	
o)	Minimum number of loading cycles that t	ine patteries can withst	tand (applies only to n	отероок computers):	300
p-1)	Measurement methodology used to dete	ermine information men	tioned in points (I) - ir	nternal PSU efficiency:	

(p-2)		dology used to determine information mentioned in program Requirements for Single Voltage Externa Eligibility Criteria (Version 2.0)			
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623				
(d)	Sequence of steps for achieving a stable condition with respect to power demand: *Power on -> Wait 5 minutes -> Stable condition*				
(r)	(r) Description of how sleep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or off mode**				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: NA				
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30min	
(u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA		
(v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes):				10min	
(w)	(w) Information on the energy-saving potential of power management functionality: **Refer to User Guide**				
(x)	(x) User information on how to enable the power management functionality: **Refer to User Guide**				
(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301					
Additional Notebook Battery Information:					
Additio	nai Notebook Batter		Detter Seel	11-	
		Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a	
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Additional information					

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt. Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

Sio gaminio baterijos [baterijot pats variotojas negali lengvai pakeisti.
A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.
Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.
Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.
De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.
Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] elivät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.