



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		<u> </u>
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:	•	
	http://www.lenovo.com/ecodeclaration		

	based on product specification or test results based obtained from sample testing), that the product of the given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo ideapad S540-14/S540-14 Touch Series
Model number *	81ND, 81NH/81Q0, 81QX
Issue date *	2019/1/7
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	81ND, 81NH/81Q0, 81QX	Logo	Lon		
Issue dat	e *	2019/1/7		Lend	JVC	D _{TM}
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1	Hazardo	us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl l (PCT) in preparations (see legal reference).		\boxtimes		
P1.5*	Products	odo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the	e 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/week	〈		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail own.lenovo.com/social_responsibility/us/en/environment.html	contact):			
P2	Batterie	S				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries referenc	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See lega	I 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	luct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): ww.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/	jal reference).			
P3.2*	The prod	luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
		d information is; given in item P15 or added to this document, available at (add URL):				
	http://w	ww.lenovo.com/social responsibility/us/en/datasheets notebooks/				
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.				
P5.2*		caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material(s	s) 🔀		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Nal reference).	Iontreal Protoco	ol 🔀		
P6		nt: Legal reference has no maximum concentration values. nt information				
P6 1*		on for recyclers/treatment facilities is available (see legal reference)			$\overline{}$	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81ND, 81NH/81Q0, 81QX	Logo	Longvo
Issue date *	2019/1/7		LEI IOVO

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		quirer	nent	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		\boxtimes	
P7.8*	Upgrading can be done using commonly available tools		\boxtimes	
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: <i>Aluminum 5052</i> Material type: <i>Covestro FR3008</i> Material type: <i>Covestro F</i> Insulation materials of external electrical cables are PVC free.	R3002		
		-		\vdash
P7.13	Insulation materials of internal electrical cables are PVC free.		<u>×</u>	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated epoxy resin , CAS #: 26265-08-7			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 2.95%. or b) The weight of recycled material is 5.8g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81ND, 81NH/81Q0, 81QX	Logo	Lonovo
Issue date *	2019/1/7		LEI IOVO,

		Requirement r	
Item	Yes	No	n.a.

	Material and sub	stance requirements	(continued)			
P7.21*	Biobased plastic n	naterial content is used	d in the product (See N	OTE B7):		
	 a) Of total plastic b total plastic b 	c parts' weight > 25 g,	es below shall be answ the biobased plastic m	ered; naterial content (calcula	ted as a percentage of	
	or b) The weight o	f the biobased plastic r	material is g			
P7.22*	Light sources are		less than 0,1 mg/lamp.	um mercury content pe	er lamp: mg	
P8	Batteries	specify. Number of lar	iips. and maxim	din mercury content pe	in lamp.	
P8.1*		composition: lithium-ic	on			
P9		tion (See NOTE B8)				
P9.1			s or energy consumption	ons are reported:		
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy	
		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-I	max)	65 W	65 W	65 W	Full load	
Categor	<u>y NB1</u>					
Short Idle Enabled	State - WOL	5.10 W	4.73 W	4.44 W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle Enabled	State - WOL	3.14 W	3.69 W	2.38 W	Use for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3)	- WOL Enabled	0.50 W	0.49 W	0.55 W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3)	- WOL Disabled	0.50 W	0.49 W	0.55 W	Reference	
Off (S5) - V	VOL Enabled	0.26 W	0.26 W	0.34 W	Use for ENERGY STAR V6 registration(P _{off})	
Off (S5) - V	WOL Disabled	0.26 W	0.26 W	0.34 W	Use for ErP	
EPS No-loa (External power s	ad supply / charger plugged in the connected from the product.)	0.074 W	0.078 W	0.149 W		
PTEC *		W	W	W		
ETEC *	ergy Consumption	18.26 kWh/year	17.73 kWh/year	16.18 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	$\overline{}$
_	ergy Consumption	70.20 KWIIIyodi	WWW.ycar	70.70 KVVIII you	+ P _{short Idle} x 0.30)	Ш
		Poff: Off Mode(S5) - We	OL Enabled; Psleep: Sleep	Mode(S3) - WOL Enable	ed; Pidle: Idle State - WOL Enabled	
External Po	ower Supply Efficier	ncy Level (Internationa	l Efficiency Marking Pro	otocol) * : VI		
Display res	olution * : 1920*10	80 megapixels				
Default time	e to enter energy sa	ave mode: 10 minutes				T
P9.2*			on is provided with the	product.		一一
P9.3	Energy efficiency	class (monitors only):				
P10	Emissions					
		- Declared according to	ISO 9296 (See NOTE	E B9)		
P10.1		Mode description	•		t A-weighted sound power level, LwA,c	(B)
	Idle *	Idle		* 2.7		
	Operation *	CPU Operating		* 3.7		
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p{\sf Ar}}$	n 18.1 (operator po	osition desktop – idle)	
			d pressure level (dB) $L_{p{\rm Ar}}$		osition desktop – operating)	
	Measured accordi	ng to: 🔀 ISO 7779 🔀	ECMA-74	•		
		Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

wodei nur	nber	81ND, 81NH/81Q0	0, 81QX				Logo	Long	1/0	
Issue date	*	2019/1/7						Leno	VO.	гм
Product	environr	nental attributes	- Market requiren	nents (con	itinued)			Require	ment	met
Item								Yes	No	n.a.
		magnetic emission								
P10.4	program	(s):	requirement for low f	frequency el	ectromagnetic field	s of the foll	owing voluntary			
P12		mics for computing								
P12.1*	•	•	nomic requirements o		•	-	gies.		\boxtimes	
P12.2*	The phys	sical input device m	eets the requirements	of ISO 999	5 and ISO 9241-41	10.			\boxtimes	
P13		ng and documenta								
P13.1*	Product Product	packaging material packaging material packaging material	type(s): pe bag type(s): carton	weight (kg weight (kg weight (kg): 0.013					
P13.2*	Product	plastic primary pack	caging is free from PV	C.				\boxtimes		
P13.3*	consume	er recovered fiber co				percentage	of minimum po	st-		
P13.4*			product documentatio Other	n (tick box):						
P13.5	Ùser and		tem if paper documen ation on paper media							
	Element	hlorine-free al chlorine-free ed chlorine-free								
D44										
P14 P14.1		ry programs duct meets the requi	irements of the follow	ing voluntar	y program(s):					
	Eco-labe	el:	Criteria version: 7.1 Criteria version: Criteria version:	1	Date: 2019/1/21 Date: Date:	Product of	category: <i>NB1</i> category: category:			
P15		nal information (Se								
P9			pecific configuration							
	informati knowled	on contained in this ge available at the t here is approximat	epresentations, guara document. All inform ime of completion, an e and provided for inf	ation provid d supplier s	ed by supplier in th hall have no obliga	is documer tion to upda	nt is provided bas ate such informat	sed on supp tion. The inf	olier's formati	ion
P9			lotebooks & Tablet Condex.cfm?fuseaction=				code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo IdeaPad S540-14/S540-14 Touch Series	Logo		
Model Number	81ND, 81NH/81Q0, 81QX		Lonovo	
Issue Date	2019/1/7		Lenovo	
Additional information				

(d)	Year of manufacture:						
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are		
f)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	12	12				
ents ting	Additional internal storage	Yes (Yes / No)	Yes (Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)		
ability a	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)	No	G3				
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	8.70					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		8.04				
(g)	Idle state power demand (Watts);			<u> </u>	A: 2.42 B: 2.20		
(h)	Sleep mode power demand (Watts);				A:0.55 B: 0.55		
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		A: 0.55 B: 0.55		
j)	Off mode power demand (Watts);				A: 0.36		
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		B: 0.34 A: 0.36		
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	B: 0.34		
	10% 20% 50%	100% Avera		,			
m)	External power supply efficiency (if appl	icable)*:					
	Average active efficiency: 89.242% , 89	9.03%,88.93%,89.0	4% , 89.92% , 89.189	%			
(o)	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300						
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – ii	nternal PSU efficiency			

(p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)				
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623			
(q)	Sequence of steps for achieving a stable condition with respect to power demand: *Power on -> Wait 5 minutes -> Stable condition*			
(r)	Description of how sleep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Power -> Select sleep or off mode** **Description of how sleep and/or off mode** **Begin menu -> Power -> Select sleep or off mode** **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode was selected or programmed: **Description of how sleep and/or off mode			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:			
	on mode.	NA		
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another			
	condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30min
 (u) Length of time after a period of user inactivity in which the computer automat mode that has a lower power demand requirement than sleep mode (in minutes): 				NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):			10min
(w)	Information on the energy-saving potential of power management functionality: **Refer to User Guide**			
(x)	User information on how to enable the power management functionality: **Refer to User Guide**			
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:			
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	4, IEC62301	
Additio	onal Notebook Batter	y Information:		
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)		
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Additio	nal information		1	l e
)				
í				

The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Akywijarlopharajwiej oderpwijnje i osu nipodyki ne moze da ce заменија ј лесно от самите погребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hőlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.