

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the produc conforms to the statements given in this declaration.				
Type of product *	lotebook PC				
Commercial name *	Lenovo IdeaPad U410 Touch				
Model number *	20223;6892				
Issue date *	013-2-24				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	Lenovo IdeaPad U410 Touch		
Issue date *	2013-2-24	Logo	lenovo

	environmental attributes - Legal requirements	Require		met
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	Lenovo IdeaPad U410 Touch			
Issue da	ate *	2013-2-24 Logo	len	ovo),
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Requir	emen	met
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes		n.a.
P6	Treatme	nt information			
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).	\square		
P7	Design Disasse	mbly, recycling			
P7.1*	Parts that	at have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic n	naterials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.	\square		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available too	ols. 🔀		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		Ē	
	Product	lifetime			
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools	\boxtimes		
P7.9.	Spare pa	arts are available after end of production for: 5 years			
P7.10		s available after end of production for: 5 years			Π
	Material	and substance requirements			
P7.11*		cover/housing material type:			
		type: PC+ABS-FR(40) Material type: Material type:			
P7.12		I cable insulation materials of power cables are PVC free.			
P7.13		I cable insulation materials of signal cables are PVC free		\square	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.	\square		
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21.	(See	\square	
P7.16	Marking:	etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)			
P7.17	TBBPA (Alt. 2	al specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 104	Il specifications of flame retardants in printed circuit boards (without components) >25g accord 3-4: Brominated Epoxy Resin See P14	ing		
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparation ations above 0.1%:	ns in 🗌		
	Provide complete 1. Chem	 nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must consider the constraint of the second supplier. ccal name: , CAS #: , Supplier: iccal name: , CAS #: , Supplier: 	ntain		
	Alt. 2	ical name: , CAS #: , Supplier: Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic p	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R4 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	5, 🛛		
P7.20		plastic parts' weight >25g, recycled material content is 0.5%.			
P7.21		plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sou	Irces are free from mercury	\square		
P8	Batterie				
P8.1*		chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC			

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nu	umber *	Lenc	vo IdeaPad	d U410 Tou	ch			
Issue dat	te *	2013-2-2			-	Logo	lenovo	
Product	t environr	mental at	tributes - Market	requirements (c	ontinued)		Requirement	t met
Item				•			Yes No	n.a.
P9	Energy	consump	tion					
9.1			e following power lev oped w/ WOL Enable		mptions are reporte	ed: See P14		
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Star and test method *	ndard for energy modes		
Peak (Or	n-max)		65W	65 W	40 W	Full load		
Catego	ory B		·	•	•			
Idle State	e - WOL Ei	nabled	7.5W	7.6 W	7.9 W	Use for Energy S	Star V5 registration(P _{idle})	
Sleep (S	3) - WOL E	nabled	0.58 W	0.60 W	0.65W	Use for Energy S	Star V5 registration(P _{sleep})	
Sleep (S	3) - WOL D	Disabled	0.57 W	0.59 W	0.63 W	Reference		
Off (S5) -	- WOL Ena	bled	0.36 W	0.35 W	0.40 W	Use for Energy S	Star V5 registration(Poff)	
Off (S5) -	- WOL Disa	abled	0.35W	0.37 W	0.49 W	Use for EuP		Ē
EPS No-I			0.079 W	0.081 W	0.104 W	+		
charger p	power sup plugged in t disconnec uct.)	he wall						
TEC Typical Energy Consumption		sumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Consumption		sumption	22.11 kWh/year	22.338 kWh/year	23.433 kWh/year	$E_{TEC} = (8760/100) \\ 0.1 + P_{idle} \times 0.3)$	$P(0) \times (P_{off} \times 0.6 + P_{sleep} \times 0.6)$	
			Poff: Off Mode(S5) -	WOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WO	L Enabled; P _{idle} : Idle	State - WOL Enabled	
Display re	esolution	: 1280*80	0 Megapixels					
Print Spe	ed	•	Images per minu	te				
•		r enerav sa	ave mode: 25 minutes					
P9.2*			the energy save fund		the product.			┤┢┤
P9.3*			the energy requirer	•	•)/e:		
F 9.5	ENERG	Y STAR®	version: Version 5.0 pergy Star for Exter	0 dated July 1, 200	Product category:	Α		
P10	Emissio				5 7 7			
	Noise e	mission –	Declared according	to ISO 9296				
P10.1	Mode	Mode M	Mode description		Declared A-weighted sound power		ed A-weighted ire level $L_{p{\sf Am}}^{}$ (dB)	
					level L_{WAd} (B)	Operator position Desktop or Desk side	Bystander positions	
	Idle	*	HDD: Idle		* 2.9		25.8	
	Operatio	on *	HDD: Operating		* 3.2	29.7		
	Other m							
			ng to: 🔀 ISO7779 [Other	ECMA-74		hl, moouromo	nt distance m)	
P10.2	The prov	duct meets	the acoustic noise			h L _{pAm} measureme	nt distance m)	
10.2	The plue					piogram/s.		

Model nu	umber *	Lenovo IdeaPad U410 Touch		
Issue date *		2013-2-24 Logo	leno	VO
Product	t environr	nental attributes - Market requirements (continued)	Require	ement m
Item			Yes	No n.
	Chemic	al emissions from printing products		
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard 🗌, other specify:		
P10.4	• •	emission rate (print phase) is (mg/h): Dust Ozone Styrene Benzene TVOC		
P10.5	Chemica [al emission requirements of the following voluntary program/s are met for : Dust Ozone Styrene Benzene TVOC		
	Electron	nagnetic emissions		
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following voluntary /s: MPR-II	\square	
P11		nable materials for printing products		
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).		
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requirements 1.	of 🗌	
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.		
P12	Ergono	mics for computing products		
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes	
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes	
P13	Packagi	ing and documentation		
P13.1*	Product Product	packaging material type(s): <i>Corrugated Carton</i> weight (kg): <i>0.351</i> packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): <i>0.071</i> packaging material type(s): <i>Others</i> weight (kg): <i>0.061</i>		
P13.2*		plastic packaging is free from PVC.	\boxtimes	
P13.3*		media for user and product documentation (tick box): ic ⊠, Paper ⊠, Other 🔲		[
P13.4*		er user and product documentation, please specify contained percentage of post-consumer recycle % (Japan only 70%)	d	[
P14		nal information (See Note B4)		
	informat knowled provided informat		sed on sup tion. The i	oplier's nformatior
P7.17		t does not contain free TBBPA in printed circuit boards(without components)>25g.		
P9	See Ene http://de	ergy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for the lates ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url)	st informa	tion:

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19