



Product environmental attributes – THE ECO DECLARATION

Brand *	Lenovo IdeaPad	Logo
Company name *	Lenovo	_
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@us.lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Portable PC			
Commercial name *	Lenovo IdeaPad Y710			
Model number *	M/T: 17305			
Issue date *	2007, Dec. 17			
Intended market *	🔀 Global 📃 Europe 📃 Japan 📃 U.S. 📃 Other			
Additional information	ENERGY STAR® 4.0 Qualified; GREENGUARD Certification			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality 0	Control Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes	

Model number *	Lenovo IdeaPad Y710 M/T:17305		
Issue date *	2007, Dec. 17	Logo	lenovo

	environmental attributes - Legal requirements Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in EU 2002/95/EC and its amendments	\boxtimes		
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (<i>EU</i> : <i>Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000</i>)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions</i> on the use of certain dangerous chemicals 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (<i>EU 76/769/EEC</i>)			\boxtimes
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in <i>EU</i> 76/769/ <i>EEC</i> , amendment 2003/3/ <i>EC</i>			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>EU</i> 76/769/ <i>EEC</i>)			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			\square
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			\square
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC	\boxtimes		
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	\boxtimes		
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	\boxtimes		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and as amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.			\square
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	\boxtimes		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)	\boxtimes		
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	Lenovo IdeaPad Y710 M/T: 17305		
Issue date *	2007, Dec. 17	Logo	lenovo

Product	environmental a	attributes - Market req Requirem	uirements - Environmental conscious design				
Item	*=mandatory to f		ation regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design			100	110	ind.	
	Disassembly, re						
P7.1*	Parts that have to	o be treated separately	are easily separable	\square			
P7.2*	Plastic materials	in covers/housing have	e no surface coating.	\boxtimes			
P7.3*	Plastic parts >10	Og consist of one mate	rial or of easily separable materials.	\boxtimes			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.				Π		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.				Ħ		
P7.6*	Labels are easily	v separable. (This requi	rement does not apply to safety/regulatory labels).		Ħ	Ē	
	Product lifetime						
P7.7*	Upgrading can b	e done e.g. with proces	ssor, memory, cards or drives				
P7.8*	Upgrading can b	e done using commonl	y available tools		Ħ	Ē	
P7.9.		available after end of pr	-				
P7.10		ble after end of product				- 2	
		bstance requirements		·			
P7.11*		ousing material type:					
	Material type: PC		Material type: Material type:				
P7.12*	Electrical cable in	nsulation material of po	wer cables are halogen free (including PVC)		\boxtimes		
P7.13*	Electrical cable in	nsulation material of sig	gnal cables are halogen free (including PVC)				
P7.14	All cover/housing	g plastic parts >25g are	halogen free		Π		
P7.15	All printed circuit	boards (without compo	onents) >25g are halogen free				
P7.16	Chemical specifi	cations of flame retarda	ants in cover / housing plastic parts >25g according ISO 1043-4:				
P7.17	ISO FR(40):Halogen-free organic phosphorus compounds						
P7.18	Weight of recycled material in plastic parts is 0 g						
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)						
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 1 and max. mercury content per lamp: 3 mg						
P8	Batteries					-	
P8.1*	Product does not contain batteries defined as hazardous according to 91/157/EEC						
P8.2*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide						
P8.3	Batteries meet th	ne requirements of the f	following voluntary program/s:			\boxtimes	
P9	Energy consum						
9.1			els or energy consumptions have been measured:				
Mode	Power level at * 230 Volts	Time (s) to <mode></mode>	Mode description	Refere Standa		n.a.	
On-max	135 W		* Full load	*See F	P14		
On- normal	* W	to	*	*		\boxtimes	
On-idle	19.25 W	to	* Idle State (Category B) for Energy Star V4	*See F	P14		
Save 1	* 0.55 W	to	* Sleep w/ WOL Enable for Energy Star V4	*See F	P14		
Save 2	W	to	*	*			
Off 1	* 0.84 W	to	* Stanby (Off Mode) w/ WOL Enable for Energy Star V4	*See F	P14		
Off 2	W	to	*	*		H	
No load	* 0.46 W		External power supplies/charger plugged in but disconnected from the product	*See F	P14		
TEC	* kWh/v	Typical Energy Consun		*			
P9.2*	· · · · ·		tion is provided with the product.				
P9.3	The product mee	ets the energy requirem B MOU Version 4.0 da	ents of the following voluntary program/s:				

Model number *	Lenovo IdeaPad Y710 M/T: 17305		
Issue date *	2007, Dec.17	Logo	lenovo

Product	Product environmental attributes - Market requirements (continued) Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No						.a.	
P10	Emissions							
	Noise emission	- Declared according to ISO 9296						
P10.1	Mode	Mode description	Declared A-weighted sound power level L _{WAd} (B)			not		
	Idle	* HDD:Idle,Fan:optimized speed	* 4.0	28		[
	Operation Other mode	* HDD:Operating ,Fan:Optimized Speed	* 4.5	40				
		ding to: ISO 7779 ECMA-74	d by ECMA-74 wit	h L _{pAm} measurement dista	ance m)			
P10.2	The product mee	ets the acoustic noise requirements of the fo	llowing voluntary	program/s:			\ge	
	Chemical emiss	sions from printing products						
P10.3*	Test performed a The test covers:	according to ECMA-328 standard , other Dust Ozone Styrene	<u> </u>				\mathbf{X}	
P10.4	The product mee	ets the chemical emission requirements of the		ary program/s:			X	
	Electromagneti							
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: <i>MPR-II</i>							
P11	Consumable materials for printing products							
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).						\triangleleft	
P11.2*	Paper containing	g recycled fibres that meets the requirement	s of EN12281 can	be used.			\mathbf{X}	
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.				\times	
P12	Ergonomics for computing products							
P12.1*	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO13406-2 for flat panel displays. See P14							
P12.2*	The product key	board meets the requirements of ISO 9995	and EN 29241-4.			<u>] [</u>		
P12.3*	The computer input device meets the requirements of ISO 9241-9.					<u> </u>		
P13	Packaging and							
P13.1*	Product packagi	ng material type(s): <i>Corrugated cardboard</i> ng material type(s): <i>Polystylene</i> ng material type(s): <i>Polyethylene</i>	weight (kg): weight (kg): weight (k	0.09				
P13.2*	Product plastic p	ackaging is halogen free (including PVC)] [
P13.3*	User and produc	t documentation do not contain chlorine ble	ached paper					
P13.4*	User and produc	t documentation contain recycled paper				<u> </u>	7	
P14	Additional infor	mation						
07.47	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding th information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The informat provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.							
P7.17		ot contain free TBBPA in printed circuit I	boards(without c	omponents)>25g.				
P9.1 P12.1	Lenovo Interna Product is desi		3406-2. but is no	t confirmed through for	mal test metho	ds.		
	12.1 Product is designed to meet the subject ISO Standard 13406-2, but is not confirmed through formal test methods.							