

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.lenovo.com/environment	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	Monitor		
Commercial name *	Lenovo L2364 Wide		
Model number *	M/T: 1187-US1		
Issue date *	2011, June 28		
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 📃 Americas 📃 Other		
Additional information	ENERGY STAR® Qualified		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		

	umber *	Lenovo L2364 Wide M/T: 1187-US1					
Issue da	te *	2011, June 28	Logo	lend	lenovo		
Product	t environ	mental attributes - Legal requirements		Require	ment	met	
Item				Yes	No	n.a.	
P1	Hazardo	ous substances and preparations					
P1.1*	0.1% po	s do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0. lybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PI e and Note B1)		iium, 🔀			
P1.2*	Products	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes			
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC) pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carb ethane, methyl bromide (see legal reference). Comment: Legal reference ration values.	ontetrachloride, 1,1,1	-			
P1.4*	Products	s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005 /l (PCT) in preparations (see legal reference).	5% polychlorinated	\boxtimes			
P1.5*		s do not contain more than 0.1% short chain chloroparaffins (SCCP) with 1 ntaining at least 48% per mass of chlorine in the SCCP (see legal referer		n the 🔀			
P1.6*	Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopr ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see lega nt: Legal reference has no maximum concentration values.		S),		\square	
P1.7*		Ind leather parts with direct skin contact do not contain more than 0.003% c amines. (See legal reference and Note B1)	Azo colorants that sp	lit		\boxtimes	
P1.8*	pentachl	parts do not contain arsenic and chromium as a wood preservation treatr lorophenol and derivatives (see legal reference). ht: Legal reference has no maximum concentration values.	ment as well as			\boxtimes	
P1.9*	Parts wit microgra	th direct and prolonged skin contact do not release nickel in concentration am/cm ² /week (see legal reference).	is above 0.5	\boxtimes			
P1.10*	REACH	nt: Max limit in legal reference when tested according to EN1811:1998. Article 33 information about substances in articles is available at (add UR ww.lenovo.com/social_responsibility/us/en/environment.html	L or mail contact):				
P2	Batterie						
P2.1*	more that marked	oduct contains a battery or an accumulator, it is labeled with the disposal s an 0.0005% of mercury (for button cells only) by weight, or more than 0.00 with the chemical symbol for the metal concerned, Hg or Pb. Information of I in user manual. (See legal reference)	94% of lead, it shall be				
P2.2*	accumul	ells used in the product do not contain more than 2% by weight of mercury ators do not contain more than 0.0005% of mercury or 0.002% of cadmiur	m. (See legal referend			\square	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)						
P3		EMC connection to the telephone network and labeling					
P3.1*	The proc	duct complies with legally required safety standards as specified (see lega	al reference).	\square			
P3.2*	The proc	duct complies with legally required standards for electromagnetic compatit	bility (see legal refere	nce). 🔀			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies in the public telecommunication devices (see legal reference).						
P3.4*	The proc	duct is labeled to show conformance with applicable legal requirements (se	ee legal reference).	\square			
P4		nable materials					
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does not contain cac erence and Note B1).	× ·				
P4.2*		er is used in the product, it does not contain cadmium max 0.1% by weigh	, 3			\boxtimes	
P4.3*	product/ requirem	/toner formulation/preparation is classified as hazardous according to app packaging is adequately labeled and a Safety Data Sheet (SDS) in accord tents is available (see legal reference).		ie 🗌			
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0.01% lead ant chromium by weight of these together.	-	and 🔀			
P5.2*		ackaging material is marked according to ISO 11469 referring ISO 1043 (· •	\square			
P5.3*		duct packaging material is free from ozone depleting substances as (see legal reference).	specified in the Mor	ntreal 🔀			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber* Lenovo L2364 Wide M/T: 1187-US1					
Issue da	te * 2011, June 28 Logo	lenovo				
Produc Item	t environmental attributes - Market requirements - Environmental conscious design *=mandatory to fill in. Additional information regarding each item may be found under P14.	Requirement met Yes No n.a				
P6	Treatment information	Yes No n.a				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).					
P7	Design					
	Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials in covers/housing have no surface coating.					
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.					
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgrading can be done using commonly available tools					
P7.9.	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 5 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
D7 40	Material type: ABS Material type: Material type:					
P7.12	Electrical cable insulation materials of power cables are PVC free.					
P7.13	Electrical cable insulation materials of signal cables are PVC free					
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.					
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (So Note B2)	ee 🛛 🗌 🗌				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:					
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name:, CAS #:					
DT (0)	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations concentrations above 0.1%:	in 🗌 🗌 🗵				
	 Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must conta complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier: 	ain				
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20	Of total plastic parts' weight >25g, recycled material content is +10%.					
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.					
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg					
P8	Batteries					
P8.1*	Battery chemical composition:	\geq				
P8.2	Batteries meet the requirements of the following voluntary program/s:	\geq				

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	mber* Lenovo L2364 Wide M/T: 1187-US1						
Issue date *	2011, Ju	ine 28		Logo	lenovo		
Product enviro	Ict environmental attributes - Market requirements (continued) Requirement me						
Item	innernar a			Yes No	n.a.		
P9 Energ	y consump	tion					
		e following power leve	els or energy consur	nptions are reporte	d:		
Energy mode			Power level at		1	r enerav modes	
		100 V AC	115 V AC	230 V AC	and test method *		
Peak (On-max)		W	25.6 W	25.3 W	Full load		
On-idle		W	25.6 W	25.3 W	On Mode/Active Power		
Save 1		W	0.3 W	0.3 W	Sleep Mode/Low Power		
Off		W	0.2 W	0.2 W	Off Mode/Standby Power		
		W	W	W			Ē
		W	W	W			┼∺
EPS No-load		W	W	W			┼╬
(External power s	upply/	vv	vv	vv			
charger plugged in							
outlet but disconn							
the product.)							
PTEC Typical Energy Co	* neumption	W	W	W			
TEC *	Jisumption	LAA/b (wa alk	LAA/b /woold	LAN/b /www.alv			
		kWh/week	kWh/week	kWh/week			
Typical Energy Co	onsumption						
Display resolution	: 1 92 0*10	80 Megapixels					
Print Speed	: In	nages per minute					
Default time to en	ter energy sa	ave mode: 10 minutes	S				
P9.2* Inform	nation about	the energy save func	tion is provided with	the product.		\square	
P9.3* The p	roduct meets	s the energy requirem	nents of the following	y voluntary program	/s:		
		version: 5.0 Produc	t category: Monitor	s			
	s specify:						
P10 Emis	sions						
Noise	emission -	- Declared according	to ISO 9296				
P10.1 Mod	e	Mode description)	Declared	Declared A-we	iahted	
				A-weighted		•	
				sound	sound pressure leve	I L_{pAm} (dB)	
				power	Operator		-
				level	Operator position		
					Desktop		
				L_{WAd} (B)			
					or Desk side 🗌		
Idle		*		*			\boxtimes
	aliun	*		*			
	er mode			<u> </u>			_
Mea	sured acc	ording to: 🔀 ISO	07779 🔛 ECMA-	-74			
		Other	(only if not cover	ed by ECMA-74 wit	h L _{pAm} measurement distan	ce m)	
P10.2 The p	roduct meets	s the acoustic noise r	equirements of the f	ollowing voluntary p	program/s:		

Model nu	mber *	Lenovo L2364 Wide M/T: 1187-US1						
Issue date	Issue date * 2011, June 28 Logo				lenovo			
Product	environn	nental attributes - Market requirements (continued)	R	equire	mont	met		
Item				Yes	No	n.a.		
nom	Chemic	al emissions from printing products		100		11.0.		
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard , other specify:						
P10.4		emission rate (print phase) is (mg/h):						
		Dust Ozone Styrene Benzene TVOC						
P10.5	Chemica	I emission requirements of the following voluntary program/s are met for :				\square		
	0	Dust Ozone Styrene Benzene TVOC						
		nagnetic emissions						
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following v /s: <i>MPR-II</i>	oluntary	\square				
P11		hable materials for printing products						
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see	ee P4.3).			\boxtimes		
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requ	irements of			\square		
P11.3*	2-sided ((duplex) printing/copying is an integrated product function.				\boxtimes		
P12	Ergonor	nics for computing products						
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		\boxtimes				
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes				
P13		ng and documentation						
P13.1*	Product	packaging material type(s): <i>PP</i> weight (kg): <i>0.07</i> packaging material type(s): <i>Corrugated</i> weight (kg): <i>0.82</i> packaging material type(s): <i>EPS</i> weight (kg): <i>0.15</i>						
P13.2*		plastic packaging is free from PVC.		\mathbf{X}				
P13.3*	Specify r	nedia for user and product documentation (tick box):				Ē		
	Electron	ic 🔀, Paper 🔀, Other 🗌						
P13.4*		er user and product documentation, please specify contained percentage of post-consume	r recycled					
		%(Japan only 70%)			-			
P14		nal information (See Note B4)		no e o nella				
	informati knowled provided informati		vided based	on supp The inf	lier's ormat			
P7.17		does not contain free TBBPA in printed circuit boards(without components)>25g.						
P9		ergy Star Qualified Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw	code=MO					

Annex B of ECMA-370 4th edition, June 2009

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19