

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter @lenovo.com	lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display			
Commercial name *	LS1920 Wide			
Model number *	0784			
Issue date *	2013/03/27			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☒ Other Brazil			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	equireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	LS1920 Wide	MT: 0784		
Issue date *	2013/03/27		Logo	lenovo.

Product	roduct environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\boxtimes	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes	$\overline{}$	$\overline{}$	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).				
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		$\overline{\Box}$	$\overline{\square}$	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		П	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	LS1920 Wide	MT: 0784		
Issue date *	2013/03/27		Logo	lenovo

Droduot	anvironmental attributes. Market requirements. Environmental conscious decign	2 aguiro	mant	mot
-	 environmental attributes - Market requirements - Environmental conscious design *=mandatory to fill in. Additional information regarding each item may be found under P14. 	Require Yes	No	
Item P6	Treatment information	168	INO	n.a.
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		ГП	
P7	Design .			
• •	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		$\overline{\boxtimes}$	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Ħ	Ħ
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Ħ	Ī
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		$\overline{}$	$\overline{}$
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	H
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	- H	X	\overline{H}
P7.9.				
P7.10	Spare parts are available after end of production for: 5 years			╫
1 7.10	Service is available after end of production for: 5 years Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: ABS Material type: HIPS Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free	一百		Ī
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			Ħ
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	<u> </u>	Ħ	
	Note B2)		ш	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			\boxtimes
	Marking:			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):			\boxtimes
	TBBPA (additive), TBBPA (reactive), Other; chemical name:, CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			\boxtimes
	ISO 1043-4:			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in	1		\boxtimes
	concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain	1		
	complete chemical name, CAS number and supplier.	1		
	1. Chemical name: , CAS #: , Supplier:			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:			
	Alt. 2		Ш	\boxtimes
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,			
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		ш	
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury	\boxtimes		
P8	Batteries			
P8.1*	Battery chemical composition:			\boxtimes
P8.2	Batteries meet the requirements of the following voluntary program/s:			$\overline{\mathbf{X}}$

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number	* 1.044	000 14/3-10 1	AT: 0704				
	L31920 Wide W11. 0764						
Issue date *	Ssue date * 2013/03/27 Logo Lenovo						
Product environmental attributes - Market requirements (continued) Requirement met						met	
Item	· · · · · · · · · · · · · · · · · · ·	market	roquiromonto (o	oninaou,		Yes No	n.a.
	ergy consump						
		e following power level pped w/ WOL Enable		mptions are reporte	ed: See P14		
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard and test method *	ard for energy modes	
Peak (On-max)	11W	11W	11W	Full load		
Category A					I		
Idle State - WO		11W	11W	11W	Use for Energy Sta	r V5 registration(P _{idle})	
Sleep (S3) - W	OL Enabled	0.3 ₩	0.3 ₩	0.3 ₩	Use for Energy Sta	r V5 registration(P _{sleep})	$\dagger \overline{\Box}$
Sleep (S3) - W	OL Disabled	0.3 ₩	0.3 ₩	0.3 ₩	Reference		盲
Off (S5) - WOL	Enabled	0.3 ₩	0.3 ₩	0.3 ₩	Use for Energy Sta	r V5 registration(P _{off})	Ħ
Off (S5) - WOL	Disabled	0.3 ₩	0.3 ₩	0.3 ₩	Use for ErP		⇈
Category B		. 1			<u>I</u>		
		W	W	W	(P _{idle})		
		W	W	W	(P _{sleep})		T
		W	W	W			盲
		W	W	W	(P _{off})		市
		W	W	W			\vdash
EPS No-load		W	W	W			Ħ
(External powe charger plugge outlet but disco the product.)	d in the wall						
TEC Typical Energy	Consumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy	Consumption	30,74 kWh/year	30,74 kWh/year	30,74 kWh/year	$E_{TEC} = (8760/1000)$ 0.1 + $P_{idle} \times 0.3$)	$x (P_{off} \times 0.6 + P_{sleep} \times 0.6 + P_{sleep}$	
		Poff: Off Mode(S5) - V	WOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WO	L Enabled; Pidle: Idle Sta	nte - WOL Enabled	
Display resoluti	on : 1366 x 7	768 Megapixels					
Print Speed	: Images	per minute					
Default time to	enter energy sa	ave mode:					
P9.2* Info	rmation about	the energy save fund	ction is provided with	the product.	I		
EN	<u> </u>						
P10 Emissions							
		Declared according	to ISO 9296	Dodass	Deslared	Awaightad	
P10.1 Mo	de	Mode description		Declared A-weighted		A-weighted level $L_{p{\sf Am}}$ (dB)	
				sound power level $L_{W\!\!Ad}$ (B)	Operator position	Bystander positions	1
				WAd (b)	Desktop		
					or Desk side	(only if product is not operator attended)	
Idle	,						1 🗖
Op	eration						1 🗖

P10.2

XISO7779 ☐ ECMA-74

Other (only if not covered by ECMA-74 with L_{pAm} measurement distance The product meets the acoustic noise requirements of the following voluntary program/s:

m)

Model nu	umber *	LS1920 Wide MT: 0784				
Issue da	te *	2013/03/27 L	ogo	leno	10.	
Product	t environi	mental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a
	Chemic	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\boxtimes
P10.4	Typical	emission rate (print phase) is (mg/h):				
		Dust Ozone Styrene Benzene TVOC				
P10.5	I		/oc 🗌			\boxtimes
	Electro	nagnetic emissions				
P10.6	program	er display meets the requirement for low frequency electromagnetic fields of the follows: ${\it TCO~6.0}$	ving voluntary		\boxtimes	
P11		nable materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally require				\boxtimes
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the 1.	requirements of	of		\boxtimes
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				\boxtimes
P12	Ergono	mics for computing products				
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technologic	es.			\boxtimes
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				\boxtimes
P13		ing and documentation				
P13.1*	Product Product	packaging material type(s): EPS weight (kg): 0.120 packaging material type(s): L Bag weight (kg): 0.030 packaging material type(s): Paper weight (kg): 0.010 packaging material type(s):Carton weight (kg): 0.500				
P13.2*	Product	plastic packaging is free from PVC.	\triangleright	1		
P13.3*	Specify Electron	media for user and product documentation (tick box): ic Paper , Other		_		
P13.4*	For pape	er user and product documentation, please specify contained percentage of poster recycled fiber: 0%				
P14	Additio	nal information (See Note B4)				
	informat knowled	Supplier makes no representations, guarantees, assurances or warranties whether eleion contained in this document. All information provided by supplier in this document ge available at the time of completion, and supplier shall have no obligation to update there is approximate and provided for informational purposes only. See a Lenovo Accion.	s provided bas such informati	ed on suppon. The in	plier's format	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19