

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
	Alvin L Carter	lenovo			
	1009 Think Place				
	Building 2 / 5F1				
	Morrisville, North Carolina 27560				
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at				
	http://www.lenovo.com/social_responsibility/us/en/datasheets_u	notebooks.html			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC				
Commercial name *	Lenovo N20p Chrome				
Model number *	20425; 80G2				
Issue date *	2015-01-16				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	20425; 80G2		
Issue date *	2015-01-16	Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	ı, 🔀		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🖂		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			$\boxtimes$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	$\square$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\square$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference	). 🔀		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	$\boxtimes$		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\times$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			$\square$
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	20425; 80G2			
lssue da	ite *	2015-01-16 Logo	lend	<b>DVO</b> .	
Product	t environ	mental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item		itory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a
P6		nt information			
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).	$\square$		
P7	Design				
		mbly, recycling			
P7.1*	Parts that	t have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.		$\overline{\times}$	
P7.3*		arts >100g consist of one material or of easily separable materials.		Ē	Ē
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		H	H
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		-	$- \exists$
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		<u> </u>	-  -
F7.0					
P7.7*	Product	ing can be done e.g. with processor, memory, cards or drives			
				<u> </u>	<u> </u>
P7.8*	Upgradir	g can be done using commonly available tools	$\square$		
P7.9.	Spare pa	rts are available after end of production for: 5 years			
P7.10	Service i	s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type:			
		type: PC+ABS-FR(40) Material type: Material type:			
P7.12		I cable insulation materials of power cables are PVC free.		$\square$	
P7.13		I cable insulation materials of signal cables are PVC free		$\square$	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.	$\boxtimes$		
P7.15	All printe Note B2	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (٩	See	$\square$	
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: <i>FR(40)</i>	$\boxtimes$		
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 104	I specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: Brominated Epoxy Resin See P14			
P7.18	concentr Comm	etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%: ent: No legal limits exist, this is a market requirement. ical name: , CAS #:	in 🗌		
	2. Chem 3. Chem Alt. 2 Chemica	ical name: , CAS #: ical name: , CAS #: I specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20		lastic parts' weight >25g, recycled material content is 0.004 %.			
P7.21		lastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sou	irces are free from mercury	$\square$		
	If mercu	y is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batterie				
P8.1*	Battery of	hemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nu	umber *	20425;	80G2					
Issue da	te *	2015-01-16				Logo	lenovo	
Product environmental attributes - Market requirements (continued) Requirement met								
Item					indea			n.a.
P9	Energy co	onsumption						
9.1	For the pro	oduct the follow	wing power levels or	energy consumption	ions are reporte	ed: See P14		
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard f method *	or energy modes and test	
Peak (On-I	max)		<b>45</b> W	<b>45</b> W	<b>45</b> W	Full load		$\square$
Category	y  1		1	I	I	I		
Short Idle	State - WC	OL Enabled	3.78492 W	4.08792 W	4.041 W	Use for ENERGY STA	R V6 registration (Pidle)	$\square$
Long Idle	State - WO	L Enabled	3.09636 W	3.06876 W	3.108 W	Use for ENERGY STA	R V6 registration (Pidle)	
Sleep (S3)	- WOL En	abled	0.503016 W	0.50322 W	0.522744 W	Use for ENERGY STA	R V6 registration(P <sub>sleep</sub> )	$\square$
Sleep (S3)	- WOL Dis	sabled	0.503016 W	0.50322 W	0.522744 W	Reference		
Off (S5) - V	VOL Enabl	led	0.245928 W	0.246684 W	0.267504 W	Use for ENERGY STA	R V6 registration(Poff)	
Off (S5) - V	NOL Disab	oled	0.24 W	0.24 W	0.27 W	Use for EuP		
Categor	v D 1/2							
		DL Enabled	W	W	W	Use for ENERGY STA	R V6 registration (P <sub>idle</sub> )	
		L Enabled	W	W	W		R V6 registration (P <sub>idle</sub> )	
Sleep (S3)			W	W	W		R V6 registration (P <sub>sleep</sub> )	
Sleep (S3)			W	W	W	Reference	IN VOICGISTIATION (Fsleep)	
Off (S5) - V			W	W	W	Use for ENERGY STA	PV6 registration/P)	
Off (S5) - V			W	W	W	Use for EuP	R vo registration(P <sub>off</sub> )	
		nea				Use for Eup		
EPS No-loa (External p		v / charger	0.086 W	0.089 W	0.136 W			
plugged in disconnecte	the wall ou	tlet but						
PTEC * Typical Ene	ergy Consu	Imption	W	W	W			
TEC *								
Typical Ene	ergy Consu	Imption	kWh/week	kWh/week	kWh/week			
ETEC *			14.74 kWh/year	15.51	15.53	$E_{TEC} = (8760/1000) \times (1000)$	P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35	
Annual Ene	ergy Consu	mption	,	kWh/year	kWh/year	+ P <sub>short idle</sub> x 0.3+ P <sub>long</sub>		
			D (Off Made (S5)	WOL Enchlady B	· Clean Made/S2	) - WOL Enabled; P <sub>idle</sub> : Idle	State WOL Enchlad	
Display res	olution* :	1366*768 Meg		WOL Enabled, Fslee	p. Sieep woue(33)	- WOL Enabled, Fidle. Ture	e State - WOL Enabled	
Print Speed		0	es per minute					
		0	ode: 25 minutes					
P9.2*		0,	ergy save function is	s provided with the	e product			ᆜ吕
P9.3*			energy requirements	•	•	/e·		
1 9.5	•		on: Version 6.0 Tie	•	ict category: B	13.		
	Others sp	-						
P10	Emission		ared according to IS	0 9296				
P10.1	Mode		description	0 0200	Declared	Declare	ed A-weighted	
					A-weighted sound powe		ire level $L_{p{\sf Am}}$ (dB)	
					level $L_{WAd}$		Bystander positions	
					-wAd	Desktop		
						or Desk side	(only if product is not operator attended)	
	Idle	* HD	D:Idle		* 2.7		20.3	
	Operation		D: Operating		* 2.7		20.6	
	Other mod	1						-
	weasured	according to:		CMA-74 Conly if not covered	d by FCMA-74 w	rith L <sub>pAm</sub> measurement di	stance m)	
P10.2	The produ	ict meets the a	coustic noise requir					

Model n	umber *	20425;	80G2						
Issue da	ite *	2015-01-16				Logo	lenovo		
Product environmental attributes - Market requirements (continued) Requirement met									
Item					<b>/</b>		Yes No	n.a.	
P9		onsumption							
9.1	For the pro	oduct the follow	wing power levels or	energy consumpt	ions are reporte	d: See P14			
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard fo method *	or energy modes and test		
Peak (On-	max)		<b>45</b> W	<b>45</b> W	<b>45</b> W	Full load		$\square$	
Categor	y  2							1	
Short Idle	State - WO	L Enabled	<b>4.41432</b> W	4.3362 W	4.50096 W	Use for ENERGY STAF	२ V6 registration (P <sub>idle</sub> )		
Long Idle	State - WO	L Enabled	2.11272 W	2.1048 W	2.09976 W	Use for ENERGY STAF	२ V6 registration (P <sub>idle</sub> )		
Sleep (S3)	- WOL Ena	abled	0.433248 W	0.429132 W	0.4212 W	Use for ENERGY STAF	२ V6 registration(P <sub>sleep</sub> )		
Sleep (S3)	- WOL Dis	abled	0.433248 W	0.429132 W	0.4212 W	Reference			
Off (S5) - 1	WOL Enable	ed	0.242892 W	0.243972 W	0.263064 W	Use for ENERGY STAF	२ V6 registration(P <sub>off</sub> )		
Off (S5) - 1	WOL Disab	led	0.24 W	0.24 W	0.26 W	Use for EuP			
Categor	v D 1/2								
	State - WO	L Enabled	W	W	W	Use for ENERGY STAF	R V6 registration (P <sub>idle</sub> )		
Long Idle	State - WO	L Enabled	W	W	W	Use for ENERGY STAF	R V6 registration (P <sub>idle</sub> )		
	- WOL Ena		W	W	W	Use for ENERGY STAF	<b>R V6 registration (P</b> sleep)		
	- WOL Dis		W	W	W	Reference			
	WOL Enable		W	W	W	Use for ENERGY STAF	R V6 registration(P <sub>eff</sub> )		
	WOL Disab		W	W	W	Use for EuP			
EPS No-lo			0.086 W	0.089 W	0.136 W				
	ower supply	y / charger	0.000						
, plugged in	the wall out	let but							
disconnect	ed from the	product.)							
PTEC *			W	W	W				
	ergy Consur	mption							
TEC *									
	ergy Consur	mption	kWh/week	kWh/week	kWh/week				
	0,	•							
ETEC *	ergy Consur	motion	15.31 kWh/year	<b>15.09</b> kWh/year	<b>15.54</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{TEC} + P_{short idle} \times 0.3 + P_{long idl})$		$\square$	
Annual En	ergy Consul	Πριστι		KWIIIyeai	KWII/year	T short idle X U.JT Flong id	le X 0.1)		
			P <sub>off</sub> : Off Mode(S5) -	WOL Enabled; P <sub>slee</sub>	p: Sleep Mode(S3)	- WOL Enabled; P <sub>idle</sub> : Idle	State - WOL Enabled		
Display res	solution* : 1	<b>366*768</b> Meg	apixels						
Print Spee	d* :	Image	es per minute					$\boxtimes$	
Default tim	e to enter e	nergy save mo	ode: 25 minutes						
P9.2*			ergy save function is	•	•		$\boxtimes$ $\Box$		
P9.3*			energy requirements			/s:			
	Others spe		on: Version 6.0 Tie	er: Produ	ict category: B		А Н	H	
P10	Emission	-							
P10.1	Noise emi Mode		ared according to IS description	O 9296	Declared	Declara	d A-weighted	1	
F 10.1	woue	woue	description		A-weighted		e level $L_{pAm}$ (dB)		
					sound powe		Bystander positions	-	
					level $L_{WAd}$ (	(B) Operator position Desktop			
						or Desk side	(only if product is not		
	Idle	* HD	D:Idle		* 2.7		operator attended) 20.3		
	Operation		D: Operating		* 2.7		20.6	ТĦ	
	Other mod	le							
	Measured	according to:		CMA-74					
D10.2	The produ	ot monto the -				ith L <sub>pAm</sub> measurement dis	tance m)		
P10.2	ine produ	or meets the a	coustic noise require		wing voluntary p	nogram/s.		$\square$	

Annex B of ECMA-370 4<sup>th</sup> edition, June 2009

		20425;	0002							_	_			
Issue da	te *	2015-01-16								Logo		leno	VO.	
_						<i>.</i>								
	t environi	mental attri	outes - Marke	et require	ements	(contini	ied)					Requir		
Item	<u>.</u>											Yes	No	n.a.
P10.3*			from printing											
			ding to ECMA-		EC 28360	) standaı	d 🔝, otl	her spe	cify:					
P10.4	• •		(print phase) is			_			-					$\boxtimes$
D40.5		Dust	Ozone		rene		izene		TVOC					
P10.5		al emission re	quirements of t Ozone			ry progra	m/s Benzen		e met fo	or : TVOC	-			$\bowtie$
		magnetic emi		Styr	ene		Benzen	e 🔄		TVUC				
P10.6			ets the requirer	nent for lov	<i>N</i> frequen	cv electro	magneti	c fields	of the f	llowing v	oluntary			
1 10.0		n/s: MPR-II			in noquon	ey electri	magnoa	e noide		showing t	Janaary			
P11			als for printing	products	;									
P11.1*	A Safety	/ Data Sheet (	SDS) is availat	ole for the i	ink/toner	preparati	on, even	if not le	gally re	quired (se	e P4.3).			$\boxtimes$
P11.2*	Paper c EN1228		st-consumer re	cycled fibe	ers can b	e used,	provided	that it	meets	the requi	rements	of		$\boxtimes$
P11.3*	2-sided	(duplex) printi	ng/copying is a	n integrate	ed produc	t function								$\boxtimes$
P12	Ergono	mics for com	puting produc	ts										
P12.1*	The disp	play meets the	ergonomic rec	luirements	of ISO 9	241-307	or visual	display	techno	logies.		$\boxtimes$		
P12.2*	The phy	sical input dev	vice meets the	requireme	nts of ISC	) 9995 ar	d ISO 92	241-410	-			$\square$		
P13	Packag	ing and docu	mentation											
P13.1*	Product Product	packaging ma packaging ma	aterial type(s): aterial type(s): aterial type(s):	Polyethyle	ene Cush	weig tions nt (kg): <b>0.</b>			): <b>0.050</b>					
P13.2*	Product	plastic package	ging is free fron	n PVC.								$\boxtimes$		
P13.3*		media for use nic 🔀, Paper	r and product d	ocumenta	tion (tick l	box):								
P13.4*		er user and pr	oduct documer	ntation, ple	ase spec	ify contai	ned perc	entage	of post-	consumer	recycled			
P14			on (See Note E	34)										
	NOTE: S informat knowled	Supplier make tion contained Ige available a d here is appro	in this docume at the time of co oximate and pro	ations, gua nt. All info mpletion,	rmation pl and suppl	rovided b lier shall	y supplie have no o	er in this obligation	docum	ent is prov date such	ided bas informati	ed on sup on. The ir	oplier's nformat	tion
P9			alified Noteboo ar.gov/index.c								code=C(	0		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

## Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo N20p Chrome	Logo
Model Number	20425; 80G2	_
Issue Date	2015-01-16	lenovo
Additional information		

P7.1.1	Product environmental attributes	
(d)	year of manufacture:	2014
(e)	<b>E TEC value</b> (kWh) per ErP Lot 3 Category and capability adjustments applied when <b>all discrete graphics cards (dGfx) are disabled</b> and if the system is tested with switchable graphics mode with UMA driving the display:	
	Category (according to ErP Lot 3): A Etec: 16.26	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:	
	Category (according to ErP Lot 3): NA Etec: NA	
(g)	idle state power demand (Watts);	5.21
(h)	sleep mode power demand (Watts);	0.69
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	NA
(j)	off mode power demand (Watts);	0.37
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	NA
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	Average 45W: 87.58%,87.60%,88.32%;	
	*internal note: show values for all available external power supplies	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300 cycles
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU	
	efficiency: NA	
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:	
	Energy-star requirement	
(p-3)	the measurement methodology used to determine information mentioned in points (o) - loadingcycles	
	batteries: IEC 61960 measurement methodology	
	in o o roo measurement methodology	

(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
	Energy-star requirement					
(q)	sequence of steps for achieving a stable condition with respect to power demand::					
	Based on user manual					
(r)	description of how sleep and/or off mode was selected or programmed:					
	Based on user manual					
(S)	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:					
Based on user manual						
(t)	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):					
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode					
6.0	that has a lower power demand requirement than sleep mode (in minutes):       NA         the length of time before the display sleep mode is set to activate after user inactivity (in minutes):       10					
(v)						
(w) information on the energy-saving potential of power management functionality:						
Based on user manual						
(x) user information on how to enable the power management functionality:						
Based on user manual						
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:						
230V/50Hz, Total Harmonic Distortion <2 %						
Addition Notebook Battery Information:						
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot replaced by a non-professional user.	be accessed and	
(Battery replaceable	not user	(Battery user		The battery[ies] in this product cannot be ea	silv replaced	
Teplaceable	)	replaceable)		by users themselves	isity replaced	
				-		
Additional information						