

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_u	notebooks.html

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	Lenovo S20-30 Touch			
Model number *	80GX; 20434			
Issue date *	2015-01-13			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	Lenovo S20-30 Touch		
Issue date *	2015-01-13	Logo	lenovo
Product environ	mental attributes - Legal requirements		Requirement met
Item			Yes No n.a.

P1	Hazardous substances and preparations		
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbon tetrachloride, 1,1,1-		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum		
	concentration values.		
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes	
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\square	
1 1.0	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2.3, dibromopropyl)-phosphate (TRIS),		\boxtimes
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).		
	Comment: Legal reference has no maximum concentration values.		
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split		\boxtimes
	aromatic amines. (See legal reference and Note B1)		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).		\boxtimes
	Comment: Legal reference has no maximum concentration values.		
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\square	
	microgram/cm ² /week (see legal reference).		-
	Comment: Max limit in legal reference when tested according to EN1811:1998.		
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes	
	http://www.lenovo.com/social_responsibility/us/en/materials.html		
P2	Batteries		
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\bowtie	
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chamical symbol for the motal concerned. He or Ph. Information on proper disposal is		
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is		
P2.2*	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)		
P2.2*	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		
P2.2* P2.3*	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the		
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical		
P2.3*	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)		
P2.3*	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling		
P2.3* P3.1*	 marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). 		
P2.3* P3.1* P3.2*	 marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required standards for electromagnetic compatibility (see legal reference). 		
P2.3* P3.1* P3.2* P3.3*	 marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). 		
P2.3* P3.1* P3.2*	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies		
P2.3* P3.1* P3.2* P3.3*	 marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). 		
P2.3* P3.1* P3.2* P3.3* P3.4*	 marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). 		
P2.3* P3.1* P3.2* P3.3* P3.4* P3.4*	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). If product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see		
P2.3* P3.1* P3.2* P3.3* P3.4* P4.1*	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). If product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).		
P2.3* P3.1* P3.2* P3.3* P3.4* P4.1* P4.1* P4.2* P4.3*	 marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). 		
P2.3* P3.1* P3.2* P3.3* P3.4* P4.1* P4.1* P4.2* P4.3*	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). If product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.01% (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).		
P2.3* P3.1* P3.2* P3.3* P3.4* P4.1* P4.1* P4.2* P4.3*	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic compatibility (see legal reference). If product is labeled to show conformance with applicable legal requirements (see legal reference). The product (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.01% (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).		
P2.3* P3.1* P3.2* P3.3* P3.4* P4.1* P4.1* P4.2* P4.3*	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). If product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.01% (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and		
P2.3* P3.1* P3.2* P3.3* P3.4* P4.1* P4.1* P4.2* P4.3* P5.1*	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). If product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If fink/toner is used in the product, it does not contain cadmium max 0.01% (see legal reference). Product packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.		
P2.3* P3.1* P3.2* P3.3* P3.4* P4.1* P4.1* P4.2* P4.3* P5.1* P5.2*	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). If product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	Lenovo S20-30 Touch 80GX; 20434			
Issue da	te *	2015-01-13 Logo	leno	vo	
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	equire	nent	met
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6		nt information			
P6.1*		on for recyclers/treatment facilities is available (see legal reference).	\square		
P7	Design	while requesting			
P7.1*		nbly, recycling t have to be treated separately are easily separable			
P7.2*		aterials in covers/housing have no surface coating.			╶╞╡
P7.3*		arts >100g consist of one material or of easily separable materials.		<u> </u>	⊢⊢
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		╞	┝
P7.5				<u> </u>	⊢⊢
		arts are free from metal inlays or have inlays that can be removed with commonly available tools.		⊢⊢	⊢⊢
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).	\square		
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives			
				⊢	⊢⊢
P7.8*		g can be done using commonly available tools	\boxtimes		_님
P7.9.		rts are available after end of production for: 5 years			<u> </u>
P7.10		s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type: type: PC+ABS Material type: Material type:			
P7.12	Electrica	cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13		cable insulation materials of signal cables are PVC free	- #-		⊢⊢
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			╞
P7.15		d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			╶┼┤
17.15	Note B2				
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\square		
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 1043	I specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: Brominated Epoxy Resin See P14			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%:			
	1. Chem 2. Chem	ent: No legal limits exist, this is a market requirement. cal name: , CAS #: cal name: , CAS #: cal name: , CAS #:			
	Chemica FR(40)	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	R40, R40	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	\square		
P7.20		lastic parts' weight >25g, recycled material content is 5.1%.			
P7.21 P7.22		lastic parts' weight >25g, biobased material content is 0%. rces are free from mercury			
F1.22		y is used specify: Number of lamps: <i>0</i> and max. mercury content per lamp: <i>0</i> mg	\bowtie		
P8	Batterie				
P8.1*		hemical composition: Lithium ion			
P8.2		meet the requirements of the following voluntary program/s: NA			-=

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * Issue date *

Lenovo S20-30 Touch 80GX; 20434

2015-01-13

Logo

lenovo

Product environmental attribution	ites - Market requ	irements (cont	inued)	Requirement met	
Item				Yes No	n.a.
P9Energy consumption9.1For the product the following the product the product the following the product the product the following the product the product the product the following the product the product the following the product the product the following the product the product the product the following the product the			liono oro, ronorto	di See D14	
Energy mode *	Power level at 100 V AC	115 V AC	230 V AC	method *	
Peak (On-max)	45 W	45 W	45 W	Full load	\boxtimes
Category I1/2/3					
Short Idle State - WOL Enabled	8.52 W	8.00 W	8.10 W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Enabled	4.07 W	4.50 W	4.70 W	Use for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3) - WOL Enabled	N/A W	N/A W	N/A W	Use for ENERGY STAR V6 registration(P _{sleep})	\boxtimes
Sleep (S3) - WOL Disabled	0.61 W	0.70 W	0.60 W	Use for ENERGY STAR V6 registration(P _{sleep})	
Off (S5) - WOL Enabled	N/A W	N/A W	N/A W	Use for ENERGY STAR V6 registration(Poff)	\square
Off (S5) - WOL Disabled	0.14 W	0.10 W	0.20 W	Use for ENERGY STAR V6 registration(Pott)	
Category D 1/2					
Short Idle State - WOL Enabled	N/A W	N/A W	N/A W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Enabled	N/A W	N/A W	N/A W	Use for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3) - WOL Enabled	N/A W	N/A W	N/A W	Use for ENERGY STAR V6 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	N/A W	N/A W	N/A W	Reference	
Off (S5) - WOL Enabled	N/A W	N/A W	N/A W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	N/A W	N/A W	N/A W	Use for EuP	
EPS No-load	0.08 W	0.08 W	0.10 W		
(External power supply / charger plugged in the wall outlet but disconnected from the product.)					
PTEC * Typical Energy Consumption	W	W	W		
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week		\boxtimes
ETEC * Annual Energy Consumption	28.13 kWh/year	27.6 kWh/year	27.5 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{short idle} \times 0.3 + P_{long idle} \times 0.1)$	
		WOL Enabled; Pslee	p: Sleep Mode(S3)) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display resolution* : 1366*768 Meg	gapixels				
Print Speed * : Imag	es per minute				\boxtimes
Default time to enter energy save m	ode: 25 minutes				
P9.2* Information about the en	nergy save function is	s provided with the	e product.		
P9.3* The product meets the ENERGY STAR® versi Others specify: NA			oluntary program uct category: 13	/s:	\square
P10 Emissions					
Noise emission – Decl P10.1 Mode		O 9296	Declared	Declared A weighted	
P10.1 Mode Mode	description		Declared A-weighted sound power level L_{WAd} (d sound pressure level L_{pAm} (dB)	
Idle * HL	DD:Idle		* 3.2	22.8	
	DD: Operating		* 3.6	28.0	
Other mode					
Measured according to:		MA-74 (only if not covered	d by ECMA-74 w	ith L _{pAm} measurement distance m)	
I		, ,	.,		

P10.2	The product meets the acoustic noise requirements of the following voluntary program/s	s:

 \square \square \boxtimes

Model nu	imber *	Ler	iovo	S20	-30 T	ouch	80G	X; 20 4	134					
Issue dat	:e *	2015-01-	.13						Logo	I	lenovo			
	environn	nental at	tributes -	Market re	quirements	(continued)			R	equire			
Item											Yes	No	n.a.	
546.64				rinting proc							<u> </u>			
P10.3*					ISO/IEC 2836	0) standard	, other sp	ecify: GRE	ENGUARI) GOLD	\boxtimes			
P10.4	• •			nase) is (mg									\boxtimes	
5.44 -		Dust	Ozor		Styrene	Benze		TVOC						
P10.5			•		llowing volunt	• • •		are met for					\boxtimes	
		Dust		ne	Styrene	Be	enzene		TVOC					
D40.0			emissions		6			6 41 6 - 1						
P10.6	program	/s: MPR-II		•	for low freque	ncy electroma	agnetic field	s of the fol	lowing volu	ntary	\square			
P11				rinting pro										
P11.1*	A Safety	Data She	et (SDS) is	available fo	r the ink/toner	preparation,	even if not	egally requ	uired (see F	P4.3).			\boxtimes	
P11.2*	Paper c EN1228		post-consu	mer recycle	d fibers can	be used, pro	wided that	it meets tl	ne requirer	ments of				
P11.3*	2-sided ((duplex) pi	rinting/copy	ing is an inte	egrated produ	ct function.							X	
P12			omputing											
P12.1*	The disp	lay meets	the ergono	mic require	ments of ISO §	9241-307 for v	visual displa	ay technolo	gies.		\boxtimes			
P12.2*	The phys	sical input	device me	ets the requi	rements of IS	O 9995 and I	SO 9241-41	0.			\boxtimes			
P13	Packagi	ing and de	ocumentat	ion										
P13.1*	Product	packaging	material ty	pe(s): PE v	ugate and par veight (kg): 0.2 veight (kg): 0.0	22	(kg): 0.776							
P13.2*				ree from PV		00200					\boxtimes			
P13.3*		• •			nentation (tick	hox).							╞	
	Electron	ic 🔀, Paj	per 🔀, Otł	ner 🗌	,	,								
P13.4*	fiber: 0	%	•		n, please spe	cify contained	percentage	e of post-co	onsumer re	cycled			Ш	
P14			ation (See											
	informati knowled	ion contair ge availab	ned in this o le at the tin	locument. A	s, guarantees Il information (etion, and sup) d for informati	provided by si plier shall hav	upplier in th	is docume tion to upda	nt is provident ate such in	ed based formation.	on supp The inf	olier's ormati	ion	

See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO

information.

P9

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo S20-30 Touch	Logo
Model Number	80GX; 20434	
Issue Date	2015-01-13	lenovo
Additional information		

P7.1.1 Pr	oduct environmental attributes	
(d)	year of manufacture:	
. ,	2014	
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics card disabled and if the system is tested with switchable graphics mode with UMA driving the display:	ls (dGfx) are
	Category (according to ErP Lot 3): A Etec: 12.21	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics card enabled:	s (dGfx) are
	Category (according to ErP Lot 3): NA Etec: NA	
(g)	idle state power demand (Watts);	4.17
(h)	sleep mode power demand (Watts);	0.65
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.69
(j)	off mode power demand (Watts);	0.13
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.16
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	Average*: 45W:87.58%,87.60%,88.32%;	
	*internal note: show values for all available external power supplies	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	
		300cycles
(p-1)	the measurement methodology used to determine information mentioned in points (I) - internal PSU	
	efficiency: NA	
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:	
	Energy-star requirement	

(p-3) the meas batteries:	urement methodolog	,,	to determine information mentioned in points (o) - loadingcycles		
IEC 61960 measurement methodology					
	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:				
Energy-star requirement					
(q) sequence of steps for achieving a stable condition with respect to power demand::					
Based on user manual					
(r) description) description of how sleep and/or off mode was selected or programmed:				
Based on user manual					
(s) sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:					
			Based on user manual		
(t) the duration of idle state condition before the computer automatically reaches sleep mode , or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 25					
(u) the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): NA					
(v) the length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10					
(w) information on the energy-saving potential of power management functionality:					
Based on user manual					
(x) user information on how to enable the power management functionality:					
Based on user manual					
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:					
230V/50Hz, Total Harmonic Distortion <2 %					
Addition Notebook Battery Information:					
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed	and replaced	
(Battery not user			by a non-professional user.		
replaceable)	replaceable)		The battery[ies] in this product cannot be easily replace themselves	d by users	
Additional information	on and a second s				

Г