

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC				
Commercial name *	Lenovo S40-70				
Model number *	20429; 80GQ				
Issue date *	2015-01-13				
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	20429; 80GQ		
Issue date *	2015-01-13	Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes	\Box	
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	_		
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	\boxtimes		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes	$\overline{\Box}$	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		\Box	$\overline{\mathbb{X}}$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	20429; 80GQ		
Issue date *	2015-01-13	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met	Ī
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	_
P6	Treatment information				١
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes			
P7	Design				Ī
	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes			
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	$\overline{\boxtimes}$	$\overline{\Box}$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		市	青	_
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		一一	一片	_
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives				-
P7.8*	Upgrading can be done using commonly available tools		\dashv	∺	+
P7.9.				井	4
	Spare parts are available after end of production for: 5 years Service shall be able to support the spare parts and service after end of production for 5 years upon material availability in the market				
P7.10	Service is available after end of production for: 5 years Service shall be able to support the spare parts and service after end of production for 5 years upon material availability in the market			Ш	
	Material and substance requirements				Ī
P7.11*	Product cover/housing material type:				
	Material type: BAYER FR3021 Material type: Material type:				
P7.12	Electrical cable insulation materials of power cables are PVC free.				
P7.13	Electrical cable insulation materials of signal cables are PVC free				
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B ²)	;			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:				
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #: Alt. 2				
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>				
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement.	1			
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	\boxtimes	П	П	
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				_
P7.20	Of total plastic parts' weight >25g, recycled material content is 5.3%.				=
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.				
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg				
P8	Batteries				Í
P8.1*	Battery chemical composition: <i>Li-ion</i>				
P8 2	Batteries meet the requirements of the following voluntary program/s: US RRRC		_		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	20429; 80GQ		
Issue date *	2015-01-13	Logo	lenovo.

Product environmental attributes - Market requirements (continued) Requirement met							
Item Yes No n.a							
P9 Energy consumption9.1 For the product the follo	wing power levels or	eneray consumpt	tions are reporte	d: See P14			
Energy mode *	Power level at				est		
Lineray mode	100 V AC	115 V AC	230 V AC	method *			
Peak (On-max)	65 W	65 W	65 W	Full load			
Category I1/2/3	1	•					
Short Idle State - WOL Enabled	7.94 W	8.233 W	9.03 W	Use for ENERGY STAR V6 registration (Pidle)		
Long Idle State - WOL Enabled	5.63 W	5.71 W	6.25 W	Use for ENERGY STAR V6 registration (Pidle)		
Sleep (S3) - WOL Enabled	0.43 W	0.43 W	0.50 W	Use for ENERGY STAR V6 registration(Psilee)	p)		
Sleep (S3) - WOL Disabled	NA W	NA W	NA W	Reference			
Off (S5) - WOL Enabled	0.23 W	0.24 W	0.28 W	Use for ENERGY STAR V6 registration(Poff)			
Off (S5) - WOL Disabled	NA W	NA W	NA W	Use for EuP			
Category D 1/2	1	•	•				
Short Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (Pidle)		
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (Pidle)		
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (Psie	9p)		
Sleep (S3) - WOL Disabled	W	W	W	Reference			
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)			
Off (S5) - WOL Disabled	W	W	W	Use for EuP			
EPS No-load	0.074 W	0.079 W	0.124 W				
(External power supply / charger plugged in the wall outlet but							
disconnected from the product.)							
PTEC *	W	W	W				
Typical Energy Consumption	VV	VV	VV				
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week				
Typical Energy Consumption	KWIII WCCK	RVVII/WCCR	KWII/WCCK				
ETEC *	27.63 kWh/year	28.5 kWh/year	31.38	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.3)$	5		
Annual Energy Consumption			kWh/year	+ P _{short idle} x 0.3+ P _{long idle} x 0.1)			
	P _{off} : Off Mode(S5) -	l WOL Enabled; P _{slee}	pp: Sleep Mode(S3)	- WOL Enabled; P _{idle} : Idle State - WOL Enabled			
Display resolution* : 1366*768Meg	apixels						
Print Speed * : Imag	es per minute						
Default time to enter energy save m	ode: 25 minutes						
P9.2* Information about the er	nergy save function is	s provided with the	e product.				
P9.3* The product meets the 6				/s:			
ENERGY STAR® version Others specify:	on: Version 6.0 Tie	er: Produ	uct category:		$\exists \; H$		
P10 Emissions							
Noise emission – Decl		O 9296	Doglared	Declared A weighted			
P10.1 Mode Mode	description		Declared A-weighted				
			sound power	Duetender neettie	nns		
			level $L_{W\!Ad}$	B) Operator position Bystander position Bystander position			
				or Desk side (only if product is			
Idle * HE	DD:Idle		* 2.7	operator attende	2 (1)		
Operation * HE	DD: Operating		* 3.0	25.9			
Other mode							
Measured according to: SISO7779 ECMA-74							
P10.2 The product meets the a				ith L _{pAm} measurement distance m) rogram/s:			
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:							

wodei nur	iibei	20429;	: 80GQ									
Issue date	*	2015-01-13						Logo	i	leno	VO .	
Product (nvironn	montal attri	butes - Mark	ot roquiron	aonts (co	ntinued)			r	Require	mont	mot
Item	#IIVII OIIII	ilelitai attii	Dules - Maik	et requiren	ients (cc	minueu)				Yes	No	n.a.
Itom	Chemica	al emissions	from printing	products						100	110	11.0.
P10.3*			ding to ECMA-		28360) s	tandard	other specify:					
P10.4			(print phase) is		20000) 3	taridard,	other specify.					X
1 10.4	• •	Dust	Ozone	Styrei	ne	Benzene	TVO	C				
P10.5			equirements of t				are met					X
1 10.0		Dust	Ozone	Styrer		Benz		TVOC	1	ш		
		magnetic em		3.7.3.								
P10.6				ment for low t	frequency	electromagr	netic fields of the	following volu	untary	\square		\Box
	program	-			, ,							
P11	Consum	nable materia	als for printing	products								
P11.1*							en if not legally r					\boxtimes
P11.2*	Paper co EN1228		st-consumer re	cycled fibers	can be	used, provid	ded that it meet	s the require	ments of			
P11.3*	2-sided ((duplex) printi	ing/copying is a	in integrated	product fu	nction.						\boxtimes
P12			puting produc									
P12.1*	The disp	lay meets the	e ergonomic red	quirements o	f ISO 9241	I-307 for visi	ual display techr	nologies.		\boxtimes		
P12.2*	The phys	sical input de	vice meets the	requirements	s of ISO 99	995 and ISO	9241-410.				\boxtimes	
P13	Packagi	ing and docu	umentation									
P13.1*	Product Product Product	packaging mackaging mackag	aterial type(s): aterial type(s): aterial type(s): aterial type(s):	EPE PE PP	weight (I weight (I	(g): 0.266 (g): 0.067 (g): 0.0132 (g): 0.0023						
P13.2*	Product	plastic packa	ging is free fror	n PVC.						\boxtimes		
P13.3*			er and product of	locumentatio	n (tick box	():						
		ic 🔀 Paper										
P13.4*	For pape fiber: 80		roduct docume	ntation, pleas	se specify	contained pe	ercentage of pos	t-consumer re	cycled			
P14			on (See Note I									
P9	informati knowledg provided informati	ion contained ge available a d here is appro ion.	I in this docume at the time of co oximate and pr	ent. All inform ompletion, an ovided for inf	ation prov d supplier formationa	ided by supp shall have r I purposes o	warranties wheth plier in this docu no obligation to u nnly. See a Leno	ment is provid update such in vo Account Re	led based formation	d on supp n. The inf	olier's formati	ion
P9							atest informationshowProductGr		ode=CO			
	p.// W	energyst	ur.gov/mdex.t	ruseact		a_product.s	owr rouncidi	oupupgw_cc	<u>/ue=00</u>			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo S40-70	Logo
Model Number	80GQ, 20429	_
Issue Date	2015-01-13	lenovo.
Additional information		

<i>F 1</i> . I . I	Product environmental attributes			
(d)	year of manufacture: 2014			
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics car disabled and if the system is tested with switchable graphics mode with UMA driving the display: Category (according to ErP Lot 3): A Etec: 14.99	ds (dGfx) are		
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics care enabled:	ds (dGfx) are		
	Category (according to ErP Lot 3): NA Etec: NA			
(g)	idle state power demand (Watts);	6.09		
(h)	sleep mode power demand (Watts);	0.56		
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);			
(j)	off mode power demand (Watts);	0.33		
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.31		
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average			
(m)	external power supply efficiency (if applicable): Average*: 40W:87.59%,88.37%,89.26%; 65W:87.97%,87.37%,88.45% *internal note: show values for all available external power supplies			
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	500cycles		
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:			
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: Energy-star requirement			

(p-3) the measu batteries:	to determine information mentioned in points (o) - loadingcycles						
		IEC	61960 measurement methodology				
	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
Energy-star requirement							
(q) sequence	sequence of steps for achieving a stable condition with respect to power demand::						
			Based on user manual				
(r) description	description of how sleep and/or off mode was selected or programmed:						
			Based on user manual				
(s) sequence off mode:	of events required to	reach th	ne mode where the equipment automatically changes to sleep and/or				
			Based on user manual				
	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 25						
(u) the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): NA							
(v) the length	(v) the length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10						
(w) information	n on the energy-savi	ng poten	tial of power management functionality:				
			Based on user manual				
(x) user information on how to enable the power management functionality:							
			Based on user manual				
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used							
for electrical testing: 230V/50Hz, Total Harmonic Distortion <2 %							
Addition Notebook B	attery Information:						
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be access by a non-professional user.	sed and replaced			
(Battery not user replaceable)	(Battery user replaceable)		The battery[ies] in this product cannot be easily replace	ced by users			
			themselves				
Additional information	on						