

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Contact information * Lenovo Global Environmental Affairs					
	Alvin L Carter	—				
	1009 Think Place	lenovo				
	Building 2 / 5F1					
	Morrisville, North Carolina 27560					
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at					
	http://www.lenovo.com/social_responsibility/us/en/datasheets_r	notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Tablet					
Commercial name *	Lenovo TAB3-710F					
Model number *	ZAOR					
Issue date *						
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requireme	nt met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🔀	

Model number *	ZAOR		
Issue date *	2015-12-19	Logo	lenovo

P1.1* Product 0.1% preferent Product P1.2* Product P1.3* Product P1.3* Product P1.3* Product P1.3* Product P1.3* Product P1.3* Product P1.5* Product P1.6* Textile Tris-(ar Common P1.7* Textile P1.7* Textile P1.7* Textile P1.7* Textile pentact Common P1.9* Parts with P1.10* REACH http://w Parts with P2 Batterint P2.1* If the p more the marketo provide P2.2* Button accum P3.1* The product P3.3* If product with leg P3.4* P4.1* If a phoe legal re P4.2* P4.3* If the in	rdous substances and preparations Justs do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal ence and Note B1) Justs do not contain Asbestos (see legal reference). ment: Legal reference has no maximum concentration value. Justs do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), bromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- broethane, methyl bromide (see legal reference). Justs do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated enyl (PCT) in preparations (see legal reference). Justs do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the containing at least 48% per mass of chlorine in the SCCP (see legal reference). e and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),		No	n.a.
P1.1* Product 0.1% preferent P1.2* Product P1.3* Product P1.3* Product hydrob trichlor concer P1.4* P1.5* Product P1.6* Textile Tris-(a: Comm P1.7* Textile P1.7* Textile P1.7* Textile pentac Comm P1.9* Parts w microg Comm P1.10* REACH http://w P2 Batteri P2.1* P2.1* If the p more th marked provide P2.2* Button accum P3.1* The provide P3.3* If product with leg P3.4* P4.1* If a phoelegal re P4.2* If ink/to P4.3* If the in	acts do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal ence and Note B1) acts do not contain Asbestos (see legal reference). ment: Legal reference has no maximum concentration value. acts do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), bromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- bromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- bromothane, methyl bromide (see legal reference). Comment: Legal reference has no maximum entration values. Justs do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated enyl (PCT) in preparations (see legal reference). Justs do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
0.1% p P1.2* Product P1.3* Product P1.3* Product hydrob trichlor rtichlor concer P1.4* Product P1.5* Product P1.6* Textile Tris-(az Comm P1.7* Textile aromat Pil.8* P1.9* Parts v microg Comm P1.9* Parts v microg Comm P1.9* Parts v microg Comm P1.10* REACI http://w P2 Batteri more ti marked provide P2.1* If the p more ti marked provide P2.2* Buttori design or data P3.3* P3.1* The pro P3.4* The pro P4.1* If apho legal re P4.2* P4.3* If the ir	polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal ence and Note B1) Justs do not contain Asbestos (see legal reference). ment: Legal reference has no maximum concentration value. Justs do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), bromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- broethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum entration values. Justs do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated enyl (PCT) in preparations (see legal reference). Justs do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.2* Product Commendation P1.3* Product Nydrob trichlor concer P1.3* Product Terphendation P1.5* Product Terphendation P1.5* Product Tris-(a: Commendation Commendation) P1.6* Textile Tris-(a: Commendation) P1.7* Textile Tris-(a: Commendation) P1.10* REACH P1.10* Parts verter tris-(a: Commendation) P1.10* REACH P2 Battering Commendation) P2.1* If the preter tris-(a: Commendation) P2.1* If the preter tris-(a: Commendation) P2.3* Battering Commendation) P3.3* If production tris-(a: Commendation) P3.4* The preter tris-(a: Commendation) P4.1* If a production tris-(a: Commendation) P4.2* If ink/tco P4.3* If the information tris-(a: Commendation)	ucts do not contain Asbestos (see legal reference). ment: Legal reference has no maximum concentration value. ucts do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), bromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- broethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum entration values. ucts do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated enyl (PCT) in preparations (see legal reference). ucts do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.3* Product hydrob trichlor concer P1.4* Product terphen P1.5* Product chain of P1.6* Textile Tris-(a: Comme P1.7* Textile aromat P1.7* Textile aromat P1.7* Textile aromat P1.7* Textile pentac Comme P1.9* Parts v microg Comme P1.10* REACH http://w P2 Batteri P2.1* If the pr P2.1* If the pr P2.3* Batteri design or data P3.3* The product P3.4* The product P3.4* The product P4.1* If a product P4.2* If ink/to P4.3* If the ir	nent: Legal reference has no maximum concentration value. Jucts do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), Joromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- proethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum entration values. Jucts do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated enyl (PCT) in preparations (see legal reference). Jucts do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.3* Product hydrob trichlor concer P1.4* Product terpher P1.5* Product Chain of P1.6* Textile aromat P1.6* Textile aromat P1.7* Textile aromat P1.8* Woode pentac Comm P1.9* Parts v microg Comm P1.10* REACH http://w P2 Batteri P2.1* If the pr P2.2* Button accum P2.3* Batterid design or data P3.5 Safety P3.1* The pro- P3.2* The pro- P3.2* The pro- P3.3* If produ- with leg P3.4* The pro- P3.4* The pro- P3.4* The pro- P4.1* If a pro- legal re P4.2* If ink/to P4.3* If the ir	acts do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), bromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- broethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum entration values. Jucts do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated enyl (PCT) in preparations (see legal reference). Jucts do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.4* Productor P1.4* Productor P1.4* Productor P1.5* Productor P1.6* Textile Tris-(az Comment P1.7* Textile aromat P1.7* Textile aromat P1.7* Textile aromat P1.9* Parts with microg Comment P1.9* Parts with P2 Batteri P2.1* If the provide P2.2* Button accum P2.3* Batteri P3.3* If productor P3.4* The pro- P3.4* The pro- P3.4* The pro- P4.2* If ink/to P4.3* If the ir	bromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- broethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum entration values. Jucts do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated enyl (PCT) in preparations (see legal reference). Jucts do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
terpher P1.5* Production of the chain of th	enyl (PCT) in preparations (see legal reference). Lots do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.5* Produc chain of chain of P1.6* Textile Tris-(a: Comm P1.7* Textile aromat Provide P1.7* Textile aromat Provide P1.8* Woode pentac Comm P1.9* Parts w microg Comm P1.10* REACH http://w P2 Batteri more tt more tt marked provide P2.1* P2.1* If the p P2.2* Button accum P3.3* P3.1* The provide P3.1* The provide P3.4* The provide P4 Consu P4.1* If a phone legal re P4.2* P4.3* If the ir	ucts do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6* Textile Tris-(a: Comm P1.7* Textile aromat P1.7* Textile aromat P1.8* Woode pentac Comm P1.9* Parts w microg Comm P1.9* Parts w microg Comm P1.10* REACt http://w P2 Batteri marked provide P2.1* If the p more th marked provide P2.2* Button accum P2.3* Batteri design or data P3.1* The pro P3.2* The pro P3.4* The pro P4.1* If a pho legal re P4.2* P4.3* If the ir		\boxtimes		
P1.7* Textile aromate aromate aromate pentace Communication of the pentace Communicati	aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). nent: Legal reference has no maximum concentration values.			
P1.8* Woode pentac Comm P1.9* Parts w microg Comm P1.10* REACH http://w P2 Batteri P2.1* If the p more ti mo	e and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split atic amines. (See legal reference and Note B1)			\square
P1.9* Parts v microg Common P1.10* REACH http://w REACH P2 Batterin P2.1* If the p more th marked provide P2.2* P2.2* Button accum or data P3 Safety P3.1* The provide P3.2* The provide P3.4* The provide P4.1* If a phoe legal re P4.2* P4.3* If the ir	len parts do not contain arsenic and chromius bin ichlorophenol and derivatives (see legal reference). nent: Legal reference has no maximum concentration values.			
P1.10* REACH http://w P2 Batteri P2.1* If the p more th marked provide P2.2* Button accum P2.3* Batterid design or data P3 Safety P3.1* The provide P3.2* The provide P4.1* If a provide P4.2* If ink/to P4.3* If the ir	with direct and prolonged skin contact do not release nickel in concentrations above 0.5			
P1.10* REACH http://w P2 Batteri P2.1* If the p more th more th marked provide P2.2* Button accum accum P2.3* Batteria design or data P3 Safety P3.1* The provide P3.2* The provide P3.4* The provide P4 Consu P4.1* If a phone legal re P4.2* P4.3* If the ir	gram/cm ² /week (see legal reference). nent: Max limit in legal reference when tested according to EN1811:1998.			
http://w P2 Batteri P2.1* If the p more th more th more th marked provide provide P2.2* Button accum accum P2.3* Batteria design or data P3 Safety P3.1* The provide P3.2* The provide P3.3* If product with leg P3.4* P4 Consu P4.1* If a phone legal re P4.2* P4.3* If the ir	CH Article 33 information about substances in articles is available at (add URL or mail contact):			
P2 Batteri P2.1* If the p more tf more tf marked provide P2.2* Button accum accum P2.3* Batterid design or data P3 Safety P3.1* The provide P3.2* The provide P3.3* If produ with leg P3.4* P4 Consu P4.1* If a pho legal re P4.2* P4.3* If the ir	/www.lenovo.com/social_responsibility/us/en/materials.html	\bowtie		
P2.1* If the p more the marked provide P2.2* Button accum P2.3* Batteria design or data P3 Safety P3.1* The provide P3.2* The provide P3.3* If produwith leg P3.4* The provide P4.1* If a phoese provide P4.2* If ink/tcc P4.3* If the ir				
P2.2* Button accum P2.3* Batteria design or data P3 Safety P3.1* The pro P3.2* The pro P3.2* The pro P3.3* If produ- with leg P3.4* The pro P4.1* If a pro- legal re P4.2* If ink/to P4.3* If the ir				
P2.2* Button accum P2.3* Batteria design or data P3 Safety P3.1* The pro- P3.2* P3.3* If produ- with leg P3.4* The pro- P4 P4.1* If a pho- legal re- P4.2* P4.3* If the ir	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.3* Batterin design or data P3 Safety P3.1* The pro- P3.2* The pro- P3.3* If produ- with leg P3.4* The pro- P4.1* If a pro- legal re P4.2* If ink/to P4.3* If the ir	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P3.1* The product P3.2* The product P3.3* If product P3.4* The product P4 Consulation P4.1* If a phone P4.2* If ink/to P4.3* If the ir	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3.2* The product of	y, EMC connection to the telephone network and labeling			
P3.2* The product of	roduct complies with legally required safety standards as specified (see legal reference).	\square		
P3.3* If produ- with leg P3.4* The pro- P4 Consu P4.1* If a pho- legal re P4.2* If ink/to P4.3* If the ir	product complies with legally required standards for electromagnetic compatibility (see legal reference).		Ē	Ē
P3.4* The property of the prop	duct is intended for connection to a public telecom network or contains a radio transmitter, it complies egally required standards for radio and telecommunication devices (see legal reference).			
P4ConsuP4.1*If a pholegal reP4.2*If ink/tcP4.3*If the ir	product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4.1* If a pho legal re P4.2* If ink/to P4.3* If the ir	umable materials			
P4.2* If ink/to P4.3* If the ir	noto conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see reference and Note B1).			
	toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
require	ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the			
	ict/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these rements is available (see legal reference).			
	ict/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these rements is available (see legal reference). uct packaging			_
	ict/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these rements is available (see legal reference).	\square		
P5.3* The pr Protoco	ict/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these rements is available (see legal reference). uct packaging aging and packaging components do not contain more than 0.01% lead, mercury, cadmium and		Π	Ħ

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Wouer In	umber *	ZAOR				
Issue da	ite *	2015-12-19	Logo	leno	vo.	
Dradua	tonviron	nentel ettributes Market requiremente. Environmentel conscious d	leainn	Dequire		
tem		mental attributes - Market requirements - Environmental conscious of tory to fill in. Additional information regarding each item may be found under P14.	lesign	Require Yes	No	n.a
P6		nt information		163	NO	11.0
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
P7	Design					
P7.1*		nbly, recycling t have to be treated separately are easily separable				
P7.2*						╞
		aterials in covers/housing have no surface coating.		<u> </u>		
P7.3*		arts >100g consist of one material or of easily separable materials.			<u>Ц</u>	
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product	lifetime				
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradir	g can be done using commonly available tools		\boxtimes		
P7.9.	Spare pa	rts are available after end of production for: 3 years				
P7.10		s available after end of production for: 1 years				┢
-		and substance requirements				
P7.11*		cover/housing material type:				
			al type: AI			
P7.12		cable insulation materials of power cables are PVC free.			\boxtimes	
P7.13	Electrica	cable insulation materials of signal cables are PVC free				
^{97.14}		housing plastic parts >25g are free from chlorine and bromine.				┢
P7.15		d circuit boards (without components) >25g are halogen free. as defined in IEC6	61249-2-21. (Se	e		
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:		\boxtimes		
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without compone additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	nts):			
	ISO 1043	I specifications of flame retardants in printed circuit boards (without components) > 3-4: Brominated Epoxy Resin See P14	25g according			
P7.18	concentr Comm	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: ent: No legal limits exist, this is a market requirement. cal name: , CAS #:	s/preparations	in 🔀		
	2. Chem 3. Chem Alt. 2	cal name: , CAS #: cal name: , CAS #: I specifications of flame retardants in plastic parts >25g according ISO 1043-4:			_	_
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% class 5, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	sified as R45,			
P7.20	Of total p	lastic parts' weight >25g, recycled material content is 0%.				
P7.21		lastic parts' weight >25g, biobased material content is 0%.				
P7.22	Light sou	rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp:	mg	\boxtimes		
28	Batterie					
P8.1*	Battery c	hemical composition: Lithium Ion				
² 8.2	Batteries	meet the requirements of the following voluntary program/s:				Т

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model num	iber *	Len	ovo TA	B3-710	F ZAOR				
Issue date	*			2015-12-19		1	Logo	lenovo	
Product	Product environmental attributes - Market requirements (continued) Requirement m							nt met	
Item		iontai atti	ibutee market	i oqui onionio ((continuou)			Yes N	
P9	Energy of	consumptio	on						
9.1	For the p	product the f	ollowing power lev	els or energy con	sumptions are re	ported: See P14			
Energy mod	de *		Power level at 100 V AC	t Power level at 115 V AC	Power level at 230 V AC	Reference / Stand method *	dard for ei	nergy modes and te	st
Peak (On-n	nax)		5 W	5 W	5 W	Full load			
Category	<u>/ 0</u>								
Short Idle S	State - W	OL Enable	d W	W	W	Use for ENERGY	STAR V	6 registration (P _{idle})	
Long Idle S	State - W	OL Enabled	W V	W	W	Use for ENERGY	STAR V	6 registration (P _{idle})	
Sleep (S3)	- WOL EI	nabled	W	W	W	Use for ENERGY	STAR V	6 registration(P _{sleep})	
Sleep (S3)	- WOL D	isabled	W	W	W	Reference			
Off (S5) - W	VOL Enal	bled	W	W	W	Use for ENERGY	STAR V	6 registration(P _{off})	
Off (S5) - W	VOL Disa	bled	W	W	W	Use for EuP			
Category	/ 11		1		1	J			
Short Idle 3	State - W	OL Enable	d W	W	W	Use for ENERGY	STAR V	6 registration(P _{idle})	
Long Idle S	State - W	OL Enabled	W V	W	W	Use for ENERGY	STAR V	6 registration(P _{idle})	
Sleep (S3)	- WOL E	nabled	W	W	W	Use for ENERGY	STAR V	6 registration (P _{sleep}	
Sleep (S3)	- WOL D	isabled	W	W	W	Reference			
Off (S5) - V	VOL Enal	bled	W	W	W	Use for ENERGY	STAR V	6 registration(P _{off})	
Off (S5) - W	VOL Disa	bled	W	W	W	Use for EuP			
EPS No-loa			W	W	W				
(External po plugged in t disconnecte	he wall o	utlet but	r						
PTEC * Typical Ene	ergy Cons	umption	W	W	W				
TEC * Typical Ene	ergy Cons	umption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Ene	rgy Cons	umption	kWh/year	kWh/year	kWh/year	+ <i>P</i> _{long_ldle} x 0.10+	Pshort_Idle		
Display reso	olution* ·	600v1024		55) - WOL Enabled;	P _{sleep} : Sleep Mode	(S3) - WOL Enabled;	Pidle: Idle	State - WOL Enabled	
			• •						
Print Speed			ges per minute						
		0,	e mode: 0.5 minute		ith the medicat				┥╠┥
	P9.2* Information about the energy save function is provided with the product.								
P9.3*	P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: Version 6.1 Tier: Product category: 11 Image: Comparison of the following voluntary program/s: Others specify: Image: Comparison of the following voluntary program/s:								
P10	Emissio			to 100 0000					
P10.1	Noise er Mode		Declared according	<u>to ISO 9296</u>	Declared A-weighter sound power level L _{WAd}	d sound p er (B) Operator posit	tion 🔀	weighted evel L_{pAm} (dB) Bystander position (only if product is n operator attende	ot
	Idle	*	HDD:Idle		*				
	Operatio		HDD: Operating		*				
	Other mo								
	weasure	d according	to: ISO7779	ECMA-74 (only if not cove	ered by ECMA-74	with LpAm measure	ement dist	ance m)	

Model nur	nber *	ZAOR				
Issue date	*	2015-12-19	Logo	leno	10	
Product	environn	nental attributes - Market requirements (continued)		Require	ment	met
Item				Yes	No	n.a.
	Chemica	Il emissions from printing products				
P10.3*	Test perf	ormed according to ECMA-328 (ISO/IEC 28360) standard 🔲, other specify:				\boxtimes
P10.4	Typical e	mission rate (print phase) is (mg/h):				\boxtimes
	[Dust Ozone Styrene Benzene TVOC				_
P10.5		I emission requirements of the following voluntary program/s are met for : pustOzoneStyreneBenzene	TVOC			\boxtimes
	Electron	nagnetic emissions				
P10.6	program/		owing voluntary	\square		
P11		able materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	ired (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of 📃 🗌 🔀 EN12281.					
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				\boxtimes
P12		nics for computing products				
P12.1*	The disp	ay meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.	\square		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13		ng and documentation				
P13.1*	Product	backaging material type(s): <i>PE</i> weight (kg): <i>0.001</i> backaging material type(s): <i>Paper pad</i> weight (kg): <i>0.57</i> backaging material type(s): weight (kg):				
P13.2*	Product p	plastic packaging is free from PVC.		\boxtimes		
P13.3*		nedia for user and product documentation (tick box):				
		c 🔀, Paper 🔀, Other 📃				
P13.4*	For pape fiber: 09	r user and product documentation, please specify contained percentage of post-co $\%$	onsumer recycled			
P14		al information (See Note B4)				
	informati knowledg provided informati		nt is provided base ate such information	d on supp on. The inf	lier's ormati	on
P9		rgy Star Qualified Notebooks & Tablet Computers for the latest information: vw.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	o&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19