

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes **Notebooks and Tablets**

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0		
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
e-mail address	Alvin L Carter		Lenovo		
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Tablet PC						
Commercial name *	Lenovo Tablet 10						
Model number *	20L3, 20L4						
Issue date *	2018/1/22						
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

lssue da Produc	ate *				
Produc		208/01/22	Len		DTH
	t environ	mental attributes - Legal requirements	Require	emen	t met
ltem			Yes	No	n.a.
P1	Hazardo	ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /I (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/we al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact): ww.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/	\square		
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries referenc	gal 🔀			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)	\square		
P3	Conforr	nity verification & Eco design (ErP)			
P3.1*	The proo	duct is CE-marked to show conformance with applicable legal requirements (see legal reference) claration of Conformity can be requested at (add link or e-mail address):). 🛛		
		vww.lenovo.com/social_responsibility/us/en/ec_doc_notebooks/			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).			
	•	d information is; given in item P15 or added to this document, available at (add URL):			
D.5		ww.lenovo.com/social_responsibility/us/en/datasheets_notebooks/			
P5 P5.1*		t packaging	and N		
	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the materia be legal reference).			
P5.3*	Protocol	duct packaging material is free from ozone depleting substances as specified in the Montu (see legal reference). nt: Legal reference has no maximum concentration values.	real 🔀		
P6	Treatme	ent information			
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		20L3, 20L4	Logo				
Issue dat	te *	Error! Reference source not found.		Len	Lenovo		
Product		mental attributes - Market requirements (See General NOTE GN	below)	_			
		onmental conscious design			Requirement met		
Item P7		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	n.a.	
P7.1*	Parts tha						
P7.2*							
P7.3*		naterials in covers/housing have no surface coating. arts > 100 g consist of one material or of easily separable materials.				<u> </u>	
P7.4*	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			⊢⊢	+	
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly a	available tool		╞	<u> </u>	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		3. <u> </u>	╞		
17.0	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives					
P7.8*		ng can be done using commonly available tools			+		
P7.9		arts are available after end of production for: 5 years					
P7.10		s available after end of production for: 5 years				+	
1 7.10		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
			al type: PC/A	BS+15TALC			
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes		
P7.13	Insulation	n materials of internal electrical cables are PVC free.					
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b			Π		
		1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame					
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) g more than 25% post-consumer recycled content.	chlorine in p	arts			
P7.15	Printed	circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs >	25 g 🔀 are	low 🔀			
D7.40		as defined in IEC 61249-2-21. (See 1NOTE B2)					
P7.16	Marking:						
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co			_	_	
		TBBPA (additive),TBBPA (reactive) (See NOTE B3), 🔀 Other: <i>DOPO</i> , CAS #:	35948-25-5	\bowtie			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR</i> (40)	ents) > 25 g	\boxtimes			
57.40							
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%:	s/preparation	ns in			
		ical name: BPADP ,, CAS #: 181028-79-5 (See NOTE B4)					
		ical name: , CAS #:					
	3. Chem	ical name: , CAS #: "					
	<u>Alt. 2: </u> Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: <i>FR(40)</i>	\boxtimes			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which			\square		
	assigned	the following Risk phrases; and Hazard statements:					
			See note B5)				
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):						
	If YES: a	t least one of the two alternatives below shall be answered;					
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten	t (calculated	as			
	a percentage of total plastic by weight) is %.						
	or b) The	weight of recycled material is 2.7 a					
	b) The	e weight of recycled material is 2.7 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20L3, 20	L4			Logo		
Issue date *	2018/1/2	2				Lenovo	
Product environ	mental at	tributes - Market r	equirements (conti	nued)	·	Requirement I	met
Item			• •				n.a.
Materia	and subs	stance requirements	(continued)				
P7.21* Biobase	ed plastic m	naterial content is used	d in the product (See N	OTE B7):			
If YES;	at least one	e of the two alternative	es below shall be answ	ered;			
			, the biobased plastic	material content (calcu	lated as a percen	tage	
or	total plastic	by weight) is %	6.				
	e weight of	the biobased plastic	material is g.				
			less than 0,1 mg/lamp				
		specify: Number of la	mps: and maxim	um mercury content pe	er lamp: mg		_
P8 Batterie P8.1* Battery		omposition: <i>Lithium i</i>	ion				\square
		tion (See NOTE B8)					
			ls or energy consumpti	ons are reported:			
Energy mode *		Power level at	Power level at	Power level at	Reference/Stand	dard for energy	
		100 V AC	115 V AC	230 V AC	modes and test	method *	
Peak (On-max)		14.451 W	14.256 W	13.84 W	Full load		
Category I1							
Short Idle State - V		3.78 W	3.87 W	3.84 W	Use for ENERG	V STAP V6	
Disabled	VOL	5.70 VV	3.07 VV	5.04 VV	registration (Pic		
Lawy Jalla Chata M		0.07.14/	0.07)//	2.2.4.14/	Use for ENERG		
Long Idle State - M Disabled	IOL	2.27 W	2.27 W	2.24 W	registration (Pid		
Sleep (S3) - WOL I	Disabled	0.54 W	0.54 W	0.54 W	Reference		
Off (S5) - WOL Dis	abled	0.478 W	0.478 W	0.478 W	Use for ErP		
EPS No-load		0.02 W	0.02 W	0.07 W			
(External power supply / charge wall outlet but disconnected from	er plugged in the						
PTEC *	m the product.)	42.9 W	42.9 W	42.9 W			
Typical Energy Con	sumption						
ETEC * Annual Energy Con	oursetion	14.79 kWh/year	14.84 kWh/year	14.65 kWh/year		$00) \times (P_{\rm off} \times 0.25)$	
Annual Energy Con	sumption				$P_{short \ Idle} \times 0.30$	Plong_Idle x 0.10+	
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Sleep	Mode(S3) - WOL Enable		WOL Enabled	
		•	I Efficiency Marking Pro	otocol) * : VI			
Display resolution *	1920*120	00 megapixels					
		ve mode: 30 minutes					
			ion is provided with the	product.		\boxtimes	
P9.3 Energy	efficiency of	class (monitors only):					\boxtimes
P10 Emissi							
P10.1 Mode		Declared according to lode description	o ISO 9296 (See NOTE		t A-weighted source	d power level, <i>L_{WA.c} (</i> E	2)
Idle	*	System Idle		* 17.3		u powei ievei, <i>LW</i> A,c (E	<i>י</i>
Operati	on *	Cpu: Operation		* 16.6			╞
Other n		eclared A-weighted sour	nd pressure level (dB) $L_{p{ m Ar}}$		sition desktop – idle	<u>a)</u>	
Other m		eclared A-weighted sour	ad pressure level (dB) L_{pAr}		sition desktop – op	-	
			_	n (operator po	smon desktop – op	erauligj	
Measur	ed accordir	ng to: 🔀 ISO 7779 🗋					
		Other	(only if not covered by	ECMA-74)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	20L3, 20L4			Logo			
Issue dat	e *	2018/1/22				Leno	VO,	M
Product	environ	mental attribu	tes - Market requirements	(continued)		Require		me
ltem						Yes	No	n.a
		magnetic emiss						
P10.4	program	(s): MPR-II(3 pii	the requirement for low frequen AC adapter only)	cy electromagnetic fields	s of the following volunta	ary 🔀		
P12		mics for compu						
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.							
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.							
P13	Packag	ing and docume	entation					
P13.1*	Product	packaging mate	rial type(s): Corrugated Cardbo rial type(s): Molded Pulp weigh rial type(s): Others (Plastic Bag	nt (kg): 0.182				
P13.2*			ackaging is free from PVC.			\boxtimes		
P13.3*		duct primary cor er recovered fibe	rugated fiberboard packaging, r content: 90 %	specify the contained p	percentage of minimum			
P13.4*		media for user a ronic, ⊠Paper,	nd product documentation (tick I	oox):				
P13.5	Ùser an		is item if paper documentation u entation on paper media is chlo					
	Totally o	hlorine-free				\boxtimes		
	Element	al chlorine-free						
	Process	ed chlorine-free				H		
P14	Volunta	ry programs						
P14.1			equirements of the following volu	untary program(s):				
	Eco-lab Eco-lab	el:	Criteria version: 6.1 Criteria version: Criteria version:	Date: 2018-1-22 Date: Date:	Product category: <i>I1</i> Product category: Product category:			
P15			(See NOTE B10)					
P9			f specific configuration may v					
	informat knowled	ion contained in ge available at tl here is approxi	to representations, guarantees, this document. All information p ne time of completion, and supp mate and provided for informatio	rovided by supplier in thi lier shall have no obligat	is document is provided ion to update such infor	based on supp mation. The inf	olier's ormati	ion
P9	See Ene	ergy Star Qualifie	d Notebooks & Tablet Compute v/index.cfm?fuseaction=find_a_					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Error! Reference source not found.	Logo
Model Number	Error! Reference source not found.	
Issue Date	2018-1-22	Lenovo
Additional information		

P7.1.1	Product environmental attributes								
(d)	Year of manufacture:				2018				
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.								
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable								
	Category A (according to ErP Lot 3)Category B (according to ErP Lot 3)Category C (according to ErP Lot 3)Category D (according to ErP Lot 3)								
	Memory over base [GB]	4GB							
nents sting	Additional internal storage	YES (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
ability a	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
cap app	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)				
	Category of discrete graphics Card(s)								
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	13.15							
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled								
(g)	Idle state power demand (Watts);	-	·	-	3.88				
(h)	Sleep mode power demand (Watts);				0.51				
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		NA				
(j)	Off mode power demand (Watts);				0.48				
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		NA				
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output powe	er (if applicable):					
	10% 20% 50%	100% Avera	ige						
(m)	External power supply efficiency (if appli	cable)*:							
	Average active efficiency: 45W: 87,98%	5,88,63%,88,83% ,							
	*internal note: show values for all available external p								
(0)	Minimum number of loading cycles that t			. ,	800				
(p-1)	Measurement methodology used to dete	rmine information mer NA	itioned in points (I) – ir	nternal PSU efficiency:					

	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EPA "Test Method for Calculating the Energy Efficiency of Single-Voltage External AC-DC and AC-AC Power Supplies" dated August 11, 2004							
(p-3)	Measurement metho	dology used to determine information mentioned in p IEC 61960 measurement methodolo						
	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623 / IEC EN50564:2011 measurement methodology							
(q)	Sequence of steps for achieving a stable condition with respect to power demand:: IEC 62623 / IEC EN50564:2011 measurement methodology							
(r)	Description of how sl	eep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or o	ff mode					
· · /	Sequence of events of for the sequence of events of the sequence of the sequen	required to reach the mode where the equipment aut NA	tomatically changes to sleep and/or					
	condition which does	te condition before the computer automatically re not exceed the applicable power demand requirement a period of user inactivity in which the compute	ents for sleep mode (in minutes):	30min				
		ver power demand requirement than sleep mode (in		NA 10min				
		re the display sleep mode is set to activate after nergy-saving potential of power management function Refer to User Guide						
(x)	User information on h	now to enable the power management functionality: 230V/50Hz						
t t		neasurements: — test voltage in V and frequency in system, — information and documentation on the in- sting: 230V, 50GHz, Total Harmonic Distor	strumentation, set-up and circuits					
Additional	Notebook Batter		-	-				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾						
Internal/bu	ilt-in Battery	\boxtimes						
External/de	etachable Battery							
Bios Backu	up Battery							
Other:								
Additional i	nformation							
Akymynarophara Las baterias de Výměnu baterie/ Brugeren kan ikł Der Akku/die Ak Kasutajad ei saa H μπαropiα[-ες] La/les batterie(s Korisnik ne mož La batteria/le ba Lietotāji paši nev Šio gaminio bate A termék akkum Il-batterija/batter Batteriet [ene] i De batterij(en) ir Użytkownik nie r A ou as baterias	a[μτe] δατeρμя[μ] в този i este producto no pueden /baterii v tomto výrobku by ke uden videre udskifte ba kus dieses Produkts kann a selle toote akut/akusid is στο προϊόν αυτό δεν μπο présente(s) dans ce prod e lako zamijeniti Bateriju s tterie in questo prodotto n var nomainīt šā ražojuma arijos [bateriju] pats vartot iulátorát/akkumulátorait a iji fdan i-prodott ma tista: dette produktet kan ikke le n dit product is (zijn) door nože sam w łatwy sposób deste produto não poder	ρούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες uit ne peuvent être facilement remplacée(s) par les utilisateurs e sam u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente.	werden.					

Bateria (baterine) din acest produs no poale (pot) n uşor miocula (miocula Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.