

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_	notebooks.html

	pased on product specification or test results based obtained from sample testing), that the product its given in this declaration.
Type of product *	Personal Computer
Commercial name *	ThinkCentre E93z; YangTianS74XXXX;
	YangTianS78XXXX
Model number *	10B8; 10B9; 10BA; 10BH; 10BJ; 10BK; 10BW; 10BX; 10BY;
	10CX; 10CY
Issue date *	2013/6/19
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	10B8; 10B9; 10BA; 10BH; 10BJ; 10BK; 10BW; 10B	X; 10B	Y; 10CX; 10CY
Issue date *	2013/6/19	Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	men	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent	\boxtimes		
	chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See	_		
	legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).			
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.4*	concentration values.		_	
P1.4	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in		$\overline{}$	
F1.5	the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes	Ш	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2.3dibromopropyl)-phosphate (TRIS).	$\overline{}$		
F1.0	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).	Ш	Ш	\boxtimes
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split		$\overline{}$	\boxtimes
1 1/	aromatic amines. (See legal reference and Note B1)	ш	ш	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as		П	\boxtimes
1 1.0	pentachlorophenol and derivatives (see legal reference).	ш	ш	
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\square	П	
	microgram/cm²/week (see legal reference).		ш	ш
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\square	П	
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be		ш	ш
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or	X		
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		ш	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the			
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medica			
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal		Ħ	
. 0.2	reference).		ш	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	\square	П	
	with legally required standards for radio and telecommunication devices (see legal reference).		ш	
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	X		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see			
1 7.1	legal reference and Note B1).	ш	ш	
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*			₩	
P4.3	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these		Ш	\boxtimes
	requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and	4 🔼		
75.1	hexavalent chromium by weight of these together.	d 🔀	Ш	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
			ᆛ	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	ત 🔀		
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
l	Comment. Legar reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	10B8; 10B9; 10BA; 10BH; 10BJ; 10BK; 10BW; 10B	X; 10B	Y; 10CX; 10CY
Issue date *	2013/6/19	Logo	lenovo.

Produc	t environmental attributes - Market requirements - Environmental conscious design Re	quire	men	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes	Ш	oxdot
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		\Box	\Box
P7.2*	Plastic materials in covers/housing have no surface coating.			Ħ
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	Ħ		Ħ
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	A	+	Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	Ħ	Ħ	H
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X	Ħ	∺
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square	$\overline{}$	$\overline{\Box}$
P7.8*	Upgrading can be done using commonly available tools		一片	Ħ
P7.9.	Spare parts are available after end of production for: 5 years			Ħ
P7.10	Service is available after end of production for: 5 years			∺
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: ABS+PMMA Material type: ABS+PC Material type: Steel			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: 澳化环氧树脂, CAS #: 26265-08-7			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: 16 <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 50%.			
P7.21 P7.22	Of total plastic parts' weight >25g, biobased material content is <i>0</i> %. Light sources are free from mercury		_	_
F1.22	light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		Ш	Ш
P8	Batteries			
P8.1*	Battery chemical composition:			\boxtimes
P8.2	Batteries meet the requirements of the following voluntary program/s:			$\overline{\mathbf{X}}$

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	10B8; 10B9; 10BA; 10BH; 10BJ; 10BK; 10BW; 10B	X; 10B	Y; 10CX; 10CY
Issue date *	2013/6/19	Logo	lenovo.

Product environmental attrib	ules - Market r	equirements (C	ontinueu)	Requirement Yes No	n.
P9 Energy consumption					
9.1 For the product the foll The product is shipped			mptions are	reported: See P14	_
Energy mode *	Power level at		Power leve	I at Reference / Standard for energy modes and	╁
Energy mode	100 V AC	115 V AC	230 V A		
Category 0					
Short Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (Pidle)	
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Category I1					
Short Idle State - WOL Enabled	<i>27.36</i> W	27.12 W	34.46 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	T
Long Idle State - WOL Enabled	15.12 W	14.76 W	15.58 W	Use for Energy Star V6.0 registration (P _{Longldle})	
Sleep (S3) - WOL Enabled	1.24 W	1.27 W	1.48 W	Use for Energy Star V6.0 registration (P _{sleep})	Π
Sleep (S3) - WOL Disabled	W	W	W	Reference	T
Off (S5) - WOL Enabled	0.60 W	<i>0.58</i> W	0.94 W	Use for Energy Star V6.0 registration (Poff)	T
Off (S5) - WOL Disabled	W	W	W	Use for EuP	T
Category I2	I.	I.	I	1	
Short Idle State - WOL Enabled	27.48 W	27.24 W	37.02 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	Π
Long Idle State - WOL Enabled	14.70 W	14.88 W	16.56 W	Use for Energy Star V6.0 registration (P _{Longldle})	Ť
Sleep (S3) - WOL Enabled	1.22 W	1.26 W	1.49 W	Use for Energy Star V6.0 registration (P _{sleep})	T
Sleep (S3) - WOL Disabled	W	W	W	Reference	ŤĪ
Off (S5) - WOL Enabled	0.58 W	0.61 W	0.79 W	Use for Energy Star V6.0 registration (Poff)	T
Off (S5) - WOL Disabled	W	W	W	Use for EuP	Ť
Category I3	l	l			+
Short Idle State - WOL Enabled	27.00 W	27.00 W	37.19 W	Use for Energy Star V6.0 registration(P _{ShortIdle})	╁
Long Idle State - WOL Enabled	14.56 W	14.52 W	15.84 W	Use for Energy Star V6.0 registration (P _{Longidile})	+
Sleep (S3) - WOL Enabled	1.25 W	1.27 W	1.49 W	Use for Energy Star V6.0 registration (P _{sleep})	╁
Sleep (S3) - WOL Disabled	W	W	W	Reference	╁
Off (S5) - WOL Enabled	0.60 W	0.61 W	0.77 W	Use for Energy Star V6.0 registration (P _{off})	╬
Off (S5) - WOL Disabled	W	W	W	Use for EuP	╁
	**	**	**	OSC IOI Eur	╀
Category D1 Short Idle State - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration(P _{ShortIdle})	$\frac{1}{1}$
Long Idle State - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration (P _{shortIdle})	\perp
Sleep (S3) - WOL Enabled	W	W	W		+
117				Use for Energy Star V6.0 registration (P _{sleep})	<u> </u>
Sleep (S3) - WOL Disabled	W	W	W	Reference	ļ
Off (S5) - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration (Post)	ļ
Off (S5) - WOL Disabled	W	W	W	Use for EuP	<u> L</u>
Category D2			ı		1
Short Idle State - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration(P _{ShortIdle})	[
ong Idle State - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration (P _{Longlidle})	
Sleep (S3) - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration (P _{sleep})	
Sleep (S3) - WOL Disabled	W	W	W	Reference	1[
Off (S5) - WOL Enabled	W	W	W	Use for Energy Star V6.0 registration (Poff)	П
Off (S5) - WOL Disabled	W	W	W	Use for EuP	T

EPS No-loa	ad	W	W	W			
	ower supply / charg	er					
	the wall outlet but						
disconnect	ed from the product	(.)					
TEC		kWh/week	kWh/week	kWh/week			
_	ergy Consumption	KVVII/Week	KVVII/Week	KWII/Week			
i ypiodi Lin	orgy consumption						
ETEC *		Cat I1: 106.66;	Cat I1: 105.37;	I1: 130.47;	ETEC	$c = (8760/1000) \times (P_{\text{off}} \times 0.45 + P_{\text{sleep}} \times 0.05)$	
Annual Energy Consumption		Cat I2: 106.38;	Cat I2: 106.03;	<i>I2:139.04;</i>	+ Ps	Shortidie X 0.35 +P _{Longidie} X 0.15)	
		Cat 13: 104.82	Cat I3: 104.83	I3:138.51			
		kWh/year	kWh/year	kWh/year			
		D . Off Mada(C5)	WOL Enghlady D	: Clean Made	(C2)	WOL Enabled; P _{idle} : Idle State - WOL Enabled	
		P _{off} . Off Mode(35)	- WOL Ellabled, F _{sl}	eep. Sieep wode	33) -	WOL Enabled, Fidle lule State - WOL Enabled	
Display res	solution : M	egapixels					
Print Speed	d :	Images per minute					
Default tim	e to enter energy sa	ave mode: 25 minutes					
P9.2*	Information about	the energy save function	on is provided with	the product.			
P9.3*		the energy requireme					
		version: Version 6.0 c	lated September	10, 2013 Prod	uct ca	ategory: <i>I1,I2,I3</i>	
	Others specify:						
P10	Emissions						
		Declared according to	ISO 9296				
P10.1	Mode N	Mode description		Declared		Declared A-weighted	
				A-weighte sound pow		sound pressure level $L_{p{ m Am}}$ (dB)	
				level L_{WAd}		Operator position Bystander positions	
				level E _{WAd}	(5)	Desktop 🔀	
						or Desk side (only if product is not	
				1		operator attended)	
	Idle *	HDD: Idle		* 3.0		20.7	
	Operation *	HDD: Operating		* 3.1		22.9	1 🖂 🛚
		, ,					
	Other mode						
	Measured according	3	ECMA-74				
		Other				th L _{pAm} measurement distance m)	L
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s:						

Model number *	10B8; 10B9; 10BA; 10BH; 10BJ; 10BK; 10BW; 10BX	K; 10B	Y; 10CX; 10CY
Issue date *	2013/6/19	Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item	•	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements c EN12281.	of		\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes		
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Fabricated PE			
	Product packaging material type(s): Corrugated paper weight (kg):			
P13.2*	0.66(FS_CN),0.52(FS_WW)1.302(MS),1.88(TS) Product plastic packaging is free from PVC.		_	$\overline{}$
P13.3*				井
P13.3	Specify media for user and product documentation (tick box): Electronic , Paper , Other			Ш
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 70%			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied information contained in this document. All information provided by supplier in this document is provided base knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent information.	ed on sup on. The in	plier's forma	
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CC	<u>, </u>		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre E93z; YangTianS74XXXX; YangTianS78XXXX	Logo
Model Number	10B8; 10B9; 10BA; 10BH; 10BJ; 10BK; 10BW; 10BX; 10BY; 10CX; 10CY	_
Issue Date	2014.06.19	lenovo.
Additional information		

P7.1.1	Product environmental attributes			
(d)	Year of manufacture:	Availible on product label		
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:	N/A		
(f)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:			
	Category B Etec 72.18 Category C Etec 68.80 Category D Etec 69.84			
(g)	idle state power demand (Watts);	19.37		
(h)	sleep mode power demand (Watts);	1.48		
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	1.48		
(j)	off mode power demand (Watts);	0.97		
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.97		
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 87.52% 20% 91.47% 50% 92.46% 100% 90.77%			
(m)	External power supply efficiency (if applicable): 10% 20% 50% 100% Average ; or Level:	N/A		
(0)	The minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): N/A			
(f)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distorti the electricity supply system, — information and documentation on the instrumentation, set-up and circused for electrical testing: Test voltage in V and frequency in Hz 230V/50Hz Total harmonic distortion of the electricity supply system < 2% Information and documentation on the instrumentation, set-up and circuits used for electrical testing			
	Instrument Range Used Type Or *** Make and Model **			

	AC Power Source	Input:110V,20A(max)/220V, 10A(max);50HZ/60HZ;. Output:0~150V,9.2A(max)/0 ~300V,4.6A(max)	EXTECH 6910;		
	Power Meter	0~600V;0~20A	YOKOGAWA;WT210	<u> </u>	
(p-1)	The measurement methodo efficiency:	ology used to determine informatio	n mentioned in points (I) – intern	al PSU	
(p-2)	The measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: N/A				

(p-3)	The batte		nent methodology used to determine information mentioned in points (o) - loadingcycles	
	Datte	1103.	N/A	
(= 4)	TI		and another delices and the determined in formation and the second in the second in the second in the second in	
(p-4)			nent methodology used to determine information mentioned in maximum, idle, sleep, off mode ed in Point P9.1 in the Product IT Eco Declaration:	
			IEC 62301	
(q)	Sequ	ence of st	teps for achieving a stable condition with respect to power demand::	
			Power on -> Wait 5 minutes -> Stable condition	
(r)	Desc	ription of I	how sleep and/or off mode was selected or programmed:	
			Begin menu -> Power -> Select sleep or off mode	
(s)	Sequ off m		vents required to reach the mode where the equipment automatically changes to sleep and/or	
		Contro	l Panel->Power Options-> Change Settings-> Restore default settings for this plan	
(t)			of idle state condition before the computer automatically reaches sleep mode, or another n does not exceed the applicable power demand requirements for sleep mode (in minutes):	25 minutes
(u)			time after a period of user inactivity in which the computer automatically reaches a hat has a lower power demand requirement than sleep mode (in minutes):	45 minutes
(v)	The I	ength of	time before the display sleep mode is set to activate after user inactivity (in minutes):	10 minutes
(w)	Inforr	nation on	the energy-saving potential of power management functionality:	
			N/A	
(x)	User	informatio	on on how to enable the power management functionality:	
			Refer to User Guide	
Additio	n Notebo	ok Batte	ry Information:	
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a user.	non-professional
			The battery[ies] in this product cannot be easily replaced by users them	selves
Additio	nal inform	nation		