

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Notebook PC						
Commercial name *	ThinkPad T540p						
Model number *	<i>M/T: 20BE/20BF</i>						
Issue date *	2014, June 13						
Intended market *	🛛 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	equireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square	

woder nu	umber *	ТhinkPad T540p м/т.	: 20BE/20BF			
lssue da	te *	2014, June 13	Logo	lena	DVO.	
Product	t environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations			-	
P1.1*	chromiu	s do not contain more than; 0.1% lead, 0.01% cadmium, 0 m, 0.1% polybrominated biphenyls (PBB) or 0.1% polybro erence and Note B1)				
P1.2*	Products	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluor omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCF0 ethane, methyl bromide (see legal reference). Comment: ration values.	C), Halons, carbontetrachloride, 1,1,1-			
P1.4*		s do not contain more than; 0.005% polychlorinated bipher (I (PCT) in preparations (see legal reference).	nyl (PCB), 0.005% polychlorinated	\boxtimes		
P1.5*	Products the chai	s do not contain more than 0.1% short chain chloroparaffir n containing at least 48% per mass of chlorine in the SCC	P (see legal reference).	\square		
P1.6*	Tris-(azi	and leather parts with direct skin contact do not contain Tri ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl nt: Legal reference has no maximum concentration values	(PBB) (see legal reference).			
P1.7*	Textile a	and leather parts with direct skin contact do not contain mo c amines. (See legal reference and Note B1)	bre than 0.003% Azo colorants that split			\boxtimes
P1.8*	Wooden pentach	 parts do not contain arsenic and chromium as a wood pre lorophenol and derivatives (see legal reference). nt: Legal reference has no maximum concentration values 				
P1.9*	Parts wi microgra	th direct and prolonged skin contact do not release nickel am/cm ² /week (see legal reference). nt: Max limit in legal reference when tested according to E	in concentrations above 0.5			
P1.10*	REACH	Article 33 information about substances in articles is avail ww.lenovo.com/social_responsibility/us/en/materials.html		\boxtimes		
P2	Batterie	lS				
P2.1*	more tha marked	oduct contains a battery or an accumulator, it is labeled wi an 0.0005% of mercury (for button cells only) by weight, or with the chemical symbol for the metal concerned, Hg or I d in user manual. (See legal reference)	more than 0.004% of lead, it shall be			
P2.2*		ells used in the product do not contain more than 2% by v lators do not contain more than 0.0005% of mercury or 0.0		\boxtimes		
P2.3*	design c	s and accumulators are easily removable by either users of the product). Exception: Batteries that are permanently ntegrity reasons do not have to be "easily removable". (Se	installed for safety, performance, medical	\square		
P3	Safety,	EMC connection to the telephone network and labeling	g			
P3.1*	The pro	duct complies with legally required safety standards as spe	ecified (see legal reference).	\boxtimes		
P3.2*	The proo	duct complies with legally required standards for electromate).	agnetic compatibility (see legal	\boxtimes		
P3.3*		ct is intended for connection to a public telecom network o ally required standards for radio and telecommunication de		\boxtimes		
P3.4*	The proc	duct is labeled to show conformance with applicable legal	requirements (see legal reference).	\boxtimes		
P4	Consun	nable materials				
P4.1*	legal ref	o conductor (drum, belt etc.) is used in the product, it does erence and Note B1).	· ·			\square
P4.2*	If ink/tor	ner is used in the product, it does not contain cadmium ma	x 0.1% by weight (see legal reference).			\boxtimes
P4.3*	product/ requiren	v/toner formulation/preparation is classified as hazardous a packaging is adequately labeled and a Safety Data Sheet nents is available (see legal reference).				
P5		t packaging				
P5.1*	hexavale	ng and packaging components do not contain more the entromium by weight of these together.				
P5.2*	Plastic p	backaging material is marked according to ISO 11469 refe	rring ISO 1043 (see legal reference).	\square		
P5.3*		duct packaging material is free from ozone depleting s I (see legal reference). nt: Legal reference has no maximum concentration values	substances as specified in the Montreal	\square		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

	ThinkPad T540p м/т: 20ВЕ/20				
Issue da	ate * 2014, June 13	Logo	lend	NO	
Produc	t environmental attributes - Market requirements - Environmental cons	cious design	Require	ment	met
ltem	*=mandatory to fill in. Additional information regarding each item may be found unc	der P14.	Yes	No	n.a.
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).				
P7	Design Disconstruction				
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable				
P7.2*	Plastic materials in covers/housing have no surface coating.				- -
P7.3*					<u> </u>
	Plastic parts >100g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with cor		. 🛛		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory l	labels).	\square		
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgrading can be done using commonly available tools		\square		
P7.9.	Spare parts are available after end of production for: 5 years				
P7.10	Service is available after end of production for: 5 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
	Material type: PC+ABS-FR (40) Material type: PA-GF50FR(40)	Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.			\square	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\square		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined Note B2)	l in IEC61249-2-21. (S	See 🔀		
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO Marking: <i>FR</i> (40)	1043-4:	\boxtimes		
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without of TBBPA (additive) , TBBPA (reactive) , Other ; chemical name: <i>DOPO(9,</i> <i>phosphaphenanthrene-10-oxide)</i> , CAS #: <i>35948-25-5</i>				
P7.18	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without compo- ISO 1043-4: <i>FR (40)</i> Alt. 1	onents) >25g according	3		
F7.10	Flame retarded plastic parts >25g contain the following flame retardant sul concentrations above 0.1%:	bstances/preparations	in 🗌		
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2				
	Chemical specifications of flame retardants in plastic parts >25g according ISO 104 FR (40)		\boxtimes		
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0. R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note				
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.				
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per	lamp: mg			
P8	Batteries				_
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide Batteries meet the requirements of the following voluntary program/s: US Call2Rec				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * Thi	nkPad 1	540p	M/T: 20	3E/20BF	
Issue date * 2014, Jui	ne 13			Logo lenovo.	
Product environmental att	tributes - Market	requirements (continued)	Requirement	me
ltem		-		Yes No	n.a
P9 Energy consumpt					
	following power leve				
Energy mode *	Power level at 100 V AC	Power level at 115 VAC	230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)	65/90/135 W	65/90/135 W	65/90/135 W	Full load	
Category I1					
Short Idle - WOL Enabled	14.748 W	13.872 W	14.076 W	Use for Energy Star V6 registration(P _{SHORT_IDLE})	
Long Idle - WOL Enabled	5.280 W	5.424 W	4.776 W	Use for Energy Star V6 registration(PLONG_IDLE)	
Sleep (S3) - WOL Enabled	0.624 W	0.624 W	0.660 W	Use for Energy Star V6 registration(P _{SLEEP)}	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	0.324 W	0.336 W	0.408 W	Use for Energy Star V6 registration(POFF)	
Off (S5) - WOL Disabled	W	W	W	Use for ErP	
Category I2					
Short Idle - WOL Enabled	15.312 W	13.908 W	14.952 W	Use for Energy Star V6 registration(P _{SHORT_IDLE})	
Long Idle - WOL Enabled	5.244 W	5.412 W	5.052 W	Use for Energy Star V6 registration(PLONG_IDLE)	
Sleep (S3) - WOL Enabled	0.624 W	0.624 W	0.672 W	Use for Energy Star V6 registration(P _{SLEEP)}	
Sleep (S3) - WOL Disabled	W	W	W	Reference	
Off (S5) - WOL Enabled	0.324 W	0.324 W	0.420 W	Use for Energy Star V6 registration(POFF)	
Off (S5) - WOL Disabled	W	W	W	Use for ErP	
Category I3					
Short Idle - WOL Enabled	15.240 W	14.292 W	15.480 W	Use for Energy Star V6 registration(P _{SHORT_IDLE})	
Long Idle - WOL Enabled	5.460 W	5.652 W	6.996 W	Use for Energy Star V6 registration(PLONG_IDLE)	┝
Sleep (S3) - WOL Enabled	0.636 W	0.624 W	0.684 W	Use for Energy Star V6 registration(P _{SLEEP})	┝╴
Sleep (S3) - WOL Disabled	W	W	W	Reference	┝═
Off (S5) - WOL Enabled	0.324 W	0.324 W	0.384 W	Use for Energy Star V6 registration(PoFF)	╞
Off (S5) - WOL Disabled	W	0.024 W	0.304 W		┝
EPS No-load	W	0.264 W	0.252 W		╠
(External power supply / charger plugged in the wall outlet but disconnected from the product.)	v	<i>0.204</i> W	0.252 W		
PTEC * Typical Energy Consumption	W	W	W		
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption	I1:46.01,I2:47.46 , I3:47.49 kWh/year	11:43.86,12:43. 91,13:45.13 kWh/year	I1:44.09,I2:46 . 70,I3:49.75 kWh/year	E _{TEC} = (8760/1000) x (P _{OFF} × T _{OFF} + P _{SLEEP} × T _{SLEEP} + P _{LONG_} idle × T _{LONG_} idle + P _{SHORT_} idle × T _{SHORT_} idle)	
Display resolution* : 1366 x 76	68.1920 x 1080. 288	0 x 1620 Pixels			
	<u> </u>				
	ages per minute				
Default time to enter energy sa			ith the product		냐는
	he energy save func				
	the energy requirem version: Version 6.0			gram/s: Product category: 11,12,13	

Model nu	mber *	Th	inkPad T540p	M/T: 20BE	:/20BF				
Issue date	e *	2014,	June 13		Logo	14	eno	VO .	
Product	environr	nental	attributes - Market requirement	s (continued)		Re	equire		
P10	Emissio						Yes	No	n.a.
PIU		-	- Declared according to ISO 9296						
P10.1	Mode	11133101	Mode description	Declared	Declared A	-weighter	4		
				A-weighted	sound pressure le	•			
				sound power		1			
				level L_{WAd} (B)	Operator position 🔀	Bystand	der pos	itions	
					Desktop 🔀	(only if p	voduct	is not	
					or Desk side		tor atte		
	Idle		* Idle Integrated / Discrete	* 2.9 / 2.8	20 /		<u></u>		
	Operatio	n	* Operating Integrated / Discrete	* 3.6 / 3.3	26 /	/ 30			
	Other m	ode							
	Measure	ed accor	ding to: 🔀 ISO7779 🔀 ECMA-74						
	Meddure			overed by ECMA-74 wit	th L _{pAm} measurement dis	stance	m)		
P10.2	The proc	duct me	ets the acoustic noise requirements of			Janoc			
			sions from printing products		programo				
P10.3*			according to ECMA-328 (ISO/IEC 283	(60) standard other	specify:				
P10.4			rate (print phase) is (mg/h):		speeny.				
	••	Dust	Ozone Styrene	Benzene TV	OC				
P10.5			ion requirements of the following volur		are met for :				\boxtimes
		Dust	Ozone Styrene	Benzene	TVOC				
	Electror	nagneti	c emissions						
P10.6			ay meets the requirement for low frequ R-II(3 pin AC adapter only)	ency electromagnetic fi	ields of the following volu	intary	\boxtimes		
P11			aterials for printing products						
P11.1*	-		heet (SDS) is available for the ink/tone		2 1 1				\square
P11.2*	EN1228	1.	g post-consumer recycled fibers can	•	at it meets the requiren	nents of			\square
P11.3*	2-sided	(duplex)	printing/copying is an integrated prod	uct function.					\square
P12			r computing products						
P12.1*			ets the ergonomic requirements of ISC				\bowtie		
P12.2*			out device meets the requirements of I	SO 9995 and ISO 9241	-410.		\square		
P13			documentation						
P13.1*			ing material type(s): <i>80% Recycled C</i> ing material type(s): <i>100% Recycled I</i>		weight (kg Cushions weight (kg				
	Product	packagi	ing material type(s): <i>Others (plastic b</i>	aas)	weight (kg				
P13.2*			backaging is free from PVC.	- 9-1			\boxtimes		
P13.3*	Specify	media fo	or user and product documentation (tic	ck box):					Ħ
			Paper 🔀, Other 🗌	,					
P13.4*	For pape	er user a	and product documentation, please sp	ecify contained percent	tage of post-consumer re	cycled			
	fiber: 0								
P14			rmation (See Note B4)		ntion whather overage ar	implied	rogord!-	and the	
	informat	ion cont	makes no representations, guarantee ained in this document. All information	n provided by supplier in	n this document is provid	led based	on sun	ig the	
	knowled	ge avail	able at the time of completion, and su	pplier shall have no obli	igation to update such in	formation	. The in	format	tion
			approximate and provided for informa	ational purposes only. S	ee a Lenovo Account Re	presentat	tive for	more	
P9	informat		ar Qualified Notebooks & Tablet Cor	moutors for the latest	information:				
F 9			ar Qualified Notebooks & Tablet Cor rgystar.gov/index.cfm?fuseaction=			ode=CO			
P7.15			V AC adapter	<u>_</u> a_production0111					
			· · ·				-		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad T540p	Logo
Model Number	20BE, 20BF	lenovo
Issue Date	2014, July 1	1011010,
Additional information		

P7.1.1	Product environmental attributes	
(d)	year of manufacture:	2014
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete gr disabled and if the system is tested with switchable graphics mode with UMA driving the display:	aphics cards (dGfx) are
	Category (according to ErP Lot 3): A Etec: 15.95	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graenabled:	aphics cards (dGfx) are
	Category (according to ErP Lot 3): <i>B</i> Etec: 21.27	
(g)	idle state power demand (Watts);	A:5.09,B:7.06
(h)	sleep mode power demand (Watts);	
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	A:0.78,B:0.80
(j)	off mode power demand (Watts);	
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	A:0.36,B:0.38
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	10% 20% 50% 100% Average ;	
	or level: V	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook con	nputers): <i>300</i>
(p-1)	the measurement methodology used to determine information mentioned in points (I) – inter efficiency: Not applicable	nal PSU
	Not applicable	
(p-2)	the measurement methodology used to determine information mentioned in points (m) – exter efficiency: EPA "Test Method for Calculating the Energy Efficiency of Single-Voltage External AC-DC and	
	Power Supplies" dated August 11, 2004	
(p-3)	the measurement methodology used to determine information mentioned in points (o) - loadi batteries:	ngcycles
	IEC 61960 measurement methodology	

(p-4)				o determine information mentioned in maximum, idle, sleep, off mode roduct IT Eco Declaration:						
			ENERC	GY STAR measurement methodology						
(q)	sequence o	of steps for achievin	g a stab	le condition with respect to power demand ::						
			ENERC	GY STAR measurement methodology						
(r)	description	of how sleep and/o	r off moo	de was selected or programmed:						
		By selectin	g sleep	and/or off mode thru Windows operating system						
(S)	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:									
		А	utomati	ically changes to sleep after 20 minutes						
(t)				efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	20 minutes					
(u)	0			ser inactivity in which the computer automatically reaches a demand requirement than sleep mode (in minutes):						
(v)	the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10 minutes					
(w)	information	on the energy-savi	ng poter	ntial of power management functionality:						
	User ir	nformation describ	ed in U	ser Guide and Power Manager under ThinkVantage menu in all programs						
(x)	user inform	ation on how to ena	ble the p	power management functionality:						
	User ir	nformation describ	ed in U	ser Guide and Power Manager under ThinkVantage menu in all programs						
(z)	the electric			test voltage in V and frequency in Hz, — total harmonic distortion of ation and documentation on the instrumentation, set-up and circuits						
			230V, 5	50Hz, Total Harmonic Distortion <2 %						
Addition	Notebook Ba	attery Information:								
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be acces by a non-professional user.	sed and replaced					
(Battery replaceat		(Battery user replaceable)		The battery[ies] in this product cannot be easily repla themselves	iced by users					
		-								

Additional information