

#### Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

| Brand *                | Lenovo  | Logo    |
|------------------------|---|---------|
| Company name *         | Lenovo  |         |
| Contact information *  | Lenovo Global Environmental Affairs<br>Alvin L Carter<br>1009 Think Place<br>Building 2 / 5J3<br>Morrisville, North Carolina 27560<br>alcarter@lenovo.com | lenovo. |
| Internet site *        | http://www.lenovo.com/social_responsibility/us/en/environment   | t.html  |
| Additional information |   |         |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. |  |  |  |  |
|--|--|--|--|--|
| Type of product *  | Server   |  |  |  |
| Commercial name *  | ThinkServer RD440                                  |  |  |  |
| Model number *   | 70AE,70AH,70AF,70AJ,70AG,70AK,70B2,70B3            |  |  |  |
| Issue date *   | 2013,October 31                                    |  |  |  |
| Intended market *  | Global Europe Asia, Pacific & Japan Americas Other |  |  |  |
| Additional information   | ENERGY STAR® V2.0 Qualified                        |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality ( | Control  | Requireme   | nt met |
|-----------|--|-------------|--------|
| Item      |  | Yes         | No     |
| QC1 *     | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration  | $\boxtimes$ |        |
| QC2 *     | The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org). | ol 🔀 lc     |        |

| Model number * | ThinkServer RD440                      |         |         |
|----------------|--|---------|---------|
|                | MT : 70AE,70AH,70AF,70AJ,70AG,70AK,70E | 32,70B3 | }       |
| Issue date *   | 2013 , October 31                      | Logo    | lenovo. |

| Product | roduct environmental attributes - Legal requirements  |             |    |             |
|---------|---|-------------|----|-------------|
| Item    |   | Yes         | No | n.a.        |
| P1      | Hazardous substances and preparations   |             |    |             |
| P1.1*   | Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)   |             |    |             |
| P1.2*   | Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.  |             |    |             |
| P1.3*   | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  |             |    |             |
| P1.4*   | Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).   |             |    |             |
| P1.5*   | Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  | $\boxtimes$ |    |             |
| P1.6*   | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.  |             |    |             |
| P1.7*   | Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)  |             |    |             |
| P1.8*   | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.  |             |    |             |
| P1.9*   | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.   |             |    |             |
| P1.10*  | REACH Article 33 information about substances in articles is available at (add URL or mail contact):<br>http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment  |             |    |             |
| P2      | Batteries   |             |    |             |
| P2.1*   | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) |             |    |             |
| P2.2*   | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)  |             |    |             |
| P2.3*   | Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)  |             |    |             |
| P3      | Safety, EMC connection to the telephone network and labeling  |             |    |             |
| P3.1*   | The product complies with legally required safety standards as specified (see legal reference).   | $\boxtimes$ |    |             |
| P3.2*   | The product complies with legally required standards for electromagnetic compatibility (see legal reference).   | $\boxtimes$ |    |             |
| P3.3*   | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).   |             |    |             |
| P3.4*   | The product is labeled to show conformance with applicable legal requirements (see legal reference).  | $\boxtimes$ |    |             |
| P4      | Consumable materials  |             |    |             |
| P4.1*   | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).   |             |    |             |
| P4.2*   | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).  |             |    | $\boxtimes$ |
| P4.3*   | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  |             |    |             |
| P5      | Product packaging   |             |    |             |
| P5.1*   | Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.   | d 🔀         |    |             |
| P5.2*   | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).   | $\boxtimes$ |    |             |
| P5.3*   | The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.   | al 🔀        |    |             |

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

| Model number * | ThinkServer RD440                    |         |        |
|----------------|--------------------------------------|---------|--------|
|                | MT:70AE,70AH,70AF,70AJ,70AG,70AK,70E | 32,70B3 |        |
| Issue date *   | 2013 , October 31                    | Logo    | lenovo |

| Produc |  | equire      | ment         | met         |
|--------|--|-------------|--------------|-------------|
| Item   | *=mandatory to fill in. Additional information regarding each item may be found under P14.   | Yes         | No           | n.a.        |
| P6     | Treatment information  |             |              |             |
| P6.1*  | Information for recyclers/treatment facilities is available (see legal reference).   |             | Ш            | Ш           |
| P7     | Design   |             |              |             |
| P7.1*  | Disassembly, recycling  Parts that have to be treated separately are easily separable  |             |              |             |
| P7.2*  | Plastic materials in covers/housing have no surface coating.   | <u> </u>    |              | 井           |
| P7.3*  |  |             |              | 井           |
|        | Plastic parts >100g consist of one material or of easily separable materials.  |             | <del> </del> | Щ.          |
| P7.4*  | Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.  |             | <u> </u>     | <u>Ц</u>    |
| P7.5   | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.   | $\boxtimes$ | <u>Ш</u>     | Щ           |
| P7.6*  | Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  | $\boxtimes$ |              |             |
|        | Product lifetime   |             |              |             |
| P7.7*  | Upgrading can be done e.g. with processor, memory, cards or drives   |             | <u>Ш</u>     | _Ц          |
| P7.8*  | Upgrading can be done using commonly available tools   | $\boxtimes$ |              |             |
| P7.9.  | Spare parts are available after end of production for: years   |             |              |             |
| P7.10  | Service is available after end of production for: years  |             |              |             |
|        | Material and substance requirements  |             |              |             |
| P7.11* | Product cover/housing material type:   |             |              |             |
|        | Material type: Steel Material type: PC+ABS Material type:  |             |              |             |
| P7.12  | Electrical cable insulation materials of power cables are PVC free.  | <u>Ц</u>    |              | _Ц          |
| P7.13  | Electrical cable insulation materials of signal cables are PVC free  |             | $\boxtimes$  |             |
| P7.14  | All cover/housing plastic parts >25g are free from chlorine and bromine.   | $\boxtimes$ |              |             |
| P7.15  | All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See   |             | $\boxtimes$  |             |
|        | Note B2)   |             |              |             |
| P7.16  | Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:  | $\boxtimes$ |              |             |
| D= /=  | Marking:   |             |              |             |
| P7.17  | Alt. 1  Chamical appointance of flowe veterdants in printed given the pards a 25g (without components):  |             |              |             |
|        | Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name:, CAS #: | Ш           | Ш            | Ш           |
|        | TBBLA (additive), TBBLA (reactive), Other, chemical mame., OAS #.  |             |              |             |
|        | Alt. 2   |             |              |             |
|        | Chemical specifications of flame retardants in printed circuit boards (without components) >25g according  | $\boxtimes$ |              |             |
|        | ISO 1043-4:  |             |              |             |
| P7.18  | Alt. 1   |             |              |             |
|        | Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:                                      | Ш           | Ш            | Ш           |
|        | Comment: No legal limits exist, this is a market requirement.  |             |              |             |
|        | Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain   |             |              |             |
|        | complete chemical name, CAS number and supplier.   |             |              |             |
|        | 1. Chemical name: , CAS #: , Supplier:   |             |              |             |
|        | 2. Chemical name: , CAS #: , Supplier:   |             |              |             |
|        | 3. Chemical name: , CAS #: , Supplier:   | $\boxtimes$ |              |             |
|        | Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:   |             |              |             |
|        | onomical specimentation of mainterioral and in practice parties a Log according 100 10 10 11   |             |              |             |
| P7.19  | Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,  | $\boxtimes$ |              |             |
|        | R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)  |             |              |             |
| P7.20  | Of total plastic parts' weight >25g, recycled material content is 0 %.   |             |              |             |
| P7.21  | Of total plastic parts' weight >25g, biobased material content is 0 %.   |             |              |             |
| P7.22  | Light sources are free from mercury  |             |              | $\boxtimes$ |
| P8     | Batteries  |             |              |             |
| P8.1*  | Battery chemical composition: Lithium Manganese Dioxide; LiCoO2  |             |              |             |
| P8.2   | Batteries meet the requirements of the following voluntary program/s:  |             |              |             |

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

| Model number * | ThinkServer RD440                      |        |         |
|----------------|--|--------|---------|
|                | MT : 70AE,70AH,70AF,70AJ,70AG,70AK,70E | 32,70E | 33      |
| Issue date *   | 2013 , October 31                      | Logo   | lenovo. |

| Product environmental at   | tributes - Market                                   | requirements (c         | ontinued)               | Requirement  | met    |
|--|---|-------------------------|-------------------------|--|--------|
| Item   |   |                         |                         | Yes No   | n.a.   |
| P9 Energy consumpt   | tion  |                         |                         |  |        |
|  | e following power lev<br>oped w/ WOL Enable         |                         | mptions are reporte     | ed: <b>See P14</b>   |        |
| Energy mode *  | Power level at 100 V AC                             | Power level at 115 V AC | Power level at 230 V AC | Reference / Standard for energy modes and test method *  |        |
| Max configuration  | l .   | L                       |                         |  |        |
| Idle   | 276.8W  | 276.4W                  | 269.8W                  | Use for Energy Star V2.0 registration  | $\Box$ |
| Min configuration  | l .   | L                       |                         |  |        |
| Idle   | 73.07W  | 71.62W                  | <b>70.92</b> W          | Use for Energy Star V2.0 registration  |        |
| Typical configuration  | l   | L                       |                         |  |        |
| Idle   | 137.0W  | 139.8W                  | 133.5W                  | Use for Energy Star V2.0 registration  | $\Box$ |
| High-end configuration   |   |                         |                         |  | $\Box$ |
| Idle   | 276.8W  | 276.4W                  | 269.8W                  | Use for Energy Star V2.0 registration  | _      |
| Low-end configuration  |   |                         |                         |  |        |
| Idle   | 73.07W  | 71.62W                  | <b>70.92</b> W          | Use for Energy Star V2.0 registration  | П      |
|  |   |                         |                         |  | Ħ      |
| EPS No-load  | W   | W                       | W                       |  | H      |
| (External power supply /   |   |                         |                         |  |        |
| charger plugged in the wall outlet but disconnected from the product.) |   |                         |                         |  |        |
| TEC Typical Energy Consumption   | kWh/week  | kWh/week                | kWh/week                |  |        |
| ETEC * Annual Energy Consumption                                       | kWh/year  | kWh/year                | kWh/year                | $E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$ |        |
|  | P <sub>off</sub> : Off Mode(S5) - 1                 | WOL Enabled; Psleep: S  | Sleep Mode(S3) - WOL    | Enabled; Pidle: Idle State - WOL Enabled   |        |
| Display resolution : Megapixe  | els   |                         |                         |  |        |
| Print Speed :  | Images per minu                                     | te                      |                         |  | П      |
| Default time to enter energy sa  | ave mode: minutes                                   |                         |                         |  | 一      |
|  | the energy save fund                                | ction is provided with  | the product.            |  | 〒      |
|  | the energy requirer<br>version: <i>Version 2.</i> 0 |                         |                         | n/s:   | <br>吕  |
| P10 Emissions  |   |                         |                         |  |        |
|  | Declared according                                  | to ISO 9296             |                         |  |        |
| P10.1 Mode N   | Mode description                                    |                         | Declared<br>A-weighted  | Declared A-weighted  |        |
|  |   |                         | sound power             | sound pressure level $L_{p{\sf Am}}$ (dB)  | =      |
|  |   |                         | level $L_{WAd}$ (B)     | Operator position Bystander positions  |        |
|  |   |                         |                         | or Desk side (only if product is not operator attended)  |        |
|  | HDD : Idel  |                         | * 5.5                   | 42.50  |        |
|  | HDD:Operating                                       |                         | * 5.6                   | 42.50  |        |
| Other mode   |   | <b>7</b>                |                         |  | -      |
| Measured according   | ng to: ISO7779 L                                    | ECMA-74                 | ed by ECMA 74 ····      | h I magaurament distance   |        |
| P10.2 The product meets  | Other the acoustic noise                            |                         |                         | h L <sub>pAm</sub> measurement distance m) program/s:  |        |

| Model number * | ThinkServer RD440                    |        |         |
|----------------|--------------------------------------|--------|---------|
|                | MT:70AE,70AH,70AF,70AJ,70AG,70AK,70E | 32,70E | 33      |
| Issue date *   | 2013 , October 31                    | Logo   | lenovo. |

| Product 6 | environmental attributes - Market requirements (continued)   | equire      | ment              | met         |
|-----------|--|-------------|-------------------|-------------|
| Item      | •  | Yes         | No                | n.a.        |
|           | Chemical emissions from printing products  |             |                   |             |
| P10.3*    | Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:  |             |                   | X           |
| P10.4     | Typical emission rate (print phase) is (mg/h):   |             |                   | X           |
|           | Dust Ozone Styrene Benzene TVOC  |             |                   |             |
| P10.5     | Chemical emission requirements of the following voluntary program/s are met for :  |             |                   | $\boxtimes$ |
|           | Dust Ozone Styrene Benzene TVOC  |             |                   |             |
|           | Electromagnetic emissions  |             |                   |             |
| P10.6     | Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:  |             |                   |             |
| P11       | Consumable materials for printing products   |             |                   |             |
| P11.1*    | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).   |             |                   | $\boxtimes$ |
| P11.2*    | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.  |             |                   | $\boxtimes$ |
| P11.3*    | 2-sided (duplex) printing/copying is an integrated product function.   |             |                   | $\boxtimes$ |
| P12       | Ergonomics for computing products  |             |                   |             |
| P12.1*    | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.  |             |                   | $\boxtimes$ |
| P12.2*    | The physical input device meets the requirements of ISO 9995 and ISO 9241-410.   |             |                   | $\boxtimes$ |
| P13       | Packaging and documentation  |             |                   |             |
| P13.1*    | Product packaging material type(s): Corrugate and paper weight (kg): 3.544   |             |                   |             |
|           | Product packaging material type(s): EPE weight (kg): 1.679 Product packaging material type(s): weight (kg):  |             |                   |             |
|           | Product packaging material type(s): weight (kg):   |             |                   |             |
|           | Product packaging material type(s): weight (kg):   |             |                   |             |
| P13.2*    | Product plastic packaging is free from PVC.  | $\boxtimes$ |                   |             |
| P13.3*    | Specify media for user and product documentation (tick box):   |             |                   |             |
|           | Electronic , Paper , Other   |             |                   |             |
| P13.4*    | For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: % (Japan only 70%)  |             |                   | $\boxtimes$ |
| P14       | Additional information (See Note B4)   |             |                   |             |
| <u> </u>  | NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied information contained in this document. All information provided by supplier in this document is provided based knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representa information. | on sup      | plier's<br>format |             |
|           |  |             |                   |             |

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B

| Reference  | Declaration item             |
|--|------------------------------|
| 2002/95/EC (ROHS Directive)  | P1.1, P4.1                   |
| REACH, Annex XVII  | P1.6, P1.8, P4.2             |
| REACH, Annex XVII  | P1.4                         |
| REACH, Annex XVII  | P1.2                         |
| REACH, Annex XVII  | P1.7                         |
| REACH, Annex XVII  | P1.9                         |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000  | P1.3                         |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5                         |
| 2006/66/EC (Battery and accumulators Directive)  | P2.1, P2.2, P2,3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive)   | P3.1, 3.4                    |
| 2004/108/EEC (New EMC Directive)   | P3.2, 3.4                    |
| 1999/5/EC (R&TTE Directive)  | P3.3, 3.4                    |
| "REACH" Regulation (1907/2006), annex VII  | P1.10                        |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)                       | P4.3                         |
| REACH article 31, annex II   | P4.3                         |
| 2004/12/EC (Directive on packaging and packaging waste)  | P5.1                         |
| (97/129/EC) (Commission Decision on Identification<br>System for Packaging Materials               | P5.2                         |
| 2037/2000/EC Regulation on Substances that Deplete the Ozone Layer                                 | P5.3                         |
| 2002/96/EC (WEEE directive)  | P3.4, P6.1                   |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)                       | P7.19                        |

## **Lenovo ErP Lot3 Information Sheet**

### - Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name        | ThinkServer RD440                          | Logo    |
|------------------------|--|---------|
| Model Number           | MT:70AE,70AH,70AF,70AJ,70AG,70AK,70B2,70B3 | _       |
| Issue Date             | 2014/4/14                                  | lenovo. |
| Additional information | N/A  |         |

| (d)               | year of manufacture:   | See name plate o<br>product                                  |
|-------------------|--|--|
| (e)               | internal/external power supply efficiency:  DPS-550LB D  |  |
|                   |  | 00% <b>88%</b>   |
|                   |  | 00% <b>0.95</b>  |
|                   | DPS-800RB C  |  |
|                   |  | 00% <b>88%</b>   |
|                   | Power Factor: 10% <i>0.65</i> 20% <i>0.8</i> 50% <i>0.9</i> 10   | 00% <i>0.95</i>  |
|                   | supply system, — information and documentation on the instr-<br>-Test Voltage: 230V, Frequency: 50Hz<br>-Total harmonic distortion: <2%  | umentation, set-up and circuits used for electrical testing. |
|                   | <ul> <li>Information and documentation on the instrumentation: Please refer t</li> <li>Set-up and circuits used for electrical testing: Please refer t</li> </ul>  |  |
| g)                | - Information and documentation on the instrumentation : Plea  |  |
|                   | <ul> <li>Information and documentation on the instrumentation: Please refer t</li> <li>Set-up and circuits used for electrical testing: Please refer t</li> </ul>  | to additional information                                    |
| (g)<br>(h)        | Information and documentation on the instrumentation: Please refer to the same power (Watts)  - Information and documentation on the instrumentation: Please refer to the same power (Watts)  - Information and documentation on the instrumentation: Please refer to the same power (Watts)  - Information and documentation on the instrumentation: Please refer to the same power (Watts)  - Information and documentation on the instrumentation: Please refer to the same power (Watts)  - Information and documentation on the instrumentation: Please refer to the same power (Watts)  - Information and documentation on the instrumentation: Please refer to the same power (Watts)  - Information and documentation on the instrumentation: Please refer to the same power (Watts)  - Information and documentation on the instrumentation: Please refer to the same power (Watts)  - Information and documentation on the instrumentation on the instrumentation on the instrumentation of the same power (Watts)  - Information and the same power (Watts)  - Information and the same power (Watts) | 520 255  |
| (h)               | - Information and documentation on the instrumentation: Ple Set-up and circuits used for electrical testing: Please refer to maximum power (Watts)  idle state power (Watts)   | to additional information 520                                |
| (h)               | - Information and documentation on the instrumentation: Ple Set-up and circuits used for electrical testing: Please refer to maximum power (Watts)  idle state power (Watts)   | 520 255 N/A  |
| (h)<br>(i)<br>(j) | - Information and documentation on the instrumentation: Please refer to the set-up and circuits used for electrical testing: Please refer to the maximum power (Watts)  idle state power (Watts)  sleep mode power (Watts)  off mode power (Watts)   | 255 N/A  |
| (h)               | - Information and documentation on the instrumentation: Please refer to the set-up and circuits used for electrical testing: Please refer to the maximum power (Watts)  idle state power (Watts)  sleep mode power (Watts)  off mode power (Watts)  the measurement methodology used to determine information  | 255 N/A  |

#### Additional information -Information and documentation on the instrumentation Instrument I.D. Range Used Instrument Type Make and Model 1~280VAC;1~550HZ;1000V AC POWER SOURCE EC1000S; SN:9136092 Α8 HS-70W; SN:107Q05R B43 Digital Watch Full range B45 Power Meter 0~600V;0~20A WT210;SN:27D941999 Humidity/Temperature Sensor B48 15~30°C;12~89%RH Watchport/H;SN:W11492318 - Set-up and circuits used for electrical testing: Unit AC power supply 50Hz or 60Hz under

test

W: Wattmeter