

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html
Additional information		

	ased on product specification or test results based obtained from sample testing), that the product ts given in this declaration.
Type of product *	Workstation
Commercial name *	ThinkStation P300 SFF
Model number *	SFF MT: 30AJ, 30AK
Issue date *	2014.05.26
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other
Additional information	ENERGY STAR® Qualified; EPEAT Gold Rating, GREENGUARD Certification

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control F	lequireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\square$	

Model number *	ThinkStation P300 SFF	MT: 30AJ, 30AK
Issue date *	2014.05.26	Logo

lenovo

Product	environmental attributes - Legal requirements	Require	ement	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\square$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\square$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			$\boxtimes$
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			$\boxtimes$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment	$\square$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\square$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\square$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\square$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			$\boxtimes$
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\mathbf{X}$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\square$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	ThinkStation P300 SFF MT: 30AJ, 30AK			
Issue da	ate *	2014.05.26 Logo	leno	DVC	<b>)</b> .
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Require	ment	met
ltem		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a
P6	Treatme	nt information			
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		
P7	Design				
		mbly, recycling			
P7.1*		thave to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.			
P7.3*		arts >100g consist of one material or of easily separable materials.			
P7.4*	-	arts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	$\square$		
	Product				
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives	$\square$		
P7.8*	Upgradir	g can be done using commonly available tools	$\boxtimes$		
P7.9.	Spare pa	rts are available after end of production for: 5 years			
P7.10	Service i	s available after end of production for: 5 years			
	Material	and substance requirements			
P7.11*	Product	cover/housing material type:			
	Material	type: ABS Material type: PC/ABS Material type: Steel			
P7.12		cable insulation materials of power cables are PVC free.		$\boxtimes$	
P7.13		I cable insulation materials of signal cables are PVC free		$\square$	
P7.14	All cover	/housing plastic parts >25g are free from chlorine and bromine.	$\boxtimes$		
P7.15	All printe Note B2	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (S	ee	$\boxtimes$	
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	$\boxtimes$		
P7.17	TBBPA	I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 104	l specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%:	in 🗌		
	Provide complete 1. Chem	<ul> <li>nt: No legal limits exist, this is a market requirement.</li> <li>a list of all used flame retardants including MSDS for each flame retardant. The list must contact chemical name, CAS number and supplier.</li> <li>ical name: , CAS #: , Supplier:</li> <li>ical name: , CAS #: , Supplier:</li> </ul>	ain		
	Alt. 2	ical name: , CAS #: , Supplier: Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 5, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20		plastic parts' weight >25g, recycled material content is SFF: 45.42%			
P7.21		plastic parts' weight >25g, biobased material content is 0%.			
P7.22		irces are free from mercury			$\square$
P8	Batterie				
P8.1*	,	hemical composition:			
P8.2	Batteries	meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * 7	hinkS	Station P3	00 SFF	MT:	: 30AJ, 30AI	K	
	14.05.26				Lo		
		Maylest		( a a mtimum al)	·	Deminenter	
Product environmen Item	ital attrib	outes - Market	requirements	(continued)		Requirement Yes No	
P9 Energy con	sumption					103 110	11.0
9.1 For the prod	uct the foll	lowing power leve		sumptions are re	ported: See P14		
		w/ WOL Enable		•	1		
Energy mode *	F	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	t Reference / Stand test method *	lard for energy modes and	
Category I1			1				
Short Idle State - WOL		24.01 W	24.78 W	24.77 W		ar V6.0 registration(P <sub>ShortIdle</sub> )	
Long Idle State - WOL		23.87 W	<b>24.34</b> W	24.12 W		ar V6.0 registration	
Sleep (S3) - WOL Enab		0.82 W	0.84 W	1.04 W		tar V6.0 registration (P <sub>sleep</sub> )	
Off (S5) - WOL Enabled	1	0.57 W	0.58 W	0.77 W	Use for Energy St	ar V6.0 registration (P <sub>off</sub> )	
Peak (On-max)		W	W	W	Full load		
Category I2							
Short Idle State - WOL		24.34 W	25.11 W	<b>24.89</b> W	Use for Energy St	ar V6.0 registration(P <sub>ShortIdle</sub> )	
Long Idle State - WOL	Enabled	23.98 W	<b>24.12</b> W	24.34 W	Use for Energy St	ar V6.0 registration	
Sleep (S3) - WOL Enab	led	0.83 W	0.85 W	1.04 W	Use for Energy St	tar V6.0 registration (P <sub>sleep</sub> )	
Off (S5) - WOL Enabled	1	0.57 W	0.59 W	0.77 W	Use for Energy St	ar V6.0 registration (Poff)	
Peak (On-max)		W	W	W	Full load		
Category I3			1				
Short Idle State - WOL	Enabled	25.01 W	<b>25.11</b> W	<b>24.87</b> W	Use for Energy St	ar V6.0 registration(P <sub>ShortIdle</sub> )	
Long Idle State - WOL	Enabled	24.24 W	24.78 W	24.12 W	Use for Energy St	ar V6.0 registration	
Sleep (S3) - WOL Enab	led	0.81 W	0.83 W	1.02 W	Use for Energy St	tar V6.0 registration (P <sub>sleep</sub> )	
Off (S5) - WOL Enabled	1	0.55 W	0.57 W	0.75 W	Use for Energy St	ar V6.0 registration (Poff)	
Peak (On-max)		w	W	w	Full load		
Category D1							
Short Idle State - WOL	Enabled	31.05 W	31.01 W	31.08 W	Use for Energy St	ar V6.0 registration(P <sub>shortIdle</sub> )	
Long Idle State - WOL		30.06 W	30.28 W	30.04 W		ar V6.0 registration	
Sleep (S3) - WOL Enab		1.00 W	1.02 W	1.21 W		tar V6.0 registration (P <sub>sleep</sub> )	
Off (S5) - WOL Enabled		0.56 W	0.57 W	0.75 W		ar V6.0 registration (P <sub>off</sub> )	╞
Peak (On-max)	-	W	W	W	Full load		┢
Category D2							
Short Idle State - WOL	Enabled	<b>32.31</b> W	32.46 W	32.24 W	Use for Energy St	ar V6.0 registration(P <sub>shortldle</sub> )	
Long Idle State - WOL		30.89 W	30.85 W	30.78 W		ar V6.0 registration	
Sleep (S3) - WOL Enab			0.86 W	1.05 W		tar V6.0 registration (P <sub>sleep</sub> )	
		0.84 W				ar V6.0 registration (P <sub>sleep</sub> )	╞
Off (S5) - WOL Enabled		0.55 W 134.95 W	0.57 W	0.75 W 135.74 W	Full load	ai vo.u regisiration (Pott)	╎└
Peak (On-max)					Full load		
EPS No-load (External power supply / plugged in the wall outle disconnected from the p	t but	W	W	W			
TEC Typical Energy Consum	ption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Consum	otion	Cat I1: 107.58; Cat I2: 108.75; Cat I3: 111.07; CatD1:137.33; CatD2:142.12; kWh/year	Cat I1: 110.61; Cat I2: 111.37; Cat I3: 112.16; CatD1:137.56; CatD2:142.49; kWh/year	Cat I1:111.13 ; Cat I2:111.79; Cat I3:111.35 ; CatD1:138.25; CatD2:142.34; kWh/year		D) x (P <sub>off</sub> x 0.45 + P <sub>sleep</sub> x .35 +P <sub>LongIdle</sub> x 0.15)	
		P <sub>off</sub> : Off Mode(S5	) - WOL Enabled;	l P <sub>sleep</sub> : Sleep Mode(	S3) - WOL Enabled; P <sub>id</sub>	le: Idle State - WOL Enabled	1

Display r	esolution :	Megapixels				
Print Spe	ed :	Images per minute				$\square$
Default ti	me to enter energ	gy save mode: 30 minutes				
P9.2*	Information ab	bout the energy save function is pro	ovided with the product.	•		
P9.3*		neets the energy requirements of th AR® version: <i>Version 6.0 dated So</i> /:			2 🛛 🗌	
P10	Emissions					
	Noise emissi	on – Declared according to ISO 92				
P10.1	Mode	Mode description	Declared A-weighted sound power		A-weighted level $L_{p {\sf Am}}$ (dB)	
			level $L_{WAd}$ (B)	Operator position Desktop or Desk side	Bystander positions (only if product is not operator attended)	
	Idle	* HDD: Idle	* 3.3	2	4.0	
	Operation	* HDD: Operating	*3.4	2	5.0	
	Other mode					-
	Measured acc		74 f not covered by ECMA-74 wi	ith L <sub>pAm</sub> measurement o	distance m)	
P10.2	The product m	neets the acoustic noise requireme	•			$\square$

Model nu	mber *	ThinkStation P300 SFF MT: 30AJ, 30A	4 <i>K</i>			
Issue date	) *	2014.05.26	Logo		10	
Dreduct						mai
Item	environn	nental attributes - Market requirements (continued)	R	equiren Yes	No	
Item	Chamio	al emissions from printing products		res	INO	n.a.
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard , other specify:				
P10.4		emission rate (print phase) is (mg/h):				
1 10.4		Dust Ozone Stvrene Benzene TVOC				
P10.5		Il emission requirements of the following voluntary program/s are met for :				$\boxtimes$
	Electron	nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the follo	wing voluntary	$\boxtimes$		
D.	program					
P11 P11.1*		nable materials for printing products Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requir	rad (app D4 2)			
	-		. ,	<u> </u>	<u> </u>	
P11.2*	EN1228		requirements of			
P11.3*		duplex) printing/copying is an integrated product function.				$\boxtimes$
P12		nics for computing products				
P12.1*		lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	ies.	$\boxtimes$		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		$\boxtimes$		
P13		ng and documentation				
P13.1*	Product Product	packaging material type(s): <i>Corrugated paper</i> weight (kg): <i>0.988 (85% recycled)</i> packaging material type(s): <i>Laminated EPE</i> weight (kg): <i>0.206(20% recycled)</i> packaging material type(s): <i>HDPE</i> weight (kg): <i>0.016(30% recycled)</i>				
P13.2*	Product	plastic packaging is free from PVC.		$\boxtimes$		
P13.3*		media for user and product documentation (tick box):				
		ic 🔀, Paper 🔀, Other 🗌				
P13.4*		er user and product documentation, please specify contained percentage of post-cor % (Japan only 70%)	sumer recycled			
P14		nal information (See Note B4)				
	informati knowled provided informati		is provided based e such information count Representa	on supp . The info	olier's ormat	
P7.17		does not contain free TBBPA in printed circuit boards(without components)>	<u> </u>			
P9		ergy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate we		nformatio	on:	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## Lenovo ErP Lot3 Information Sheet - Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

## Products scope of this sheet:

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkStation P300 SFF	Logo
Model Number	30AJ, 30AK	
Issue Date	2014/05/26	lenovo
Additional information	N/A	

internal/external power supply efficiency: <i>FSP240-40SBV</i> Power Efficiency :10% 78.00% 20% 84.36% 50% 87.57% 100% 85.12% Power Factor : 10% 0.94 20% 0.97 50% 0.98 100% 0.98 test parameters for measurements: — test voltage in V and frequency in Hz, — total harmodist supply system, — information and documentation on the instrumentation, set-up and circuit -Test Voltage : 230V , Frequency: 50Hz -Total harmonic distortion : <2% - Information and documentation on the instrumentation : <i>Please refer to additional informal</i> - Set-up and circuits used for electrical testing: <i>Please refer to additional information</i> maximum power (Watts)	ts used for electrical testing:
Power Efficiency :10%       78.00%       20%       84.36%       50%       87.57%       100%       85.12%         Power Factor :       10%       0.94       20%       0.97       50%       0.98       100%       0.98         test parameters for measurements:       — test voltage in V and frequency in Hz, — total harmonic supply system, — information and documentation on the instrumentation, set-up and circuit       - Test Voltage : 230V , Frequency: 50Hz         - Total harmonic distortion :       <2%         - Information and documentation on the instrumentation : Please refer to additional information         - Set-up and circuits used for electrical testing: Please refer to additional information	ts used for electrical testing:
<ul> <li>supply system, — information and documentation on the instrumentation, set-up and circuit -Test Voltage : 230V, Frequency: 50Hz</li> <li>Total harmonic distortion : &lt;2%</li> <li>Information and documentation on the instrumentation : Please refer to additional information - Set-up and circuits used for electrical testing: Please refer to additional information</li> </ul>	ts used for electrical testing:
maximum power (Watts)	
	138.27
idle state power (Watts)	40.14
sleep mode power (Watts)	1.93
off mode power (Watts)	0.68
the measurement methodology used to determine information mentioned in points (e): 80 PLUS test method	
the measurement methodology used to determine information mentioned in maximum, idle defined in Point P9.1 in the Product IT Eco Declaration:	, sleep, off mode power as
	sleep mode power (Watts) off mode power (Watts) the measurement methodology used to determine information mentioned in points (e): <i>80 PLUS test method</i> the measurement methodology used to determine information mentioned in maximum, idle

