

#### Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkStation	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Workstation			
Commercial name *	ThinkStation P700			
Model number *	30A8000xxx			
Issue date *	2014-09-15			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information	ENERGY STAR® 6.0 Qualified (select models); EPEAT GOLD Rating; GREENGUARD Certified			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control F	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	ThinkStation P700 MTs: 30A8000xxx		
Issue date *	2014-09-15	Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	men	t met
Item	<b>V</b> 1	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
P1.9*	Comment: Legal reference has no maximum concentration values.	<u> </u>		
P1.9	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.		Ш	Ш
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			X
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkStation P700 MTs: 30A8000xxx		
Issue date *	2014-09-15	Logo	lenovo.

Product	oduct environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$					
P7	Design Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable		$\overline{}$				
P7.2*	Plastic materials in covers/housing have no surface coating.	$\stackrel{\square}{\vdash}$	X	╫			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		$\stackrel{\square}{\vdash}$	╬			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		₩	╫			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		╬	╬			
P7.6*			井	井			
P7.6	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		<u>Ш</u>	_Ц			
P7.7*	Product lifetime  Upgrading can be done e.g. with processor, memory, cards or drives		_				
P7.7	, , , , , , , , , , , , , , , , , , , ,		붜	井			
	Upgrading can be done using commonly available tools			井			
P7.9.	Spare parts are available after end of production for: 5 years			<u>Ц</u>			
P7.10	Service is available after end of production for: 5 years						
D=*	Material and substance requirements						
P7.11*	Product cover/housing material type:						
P7.12	Material type: Steel Material type: ABS, PC, PP Material type: Steel  Electrical cable insulation materials of power cables are PVC free.	_					
P7.12	Electrical cable insulation materials of power cables are PVC free	₩	$\overline{X}$	╬			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		+	井			
	The state of the s			╬			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)		$\boxtimes$	Ш			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: ISO FR(nn):						
P7.17	Alt. 1						
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):						
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:						
	Alt. 2						
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	П					
	ISO 1043-4: Brominated Epoxy Resin See P14		_				
P7.18	Alt. 1						
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in						
	concentrations above 0.1%:						
	Comment: No legal limits exist, this is a market requirement.  1. Chemical name: , CAS #:						
	2. Chemical name: , CAS #:						
	3. Chemical name: , CAS #:						
	Alt. 2						
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	$\stackrel{\square}{\vdash}$	╫	╬			
1 7.19	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			Ш			
P7.20	Of total plastic parts' weight >25g, recycled material content is 38.3%.	$\boxtimes$					
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.	$\boxtimes$					
P7.22	Light sources are free from mercury						
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg						
P8	Batteries  Dath and the spiral and a spiral						
P8.1*	Battery chemical composition:						
P8.2	Batteries meet the requirements of the following voluntary program/s:			IXI			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkS	Station P7	700 MTs:	30A8000x	CXX			
Issue date *	2014-09-15				Logo	lei	novo.	
Draduat anviron	montal attrib	autos Markst	roguiromento	(continued)	·	Dog	uiromon	+ ma+
Product environi	mentai attric	outes - Market	requirements	(continuea)			uirement Yes No	
	consumption						162 140	II.a.
0,	•		els or energy con	sumptions are re	ported: See P14		$oxed{\square}$	
Energy mode *	F	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard method *	for energy mode	s and test	
Short Idle State - V	VOL Enabled	106.54 W	105.8 W	107.08 W	Use for ENERGY ST	AR V6 registrati	ion (Pidle)	
Long Idle State - W		105.3 W	104.6 W	106.04 W	Use for ENERGY ST		( /////////////////////////////////////	╁┼
Sleep (S3) - WOL E		5.58 W	5.5 W	5.43 W	Use for ENERGY ST			╁┼
Sleep (S3) - WOL I		W W	W	W W	Reference		OTT(F sleep/	H
Off (S5) - WOL Ena		1.86 W	1.85 W	1.89 W	Use for ENERGY ST	AR V6 registrati	ion(P <sub>o#</sub> )	片
Off (S5) - WOL Disa		W	W	W	Use for EuP		(- 611)	H
Max Power - WOL		242.09 W	241.49 W	238.31 W	Use for ENERGY ST	AR V6 registrati	ion	
EPS No-load (External power sup	only / charger	W	W	W				
TEC * Typical Energy Cons		kWh/week	kWh/week	kWh/week				
PTEC *	sumption	59.62W	59.2W	59.94W	$P_{TEC} = (P_{off} \times 0.35 + P_{sleep} \times 0.10 + P_{Shot})$		P <sub>Shortidie</sub> x	
					0.40 +P <sub>LongIdle</sub> x 0.15			
		P <sub>off</sub> : Off Mode(S	5) - WOL Enabled;	P <sub>sleep</sub> : Sleep Mode(	S3) - WOL Enabled; P <sub>idle</sub>	Idle State - WOL E	Enabled	
Display resolution*	: Mega	pixels						
Print Speed *	: Image	es per minute						
Default time to enter	r energy save	mode: 30 minute	es					$+\overline{\Box}$
			ction is provided w	vith the product.			$\square$	╅
				ving voluntary pro	gram/s:			
	Y STAR® ver				egory: Workstation			
P10 Emission								
		clared according				10 11		
P10.1 Mode	lviode de	escription		clared I sound power		ed A-weighted ure level $L_{p{\sf Am}}$ (	(dB)	
				$L_{WAd}$ (B)			r positions	
					Operator position  Desktop			
					or Desk side	(only if pro		
Idle	* Indica	ites idle	2.5" SSD SATA	(1xCPU): 4.1	2.5" SSD SATA(1)		attended)	
		on (system is		ATA(1xCPU): 4.1				_
	disk ac	ed on, but no tivity).	2.5" 15KRPM S	SATA(2xCPU): 3.9 AS(2xCPU): 4.4	3.5" 7.2KRPM SAT 2.5" 15KRPM SAS		1	
Operation	on * Indica	ites operating	2.5" SSD SATA	(1xCPU): 4.1	2.5" SSD SATA(1)	(CPU): 32		
	condition	on (hard disk	3.5" 7.2KRPM S	ATA(1xCPU): 4.1	3.5" 7.2KRPM SA	ΓA(1xCPU): 31		
	seeking	randomly g, all other	3.5" 7.2KRPM S 2.5" 15KRPM S	SATA(2xCPU): 3.9 AS(2xCPU): 4.9	3.5" 7.2KRPM SAT 2.5" 15KRPM SAS			
		tems idle)						
Other m	odo I				1			

Other (only if not covered by ECMA-74 with L<sub>pAm</sub> measurement distance The product meets the acoustic noise requirements of the following voluntary program/s:

P10.2

Measured according to: ISO7779 ECMA-74

m)

Model number *	ThinkStation P700 MTs: 30A8000xxx		
Issue date *	2014-09-15	Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item	•	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			$\boxtimes$
P10.4	Typical emission rate (print phase) is (mg/h):			$\boxtimes$
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			$\boxtimes$
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\boxtimes$
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	of		$\boxtimes$
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			$\boxtimes$
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\boxtimes$		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): <i>Paper</i> weight (kg): 1.325Kg			
	Product packaging material type(s): <i>Fabricated PE</i> weight (kg): 0.45Kg			
P13.2*	Product packaging material type(s): weight (kg):  Product plastic packaging is free from PVC.	$\square$	$\overline{}$	$\overline{}$
P13.3*	Specify media for user and product documentation (tick box):			井
P13.3	Electronic , Paper , Other			Ш
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			$\overline{}$
F 13.4	fiber: 0%			Ш
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied			
	information contained in this document. All information provided by supplier in this document is provided bas			
	knowledge available at the time of completion, and supplier shall have no obligation to update such informati provided here is approximate and provided for informational purposes only. See a Lenovo Account Representation			tion
	information.	itative for i	11016	
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CC	)		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## **Lenovo ErP Lot3 Information Sheet**

### - Workstation/Server -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### **Products scope of this sheet:**

Workstation, mobile workstation, desktop thin client, small-scale server and computer server

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkStation P700	Logo	
Model Number	30A8000xxx		
Issue Date	2014-09-15	lenovo.	
Additional information	ENERGY STAR® 6.0 Qualified (select models); EPEAT GOLD Rating; GREENGUARD Certified		

1 7.0.1	Product environmental attributes		
(d)	year of manufacture:	See name plate of product	
(e)	internal/external power supply efficiency:  FSP850-0AWSE 20% 90.4% 50% 92.35% 100% 90.14% Average 90.96% Other ;		
	or level: 80 PLUS COMPLIANT		
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:  -Test Voltage: 230V, Frequency: 50Hz  -Total harmonic distortion: <2%  - Information and documentation on the instrumentation: Please refer to additional information,  - Set-up and circuits used for electrical testing: Please refer to additional information		
(g)	maximum power (Watts)	702.2W	
(h)	idle state power (Watts)	262.9W	
i)	sleep mode power (Watts)	20.531W	
j)	off mode power (Watts)	2.249W	
l-1)	the measurement methodology used to determine information mentioned in points (e):  80 PLUS test method		
l-2)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:		
	ENERGY STAR® Program Requirements Product Specification for Computers Final Test Metho	d Rev. Sep-2013	

Additional information				
-Information and documentation on the instrumentation				
Instrument Type	Make and Model			
AC POWER SOURCE	Chroma 6530 & Chroma 61504			
Electronic Load	Chroma 6314			
Oscilloscope	Tektronix TDS5034			

