

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_i	notebooks.html

	pased on product specification or test results based obtained from sample testing), that the product ts given in this declaration.
Type of product *	Notebook PC
Commercial name *	Lenovo Y40-70
Model number *	20347; 80DR
Issue date *	2015-01-13
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	20347; 80DR Lenovo Y40-70	20347; 80DR	?
Issue date *	2015-01-13	Logo	lenovo.

Product	duct environmental attributes - Legal requirements				
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square	П		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	_	_		
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split				
P1.8*	aromatic amines. (See legal reference and Note B1) Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as		$\overline{}$		
F 1.0	pentachlorophenol and derivatives (see legal reference).	Ш	Ш		
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5		$\overline{}$		
F1.9	microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.		Ш	Ш	
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):		$\overline{}$		
1 1.10	http://www.lenovo.com/social_responsibility/us/en/materials.html		Ш	Ш	
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains				
. 2	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is		Ш		
P2.2*	provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or		$\overline{}$		
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		<u> Ц</u>	<u> </u>	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)		Ш		
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).		\Box		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference)		Ħ	H	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies		∺	H	
P3.4*	with legally required standards for radio and telecommunication devices (see legal reference).		_		
	The product is labeled to show conformance with applicable legal requirements (see legal reference).		<u>Ш</u>		
P4 1*	Consumable materials If a place and water (drawn half star) is used in the modulet it does not contain addrained now 0.040// (account).				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).		<u> </u>		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging			•	
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	I 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	I			
	Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	20347; 80DR		
Issue date *	2015-01-13	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Re	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
D7.4*	Disassembly, recycling			_
P7.1*	Parts that have to be treated separately are easily separable		Ц	
P7.2*	Plastic materials in covers/housing have no surface coating.	<u> </u>	\boxtimes	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC+ABS-FR(40) Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 5.38 %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0 %.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries mg			
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8 2	Batteries meet the requirements of the following voluntary program/s: US RBRC			\dashv

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	20347; 80DR Lenovo Y40-70	20347; 80DR	
Issue date *	2015-01-13	Logo	lenovo.

Product environmen	ıtal attribu	tes - Market requ	irements (cont	inued)		Requirement me	
P9 Energy con	cumption					Yes No	n.a.
		wing power levels or	energy consumpt	ions are reporte	d: See P14		
Energy mode *		Power level at 100 V AC		•		nergy modes and test	
Peak (On-max)		90 W	90 W	90 W	Full load		
Category I1		1					.1
Short Idle State - WOL	Enabled	7.75 W	7.90 W	7.31 W	Use for ENERGY STAR V	6 registration (P _{idle})	
Long Idle State - WOL	Enabled	5.88 W	6.00 W	6.21 W	Use for ENERGY STAR V	6 registration (P _{idle})	1
Sleep (S3) - WOL Enab	led	0.90 W	0.90 W	0.97 W	Use for ENERGY STAR V	6 registration(P _{sleep})	\Box
Sleep (S3) - WOL Disal	bled	0.84 W	0.88 W	0.79 W	Reference		
Off (S5) - WOL Enabled	1	0.35 W	0.35 W	0.42 W	Use for ENERGY STAR V	6 registration(P _{off})	
Off (S5) - WOL Disable	d	0.34 W	0.35 W	0.38 W	Use for EuP		
Category D 1/2		<u>l</u>	<u> </u>	<u> </u>			.1
Short Idle State - WOL	Enabled	NA W	NA W	NA W	Use for ENERGY STAR V	6 registration (P _{idle})	ТП
Long Idle State - WOL	Enabled	NA W	NA W	NA W	Use for ENERGY STAR V	6 registration (P _{idle})	
Sleep (S3) - WOL Enab	led	NA W	NA W	NA W	Use for ENERGY STAR V	6 registration (P _{sleep})	
Sleep (S3) - WOL Disal	bled	NA W	NA W	NA W	Reference		愩
Off (S5) - WOL Enabled	1	NA W	NA W	NA W	Use for ENERGY STAR V	6 registration(P _{off})	恄
Off (S5) - WOL Disable	d	NA W	NA W	NA W	Use for EuP		恄
EPS No-load		0.14 W	0.15 W	0.20 W			恄
(External power supply / plugged in the wall outle disconnected from the p	t but						
PTEC * Typical Energy Consum	ption	W	W	W			
TEC * Typical Energy Consum	ption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Consump	ption	27.80 kWh/year	29.38 kWh/year	28.20 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times P_{shortidle} \times 0.3 + P_{longidle} $	(0.25 + P _{sleep} x 0.35 (0.1)	
			l WOL Enabled; P _{slee}	: Sleep Mode(S3)) - WOL Enabled; P _{idle} : Idle Sta	te - WOL Enabled	
Display resolution*: 12	80*800 Meg	apixels					
Print Speed * :	Image	es per minute					
Default time to enter end	ergy save mo	ode: 25 minutes					
P9.2* Information a	about the en	ergy save function is	s provided with the	e product.	•		
ENERGY ST	TAR® version	energy requirements on: Version 6.0 Tie Star for External Po	er: Produ	ict category: 11		A A	П
P10 Emissions	nion Dari	ared according to 101	2 0206				
P10.1 Mode		ared according to ISO description	J 9290	Declared	Declared A	-weighted	T
		•		A-weighted	sound pressure le		
				sound power level $L_{W\!Ad}$		Bystander positions	_
					Desktop 🛛	Cambridge and Co.	1
					or Desk side	(only if product is not operator attended)	
Idle	* HD	D:Idle		* 2.7	20.	2	
Operation	* HD	D: Operating		* 2.7	21.		
Other mode		M 1007772	NAA 74		Energy Star for Exter	rnal Power Supplies	-
Measured a	ccording to:	_	CMA-74 Conly if not covered	d by ECMA-74 w	ith L _{pAm} measurement distan	ice m)	

P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:	
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:	

Model number *	20347; 80DR Lenovo Y40-70	20347; 80DR	
Issue date *	2015-01-13	Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			X
P10.4	Typical emission rate (print phase) is (mg/h):			X
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\square
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II	\boxtimes		
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			X
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	f		\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes		
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Carton weight (kg): 0.445			
	Product packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): <i>0.074</i>			
5.10 Ot	Product packaging material type(s): Others weight (kg): 0.323			
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		Щ
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic 🔲, Paper 📐, Other 🗌			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied			
	information contained in this document. All information provided by supplier in this document is provided base			
	knowledge available at the time of completion, and supplier shall have no obligation to update such information			on
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent information.	ative for i	nore	
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			
. •	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Y40-70	Logo
Model Number	80DR; 20347	_
Issue Date	2015-01-13	lenovo.
Additional information		

P7.1.1	Product environmental attributes				
(d)	year of manufacture: 2014				
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics can disabled and if the system is tested with switchable graphics mode with UMA driving the display:	ds (dGfx) are			
	Category (according to ErP Lot 3): NA Etec: NA				
f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics carenabled:	ds (dGfx) are			
	Category (according to ErP Lot 3): C Etec: 22.44				
g)	idle state power demand (Watts);	7.41			
h)	sleep mode power demand (Watts);	0.92			
i)	sleep mode with WOL enabled power demand (Watts) (where enabled);				
j)	off mode power demand (Watts);	0.41			
k)	off mode with WOL enabled power demand (Watts) (where enabled);				
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):				
	10% 20% 50% 100% Average				
(m)	external power supply efficiency (if applicable):				
	Average*: 90W:88.49%,88.52%,88.57%				
(a)	*internal note: show values for all available external power supplies the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):				
0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers).	500cycles			
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:				
	NA NA				
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:				
	Energy-star requirement				

(p-3)	the measubatteries:	irement methodolog	gy used	to determine information mentioned in points (o) - loadingcycles	
			IEC	61960 measurement methodology	
(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:				
				Energy-star requirement	
(p)	sequence (of steps for achieving	g a stabl	e condition with respect to power demand::	
				Based on user manual	
(r)	description	of how sleep and/or	off mod	e was selected or programmed:	
				Based on user manual	
(s)	sequence of mode:	of events required to	reach th	ne mode where the equipment automatically changes to sleep and/or	
				Based on user manual	
(t)				efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	25
(u)				er inactivity in which the computer automatically reaches a demand requirement than sleep mode (in minutes):	NA
(v)	the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10
(w)	information	on the energy-savir	ng poten	tial of power management functionality:	
				Based on user manual	
(x)	user inform	nation on how to ena	ble the p	power management functionality:	
				Based on user manual	
(z)	electricity s	supply system, — inf		est voltage in V and frequency in Hz, — total harmonic distortion of the n and documentation on the instrumentation, set-up and circuits used	
	for electrica	artesung.	230V/5	0Hz, Total Harmonic Distortion <2 %	
Addition N	otebook Ba	attery Information:			
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be acce by a non-professional user.	ssed and replaced
(Battery replaceable	not user	(Battery user replaceable)		The battery[ies] in this product cannot be easily repla	aced by users
				themselves	
			Ш		
Additional	informatio	n			
- taattional	ormado				