

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560	lenovo.		
Internet site *	alcarter@lenovo.com http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Tablet			
Commercial name *	Lenovo YB1-X90F,Lenovo YB1-X90L			
Model number *	ZAOV, ZAOW			
Issue date *				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔲	

Model number *	ZAOV, ZAOW		
Issue date *	2016-7-4	Logo	lenovo.

P1	Product	duct environmental attributes - Legal requirements			
P1.1 Products do not contain more than: 0.1% lead. 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1) P1.2 Products do not contain Abbestos (see legal reference).	Item		Yes	No	n.a.
0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1) Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), Hydrochlorofluorocarbons (HGFC), Hydrochlorocarbons					
Comment: Legal reference has no maximum concentration value. P1.31	P1.1*	0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal			
P1.3 Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), Holons, carbonitetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4 Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5 Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6 Textile and leather parts with direct skin contact do not contain Tri-(2.3, -dibromopropyl)-phosphate (TRIS), Tri-(2.adridinyl)-phosphineoxide (TEAP), polybrominated biphenyl (PB) (see legal reference). P1.8 Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromadic amines. (See legal reference and Note B1) Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachorophenol and derivatives (see legal reference). P1.8 Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachorophenol and derivatives (see legal reference). P1.9 Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	P1.2*				
hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carboniterachloride, 1,1,1-trichlorocathane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than: 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2.3-dibromoproyl)-phosphate (TRIS), Tris-(azriidinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Ownemet: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgramicm wheek (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10* ReACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference). P2.2* Button cells used in the product of on c	P1.3*		\square		
terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2.3dibromopropyl)-phosphate (TRIS), Tins-(azridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment. Legal reference has no maximum concentration values. P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): **Thttp://www.lenov.com/social_respons/billy/us/en/materials.html P2 Batteries P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performace, medical or data integrity reasons do not have to be "easily removable". (See legal reference). P3.3* The product complies with legally requi		hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
Products do not contain more than 0.1% short chain chloropparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	P1.4*				
P1.6* Textile and leather parts with direct skin contact do not contain Tni-(2.3,-dibromopropyl)-phosphate (TRIS), Tris-(azirdinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/uis/en/materials.html P2.8* Batteries P2.11* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not bave to be "easily removable" (See legal reference). P3.2* The product complies with legally required safety standards as specified (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standard	P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
P1.8* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split armatica amines. (See legal reference and Note B1) P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html P2 Batteries P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference). P3.1* The product complies with legally required standards as specified (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P4.1* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legall regiriered standards for radio and tel	P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).			
P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/meke (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P3.3* Satetries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.2* The product complies with legally required safety standards as specified (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for relectromagnetic compatibility (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If ink/loner is used in the product, it does not contain	P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\boxtimes
P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html P2 Batteries P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.3* Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for electromagnetic compatibility (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product	P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10° REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html P2 Batteries P2.1° If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2° Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3° Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3 Safety, EMC connection to the telephone network and labeling P3.1° The product complies with legally required safety standards as specified (see legal reference). P3.2° The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3° If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P4.1° If product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1° If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2° If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal r	D1 0*				
P1.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.2* EMC connection to the telephone network and labeling P3.1* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.2* The product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.01% (see legal reference).	1 1.9	microgram/cm²/week (see legal reference).		Ш	
P2 Batteries P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.2* The product complies with legally required safety standards as specified (see legal reference). P3.3* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P4.4.* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	P1.10*		\square		
P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.3* Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P4.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If the ink/toner is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not				ш	
P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.3* Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P4.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If the ink/toner is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not	P2	Batteries			
Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3		If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3. Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4. Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5. Product packaging P6.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	D2 2*				
Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3. Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4. Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	F2.2			Ш	Ш
P3 Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	\boxtimes		
P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.					
P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4. Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5. Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	P3				
P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4. Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5. Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.					
P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4. Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5. Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.				H	
with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.				+	
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	F 3.3	with legally required standards for radio and telecommunication devices (see legal reference).			Ш
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).			
legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.		Consumable materials			
P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.		legal reference and Note B1).			
product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.		If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	P4.3*	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these			
hexavalent chromium by weight of these together.					
		hexavalent chromium by weight of these together.			
	P5.2*				
P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	P5.3*	Protocol (see legal reference).			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ZAOV, ZAOW		
Issue date *	2016-7-4	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design Re	equire	nent	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disconnelly recognize			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			\blacksquare
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	╬	$\frac{\square}{\square}$	\boxtimes
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\square	+	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		╫	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		₩	+
F1.0			<u> </u>	
P7.7*	Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives		$\overline{}$	
P7.8*	Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done using commonly available tools	\square	╫	
P7.9.				<u> </u>
	Spare parts are available after end of production for: 3 years			Н
P7.10	Service is available after end of production for: 1 years			Ш
P7.11*	Material and substance requirements Product cover/housing material type:			
1 7.11	Material type: <i>PPS+45%GF</i> Material type: <i>PC+10%GF</i> Material type: <i>AZ91D</i>			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free	Ħ		Ħ
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\overline{H}		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	H	$\overline{\mathbf{X}}$	\vdash
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #: 3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
			Ш	
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		Ш	Ш
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Ion			
P8 2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ZAOV, ZAOW		
Issue date *	2016-7-4	Logo	lenovo

	duct environmental attributes - Market requirements (continued) Requirement met					
P9 Energy consumpt	Yes No r					
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14						
Energy mode *	Power level at			Reference / Standard for energy modes and test		
•	100 V AC	115 V AC	230 V AC	method *		
Peak (On-max)	24 W	24 W	24 W	Full load		
Category 0					•	
Short Idle State - WOL Enable	ed W	W	W	Use for ENERGY STAR V6 registration (P _{idle})		
Long Idle State - WOL Enable	d W	W	W	Use for ENERGY STAR V6 registration (P _{idle})		
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{sleep})		
Sleep (S3) - WOL Disabled	W	W	W	Reference		
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{off})		
Off (S5) - WOL Disabled	W	W	W	Use for EuP		
Category I3						
Short Idle State - WOL Enable		2.52 W	2.73 W	Use for ENERGY STAR V6 registration(P _{idle})		
Long Idle State - WOL Enable		0.09 W	0.11 W	Use for ENERGY STAR V6 registration(P _{idle})		
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{sleep})		
Sleep (S3) - WOL Disabled	0.13 W	0.09 W	0.11 W	Reference	Щ	
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(P _{off})	Щ	
Off (S5) - WOL Disabled	0.13 W	0.13 W	0.16 W 0.056 W	Use for EuP	Н	
EPS No-load (External power supply / charge plugged in the wall outlet but		0.042 W	0.056 W			
disconnected from the product.)					
PTEC * Typical Energy Consumption	W	W	W			
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Energy Consumption	7.81 kWh/year	7.26 kWh/year	7.96 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_idle} \times 0.10 + P_{short_idle} \times 0.30)$		
	P .:: Off Mode(S!	5) - WOL Fnabled: I	P · Sleen Mode	(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	-	
Display resolution* : 1200*192		oy - WOL Lindbied, I	sleep. Of CCP In Odc	(35) - WOL Enabled, Tidle Tale State - WOL Enabled	\vdash	
Print Speed * : Image	ages per minute					
Default time to enter energy say	/e mode: 0.5 minute:	s				
	ne energy save funct		th the product.		┸	
P9.3* The product meets	the energy requirem version: Version 6.1	ents of the followi	· · · · · · · · · · · · · · · · · · ·	gram/s:		
Others specify:						
P10 Emissions	Declared according t	to ISO 0206				
	lode description	10 130 9290	Declared	Declared A-weighted	Τ	
	index description		A-weighted sound power	sound pressure level L_{A} (dB)		
			level L_{WAd} (- D - (1	1	
			WAU	Desktop (only if product is not		
1.41.2	HDD://-//-		*	or Desk side operator attended)		
Idle * Operation *	Idle * HDD:Idle Operation * HDD: Operating		*			
Other mode	operating					
Measured accordin	g to: ISO7779	ECMA-74	1	1	1	
	Other			with L _{pAm} measurement distance m)		
P10.2 The product meets	the acoustic noise re	equirements of the	following volunt	ary program/s:	\boxtimes	

Wiodei iidi	mber *	ZAOV, ZAOW			
Issue date	e *	0040.7.4	leno	VO.	
Product	environn	nental attributes - Market requirements (continued)	Require	men	t met
Item			Yes	No	n.a
	Chemica	al emissions from printing products			
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\times
P10.4	Typical e	emission rate (print phase) is (mg/h):			\times
		Dust Ozone Styrene Benzene TVOC			
P10.5		al emission requirements of the following voluntary program/s are met for : Oust Ozone Styrene Benzene TVOC			X
		nagnetic emissions			
P10.6	program				
P11	Consum	nable materials for printing products			
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\times
P11.2*	Paper of EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requirements of 1.	f		\boxtimes
P11.3*	2-sided ((duplex) printing/copying is an integrated product function.			\boxtimes
P12		nics for computing products			
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes		
P13	Packagi	ng and documentation			
P13.1*	Product Product	packaging material type(s): <i>PE</i> weight (kg): <i>0.01</i> packaging material type(s): <i>Paper</i> weight (kg): <i>0.034</i> packaging material type(s): <i>carton</i> weight (kg): <i>0.503</i>			
P13.2*	Product	plastic packaging is free from PVC.	\boxtimes		
P13.3*		media for user and product documentation (tick box): ic ☑, Paper ☑, Other ☐			
P13.4*	For pape	er user and product documentation, please specify contained percentage of post-consumer recycled %			
P14		nal information (See Note B4)			
	informati knowled	Supplier makes no representations, guarantees, assurances or warranties whether express or implied, on contained in this document. All information provided by supplier in this document is provided based ge available at the time of completion, and supplier shall have no obligation to update such information here is approximate and provided for informational purposes only. See a Lenovo Account Represention.	d on supp n. The in	olier's forma	
P9	See Ene	ergy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19